
HIGH Q CERAMIC WIRE WOUND INDUCTORS

AISC-1008HQ





2.60 x 2.10 x 1.70mm

> FEATURES:

- Higher Q and lower DCR than other 1008 inductors
- Very high SRF as high as 8.1 GHz
- Excellent current handling capability up to 1600mA
- Wide range of Inductance values available for flexible needs
- Tight tolerance of 2% is available.

> APPLICATIONS:

- Widely used in communications applications such as cell phones, cable modems, ADSL, repeaters.
- Bluetooth, W-LAN, GPS, Broadband Network
- Video cameras, liquid crystal television, and other electronic devices
- Suitable for RF circuit

ELECTRICAL SPECIFICATIONS:

PARAMETERS					
ABRACON P/N:	AISC-1008 HQSeries				
Operating temperature:	-40°C to + 125°C				
Storage temperature:	-10°C to +40°C, 20% to 70% RH in Tape & Reel				

Part Number AISC-1008HQ- Inductance Code	Inductance	Tolerance	Min. Quality Factor	L/Q Test Freq.	Max. DC Resistance	Max. Rated Current	Min. Self- resonant Frequency
Units	nН	-	-	MHz	Ω	mA	MHz
Symbol	L	_	Q	Freq.	DCR	Ir	S.R.F
AISC-1008HQ-3N0	3.0	J, K	70	50/1500	0.04	1600	8100
AISC-1008HQ-7N8	7.8	J, K	75	50/1500	0.05	1600	3800
AISC-1008HQ-10N	10	J, K	60	50/500	0.08	1300	3600
AISC-1008HQ-12N	12	G, J, K	70	50/500	0.06	1500	2800
AISC-1008HQ-18N	18	G, J, K	62	50/350	0.08	1400	2700
AISC-1008HQ-22N	22	G, J, K	62	50/350	0.07	1400	2050
AISC-1008HQ-33N	33	G, J, K	75	50/350	0.09	1300	1700
AISC-1008HQ-39N	39	G, J, K	75	50/350	0.09	1300	1300
AISC-1008HQ-47N	47	G, J, K	75	50/350	0.12	1200	1450
AISC-1008HQ-56N	56	G, J, K	75	50/350	0.12	1200	1230
AISC-1008HQ-68N	68	G, J, K	80	50/350	0.13	1000	1150
AISC-1008HQ-82N	82	G, J, K	80	50/350	0.16	1000	1060
AISC-1008HQ-R10	100	G, J, K	62	50/350	0.16	1000	820

Test Conditions

- 1. Inductance is measured in HP-4287A RF LCR meter with HP-16193 fixture.
- 2. SRF is measured in ENA E5071B network analyzer
- 3. RDC is measured in HP-4338B milliohmeter.
- 4. Definition of Rated Current (Ir): Ir is direct electric current as chip surface temperature rise just 15°C against chip initial surface temperature (Ta)



HIGH CURRENT CERAMIC WIRE WOUND INDUCTORS


AISC-1008HQ






2.60 x 2.10 x 1.70mm


PART NUMBER IDENTIFICATION



OUTLINE DIMENSIONS




Recommended Land Pattern



A	В	C
3.00	1.20	2.20

Dimension: mm

ELECTRODE MATERIALS




Components	Material
1st Layer	Mo/Mn or Ag
2 nd Layer	Nickel
3 rd Layer	Gold



HIGH CURRENT CERAMIC WIRE WOUND INDUCTORS


AISC-1008HQ






2.60 x 2.10 x 1.70mm

REFLOW PROFILE



TAPE & REEL:



Storage periodUse the product within 12 months after delivered. Solderability should be checked if this period is exceeded.

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



