



Spec No.: DS20-2000-304 Effective Date: 07/05/2000

Revision: -

LITE-ON DCC

RELEASE

BNS-OD-FC001/A4

LITE-ON Technology Corp. / Optoelectronics


No.90, Chien 1 Road, Chung Ho, New Taipei City 23585, Taiwan, R.O.C. Tel: 886-2-2221-6181 Fax: 886-2-2221-1948 / 886-2-2221-0660 http://www.liteon.com/opto

Property of Lite-On Only

Features

- * High Intensity.
- * Popular T-1 3/4 diameter Package.
- * Selected minimum intensities.
- * Wide viewing Angle.
- * General purpose leads.
- * Reliable and rugged.

Package Dimensions



Part No.	Lens	Source Color
LTL-307Y-012	Yellow Diffused	Yellow

Notes:

- 1. All dimensions are in millimeters (inches).
- 2. Tolerance is ± 0.25 mm(.010") unless otherwise noted.
- 3. Protruded resin under flange is 1.0mm(.04") max.
- 4. Lead spacing is measured where the leads emerge from the package.
- 5. Specifications are subject to change without notice.

Part No.: LTL-307Y-012 5 Page: 1 of

Property of Lite-On Only

Absolute Maximum Ratings at TA=25℃

Parameter	Maximum Rating	Unit		
Power Dissipation	60	mW		
Peak Forward Current (1/10 Duty Cycle, 0.1ms Pulse Width)	80	mA		
Continuous Forward Current	20	mA		
Derating Linear From 50°C	0.25	mA/°C		
Reverse Voltage	5	V		
Operating Temperature Range	-55°C to + 100°C			
Storage Temperature Range	-55°C to + 100°C			
Lead Soldering Temperature [1.6mm(.063") From Body]	260°C for 5 Seconds			

Page: Part No.: LTL-307Y-012 2 of 5



Property of Lite-On Only

Electrical / Optical Characteristics at TA=25℃

Parameter	Symbol	Min.	Тур.	Max.	Unit	Test Condition
Luminous Intensity	Iv	8.7	29		mcd	I _F = 10mA Note 1,4
Viewing Angle	2 heta 1/2		50		deg	Note 2 (Fig.6)
Peak Emission Wavelength	λР		585		nm	Measurement @Peak (Fig.1)
Dominant Wavelength	λ d		588		nm	Note 3
Spectral Line Half-Width	Δλ		35		nm	
Forward Voltage	V_{F}		2.1	2.6	V	$I_F = 20 \text{mA}$
Reverse Current	$I_{ m R}$			100	μ A	$V_R = 5V$
Capacitance	С		15		pF	V _F = 0 , f = 1MHz

- Note: 1. Luminous intensity is measured with a light sensor and filter combination that approximates the CIE (Commission International De L'Eclairage) eye-response curve.
 - 2. θ 1/2 is the off-axis angle at which the luminous intensity is half the axial luminous intensity.
 - 3. The dominant wavelength, λ_d is derived from the CIE chromaticity diagram and represents the single wavelength which defines the color of the device.
 - 4. The Iv guarantee should be added $\pm 15\%$.

Typical Electrical / Optical Characteristics Curves

(25°C Ambient Temperature Unless Otherwise Noted)









Fig.1 Relative Intensity vs. Wavelength














Fig.6 Spatial Distribution


Part No.: LTL-307Y-012 Page: 4 of 5

Property of Lite-On Only

Features

- * Compatible with radial lead automatic insertion equipment.
- * Most radial lead plastic lead lamps available packaged in tape and reel.
- * 2.54mm (0.1") straight lead spacing available.
- * Reel packaging simplifies handling and testing.

Package Dimensions



TAPE FEED DIRECTION

	Symbol	Specification			
Item		Minimum		Maximum	
		mm	inch	mm	inch
Tape Feed Hole Diameter	D	3.8	0.149	4.2	0.165
Component Lead Pitch	F	2.3	0.091	3.0	0.118
Front to Rear Deflection	△Н			2.0	0.078
Feed Hole to Bottom of Component	H1	21.5	0.846	22.5	0.886
Feed Hole to Overall Component Height	H2	29.9	1.177	31.4	1.236
Lead Length After Component Height	L	W0		11.0	0.433
Feed Hole Pitch	P	12.4	0.488	13.0	0.511
Lead Location	P1	4.4	0.173	5.8	0.228
Center of Component Location	P2	5.05	0.198	7.65	0.301
Total Taped Thickness	T			0.90	0.035
Feed Hole Location	W0	8.5	0.334	9.75	0.384
Adhesive Tape Width	W1	12.5	0.492	13.5	0.531
Adhesive Tape Position	W2	0	0	3.0	0.118
Tape Width	W3	17.5	0.689	19.0	0.748

Part No.: LTL-307Y-012 of 5 Page: