<u>Type HZA -55 °C to +105 °C</u>

SMT Hybrid Polymer-Aluminum Electrolytic Capacitors

For filtering, Bypassing and Power Supply Decoupling with Long Life Requirements



Rated for 105°C, type HZA combines the advantages of aluminum electrolytic and aluminum polymer technology. These hybrid capacitors have the ultra-low ESR characteristics of conductive aluminum polymer capacitors packaged in a V-chip, SMT case with high capacitance and voltage ratings

Highlights


- +105 °C, Up to 10,000 Hours Load Life
- Low Leakage Current
- Very Low ESR and High Ripple Current
- 260 °C reflow soldering
- AEC-Q200 Compliant

Specifications

Capacitance Range	10 to 330 µF	10 to 330 μF						
Capacitance Tolerance	±20% @ 120 Hz/+20	±20% @ 120 Hz/+20 °C						
Rated Voltage	25, 35, 50, 63, 80 Vdo	с						
Leakage Current (at 20°C)	I = leakage curre C = rated capacit	I = .01CV or 3 μ A max., whichever is greater after 2 minutes I = leakage current in μ Amps C = rated capacitance in μ F V = rated DC Working voltage in Volts						
Low Temperature Characteristics (at 120 Hz)		Z(-25 °C)/Z(+20 °C): 2 Z(-55 °C)/Z(+20 °C): 2.5						
Ripple Current Frequency Multiplier	Frequency	120 Hz	1000 Hz	10,000 Hz	100 KHz			
	Correction Factor	0.1	0.3	0.6	1			


RoHS Compliant

Outline Drawing



Case Code	D (± 0.5)	L (± 0.3)	A (± 0.2)	B (± 0.2)	H (max.)	l (ref.)	w	P (ref.)	к
С	5.0	5.8	5.3	5.3	6.5	2.2	0.65 ± 0.1	1.5	0.35 +0.15/-0.20
D	6.3	5.8	6.6	6.6	7.8	2.6	0.65 ± 0.1	1.8	0.35 +0.15/-0.20
Х	6.3	7.7	6.6	6.6	7.8	2.6	0.65 ± 0.1	1.8	0.35 +0.15/-0.20
F	8.0	10.2	8.3	8.3	10.0	3.4	0.90 ± 0.2	3.1	0.70 ± 0.2
G	10.0	10.2	10.3	10.3	12.0	3.5	0.90 ± 0.2	4.6	0.70 ± 0.2

Capacitor Markings




Voltage Code	Voltage Vdc
E	25
V	35
н	50
J	63
К	80

mm

Lot, Number: Year, Line, Month

<u>Type HZA -55 °C to +105 °C</u>

SMT Hybrid Polymer-Aluminum Electrolytic Capacitors Part Numbering System



T = Tape & Reel

Ratings

Capacitance (μF)	Voltage Rating (Vdc)	CDE Part Number	MAX DCL (μA)	MAX DF @ 120 Hz/20°C	MAX E.S.R. @ 100kHz/+20°C (ohms)	MAX Ripple Current @ 100kHz/+105°C (A rms)	D (mm)	L (mm)	Case Code	QTY/reel
				25 Vdc (32 Vdc	Surge)					
33	25	HZA336M025C12T-F	8.2	0.14	0.080	0.9	5.0	5.8	С	1000
56	25	HZA566M025D16T-F	14.0	0.14	0.050	1.3	6.3	5.8	D	1000
100	25	HZA107M025X16T-F	25.0	0.14	0.030	2.0	6.3	7.7	Х	900
220	25	HZA227M025F24T-F	55.0	0.14	0.027	2.3	8.0	10.2	F	500
330	25	HZA337M025G24T-F	82.5	0.14	0.020	2.5	10.0	10.2	G	500
				35 Vdc (44 Vdc	Surge)					
22	35	HZA226M035C12T-F	7.7	0.12	0.100	0.9	5.0	5.8	С	1000
27	35	HZA276M035D16T-F	9.4	0.12	0.060	1.3	6.3	5.8	D	1000
47	35	HZA476M035D16T-F	16.4	0.12	0.060	1.3	6.3	5.8	D	1000
68	35	HZA686M035X16T-F	23.8	0.12	0.035	2.0	6.3	7.7	Х	900
150	35	HZA157M035F24T-F	52.5	0.12	0.027	2.3	8.0	10.2	F	500
270	35	HZA277M035G24T-F	94.5	0.12	0.020	2.5	10.0	10.2	G	500
				50 Vdc (63 Vdc	Surge)					
10	50	HZA106M050C12T-F	5.0	0.10	0.120	0.75	5.0	5.8	С	1000
22	50	HZA226M050D16T-F	11.0	0.10	0.080	1.1	6.3	5.8	D	1000
33	50	HZA336M050X16T-F	16.5	0.10	0.040	1.6	6.3	7.7	Х	900
68	50	HZA686M050F24T-F	34.0	0.10	0.030	1.8	8.0	10.2	F	500
100	50	HZA107M050G24T-F	50.0	0.10	0.028	2.0	10.0	10.2	G	500
				63 Vdc (79 Vdc	Surge)					
10	63	HZA106M063D16T-F	6.3	0.08	0.120	1.0	6.3	5.8	D	1000
22	63	HZA226M063X16T-F	13.8	0.08	0.080	1.5	6.3	7.7	Х	900
33	63	HZA336M063F24T-F	20.7	0.08	0.040	1.7	8.0	10.2	F	500
56	63	HZA566M063G24T-F	35.2	0.08	0.030	1.8	10.0	10.2	G	500
				80 Vdc (100 Vdc	: Surge)					
22	80	HZA226M080F24T-F	17.6	0.08	0.045	1.55	8.0	10.2	F	500
33	80	HZA336M080G24T-F	26.4	0.08	0.036	1.70	10.0	10.2	G	500

CDE Cornell Dubilier • 1605 E. Rodney French Blvd. • New Bedford, MA 02744 • Phone: (508)996-8561 • Fax: (508)996-3830

Type HZA -55 °C to +105 °C

SMT Hybrid Polymer-Aluminum Electrolytic Capacitors

Load Life Test

Test	Apply the maximum rated voltage for 10,000 hrs at +105 °C with full rated ripple current. After the test measure the capacitance, DF, DCL and ESR at +20 °C. Also measure the ESR at -40 °C and 100kHz.
ΔC at 120Hz	Capacitance will be within $\pm 30\%$ of the initial measured value
DF at 120 Hz	DF will be \leq 200% of the initial specified value
DCL after 2 minute charge	Leakage current will be \leq the initial specified value
ESR at 100kHz/+20 °C	ESR will be \leq 200% of the initial specified value
Max. ESR at 100kHz/-40 °C after Load Life test	Case Code C : 2.0 Ω ; Case Code D : 1.4 Ω ; Case Code X : 0.8 Ω ; Case Code F : 0.4 Ω ; Case Code G : 0.3 Ω
Shelf Life Test	
Test	Subject the capacitor to 1000 hrs at +105 °C without voltage. After the test, return the capacitor to room temperature for two hours and then apply rated voltage for 30 minutes. The after test measurements for capacitance, DF, DCL and ESR at +20 °C will meet the following.
ΔC at 120 Hz	Capacitance will be within $\pm 30\%$ of the initial measured value
DF at 120 Hz	DF will be \leq 200% of the initial specified value
DCL after 2 minute charge	Leakage current will be \leq the initial specified value

Moisture Resistance Test

ESR at 100Khz/+20 °C


Test	Subject the capacitor to 2000 hrs at +85 °C/85%RH with rated voltage. After the test, return the capacitor to room temperature and humidity for two hours. The after test measurements for capacitance, DF, DCL and ESR at +20 °C will meet the following.
ΔC at 120 Hz	Capacitance will be within ±30% of the initial measured value
DF at 120 Hz	DF will be \leq 200% of the initial specified value
DCL after 2 minute charge	Leakage current will be ≤ the initial specified value
ESR at 100Khz/+20 °C	ESR will be \leq 200% of the initial specified value

ESR will be \leq 200% of the initial specified value


Temperature Cycle Test

	Subject the capacitor to 1000 cycles of temperature change from -55 °C to +105 °C using the following sequence and durations.								
	Step	Temperature	Time at Temperature						
	1	-55 °C	30 minutes						
Test	2	+20 °C	3 minutes max						
	3	+105 °C	30 minutes						
	4	+20 °C	3 minutes max						
	After the test, return the capacitor to $+20^{\circ}$ C for one to two hours before measurement. The after test measurements for capacitance, DF, and DCL at $+20^{\circ}$ C will meet the following;								
ΔC at 120 Hz	Capacitance will be within ±20%	6 of the initial measured value							
DF at 120 Hz	DF will be \leq 200% of the initial s	pecified value							
DCL after 2 minute charge	Leakage current will be ≤ the initial specified value								
Appearance	No significant change in appear	ance							


Type HZA -55 °C to +105 °CSMT Hybrid Polymer-Aluminum Electrolytic Capacitors **Reel Dimensions**



Tape Dimensions



Case Size (mm)	Case Code	W±0.3	A ± 0.2	B ^{+0.3/-0.2}	C ± 0.5	F ± 0.1	P ± 0.1	t1	t2 ± 0.2	φd +0.1/-0	P1 ± 0.1	P2 ± 0.1	W1 ± 0.1
5 x 5.8	С	12	5.7	5.7	8.0	5.5	12	0.4	6.4	1.5	2	4	1.75




													mm
Case Size (mm)	Case Code	W ± 0.3	A ± 0.2	B ^{+0.3/-0.2}	C ± 0.5	F ± 0.1	P ± 0.1	t1	t2 ± 0.2	φd +0.1/-0	P1 ± 0.1	P2 ± 0.1	W1 ± 0.1
6.3 x 5.8	D	16	_	7	9.0	7.5	10	0.4	6.4				1.75
6.3 x 7.7	Х	16	/	/		7.5	12	0.4	8.4	1.5			
8 x 10.2	F	24	8.7	8.7	12.5	11.5	16		11	1.5	2	4	1./5
10 x 10.2	G	24	10.7	10.7	14.5	11.5	10	0.4					

CDE Cornell Dubilier • 1605 E. Rodney French Blvd. • New Bedford, MA 02744 • Phone: (508)996-8561 • Fax: (508)996-3830


<u>Type HZA -55 °C to +105 °C</u>

SMT Hybrid Polymer-Aluminum Electrolytic Capacitors Recommended Land Dimensions



				mm
Case Code	D (mm)	A	В	с
С	5	1.5	2.8	1.6
D	6.3	1.8	3.2	1.6
Х	6.3	1.8	3.2	1.6
F	8	3.1	4.0	2.0
G	10	4.6	4.1	2.0

Recommended Reflow Soldering



Case Code	Case Dia. (mm)		Time at or above 250 °C		Time at or above 217 °C	Time at or above 200 °C	Number of Reflow Processes
С	5						
D	6.3						2
Х	6.3	260°C	5 seconds	30 seconds	40 seconds	70 seconds	
F	8						1
G	10						Ι

Notes:


- 1. For 5mm and 6.3 mm case dia., if the peak temperature does not exceed 255 °C the time at or above 250 °C can increase to 10 seconds.
- 2. The capacitors in the 8m and 10 mm case dia. can withstand 2 reflow processes, if the peak temperature does not exceed 245 °C and the time at or above 240 °C does not exceed 10 seconds.
- 3. The 2nd reflow process should be performed after the capacitors have returned to room temperature.
- 4. Temperature should be measured with a thermal couple placed on the top surface of the capacitor.
- 5. After reflow soldering, the leakage current, D.F., and e.s.r., will meet the initial specifications, and the capacitance will be within ±10% of the initial measured value when measured at room conditions.


CDE Cornell Dubilier • 1605 E. Rodney French Blvd. • New Bedford, MA 02744 • Phone: (508)996-8561 • Fax: (508)996-3830

Type HZA -55 °C to +105 °C

SMT Hybrid Polymer-Aluminum Electrolytic Capacitors

Capacitor Temperature Characteristics







Notice and Disclaimer: All product drawings, descriptions, specifications, statements, information and data (collectively, the "Information") in this datasheet or other publication are subject to change. The customer is responsible for checking, confirming and verifying the extent to which the Information contained in this datasheet or other publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without any guarantee, warranty, representation or responsibility of any kind, expressed or implied. Statements of suitability for certain applications are based on the knowledge that the Cornell Dubilier company providing such statements ("Cornell Dubilier") has of operating conditions that such Cornell Dubilier company regards as typical for such applications, but are not intended to constitute any guarantee, warranty or representation regarding any such matter – and Cornell Dubilier specifically and expressly disclaims any guarantee, warranty or representation concerning the suitability for a specific customer application, use, storage, transportation, or operating environment. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by Cornell Dubilier with reference to the use of any Cornell Dubilier products is given gratis (unless otherwise specified by Cornell Dubilier), and Cornell Dubilier assumes no obligation or liability for the advice given or results obtained. Although Cornell Dubilier strives to apply the most stringent guality and safety standards regarding the design and manufacturing of its products, in light of the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies or other appropriate protective measures) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage. Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicated in such warnings, cautions and notes, or that other safety measures may not be required.