

DATASHEET

SMD • Side View LEDs

99-218GLM2C/L7277SGY-T/EU



Features

- . Side view white LED
- . White SMT package
- . Lead frame package with individual 2 pins
- . Wide viewing angle
- . Soldering methods: IR reflow soldering
- . Pb-free
- . The product itself will remain within RoHS compliant version.

Descriptions

. Due to the package design, 99-218G has wide viewing angle, low power consumption and white LEDs are devices that are materialized by combing blue chips and special phosphor. This feature makes the LED ideal for light guide application.

Applications

- . LCD Back Light
- . Mobile Phones
- . Indicators
- . Illuminations
- . Switch Light
- . Compliance with EU REACH.

Copyright © 2010, Everlight All Rights Reserved. Release Date : 12.Dec. 2022. Issue No: V3

www.everlight.com



Coding:

99-218GLM2C/L \underline{XX} \underline{XX} \underline{XX} \underline{X} -T/EU



Device Selection Guide

Chip	Emitted Color	Resin Color	
Materials	Emilia Color	1 (00)11 (00)01	
InGaN	Pure White	Water Clear	

Absolute Maximum Ratings (Ta=25°C)

Parameter	Symbol	Rating	Unit
Reverse Voltage	V_{R}	5	V
Forward Current	l _F	30	mA
Peak Forward Current (Duty 1/10 @10ms)	I _{FP}	60	mA
Power Dissipation	P_d	110	mW
Operating Temperature	T_{opr}	-40 ~ + 85	°C
Storage Temperature	T_{stg}	-40 ~ + 90	°C
Soldering Temperature	T_{sol}	Reflow Soldering : 260 °C Hand Soldering : 350 °C	

Notes: *1The products are sensitive to static electricity and must be carefully taken when handling products.

Copyright © 2010, Everlight All Rights Reserved. Release Date : 12.Dec. 2022. Issue No: V3

www.everlight.com



Electro-Optical Characteristics (Ta=25°C)

Parameter	Symbol	Min.	Тур.	Max.	Unit	Condition
Luminous Flux	Ф	7.25		8.00	lm	
Viewing Angle	20 1/2		120		deg	IF=20mA
Forward Voltage	VF	2.70		3.20	V	-
Reverse Current	IR			50	μА	V _R =5V

Notes:

1. Tolerance of Luminous Flux: ± 7%

2. Tolerance of Forward Voltage: ± 0.05V





Bin Range of Luminous Flux

Bin Code	Lm(Min.)	Lm(Max.)	Unit	Condition	Mcd(Min.)	Mcd(Max.)
L72	7.25	7.50			2595	2685
L75	7.50	7.75	Lm	IF=20mA	2685	2775
L77	7.75	8.00	•		2775	2865

Note:

Tolerance of Luminous Intensity, Luminous Flux: ± 7%

Bin Range of Forward Voltage

Group	Bin Code	Min.	Max.	Unit	Condition
	4-2-3	2.70	2.80		
	5-1-3	2.80	2.90		
Υ	5-2-3	2.90	3.00	V	I _F =20mA
	6-1-3	3.00	3.10		
	6-2-3	3.10	3.20	-	

Note: Tolerance of Forward Voltage: ± 0.05V



Chromaticity Coordinates of Bin Code


Bin Code	CIE_x	CIE_y	Bin Code	CIE_x	CIE_y
	0.2850	0.2670	_	0.2893	0.2743
NA0-4-1	0.2820	0.2720	- NA0-4-2 -	0.2865	0.2795
NA0-4-1	0.2865	0.2795	NAU-4-2	0.2910	0.2870
	0.2893	0.2743		0.2935	0.2815
	0.2880	0.2620	_	0.2920	0.2690
NA0-4-3	0.2850	0.2670	- NA0-4-4	0.2893	0.2743
NAU-4-3	0.2893	0.2743	NAU-4-4	0.2935	0.2815
	0.2920	0.2690		0.2960	0.2760
	0.2935	0.2815	_	0.2975	0.2885
NB5-3-1	0.2910	0.2870	- NB5-3-2	0.2950	0.2940
ND3-3-1	0.2950	0.2940	ND3-3-2	0.2990	0.3010
	0.2975	0.2885		0.3015	0.2955
	0.2960	0.2760		0.3000	0.2830
NB5-3-3	0.2935	0.2815	NB5-3-4	0.2975	0.2885
ND3-3-3	0.2975	0.2885	NDJ-3-4	0.3015	0.2955
	0.3000	0.2830		0.3040	0.2900

Note: Tolerance of Chromaticity Coordinates: ±0.01

5 Copyright © 2010, Everlight All Rights Reserved. Release Date : 12.Dec. 2022. Issue No: V3
Issue No: DSE-0016189




Chromaticity Coordinates of Bin Code



Copyright © 2010, Everlight All Rights Reserved. Release Date : 12.Dec. 2022. Issue No: V3
Issue No: DSE-0016189



Package Outline Dimensions




Note: The tolerances unless dimensions are ± 0.1mm.




Typical Electro-Optical-Thermal Characteristics Curves

1. Spectrum Distribution Current


 $(T_A=25^{\circ}C, I_F=20mA)$




2. Relative Luminous Intensity vs. Forward $(T_A=25^{\circ}C)$



3. Relative Forward Voltage vs. Forward Current $(T_A=25^{\circ}C)$



4. Radiation Diagram (T_A=25°C, I_F=20mA)




Ver.:3




Typical Electro-Optical-Thermal Characteristics Curves


5. Relative Luminous Intensity vs. Solder Temperature (I_F=20mA)




Chromaticity Coordinates vs. Solder Temperature (I_F=20mA)



Forward Voltage vs. Solder Temperature (I_F=20mA)



8. Forward Current De-rating Curve




Release Date:12/15/2022




Label Explanation

CAT: Luminous Flux Rank

HUE: Chromaticity Coordinates REF: Forward Voltage Rank



Reel Dimensions




Note: The tolerances unless dimension are ± 0.1mm.

10 Copyright © 2010, Everlight All Rights Reserved. Release Date: 12.Dec. 2022. Issue No: V3

www.everlight.com




Carrier Tape Dimensions: Loaded Quantity 1000/2000 pcs. Per Reel



Note: The tolerances unless mentioned is ± 0.1 mm, Unit = mm.

Moisture Resistant Packaging



Note: Actual photo of standard packing bag

11 Copyright © 2010, Everlight All Rights Reserved. Release Date : 12.Dec. 2022. Issue No: V3
Issue No: DSE-0016189

Release Date: 12/15/2022



Reliability Test Items and Conditions

The reliability of products shall be satisfied with items listed below.

Confidence level: 90%

LTPD: 10%

		Test Condition	Test	Criteria				
NO	Item -	Temp./ Humidity	I _F (mA)	Hours / Times	Iv @ 20mA	V _F @ 20mA		
1	Reflow Soldering	TSId = 260°C, Max	. 10sec.	2 times	<±10%	<±10%		
2	Temperature cycle		100°C 30min.	200 cycles				
3	Thermal Shock	-10°C ~ 1 20min. (<15sec.)	100°C 20min.	200 cycles				
4	Low Temp. Storage	Ta= -40°C		1000 hrs				
5	High Temp. Storage	Ta= 100°C		1000 hrs				
6	Temp. Humidity Storage	Ta= 60°C/ 90%RH		1000 hrs	F			
7	Steady State Operating Life of Low Temp.	Ta= -40°C	20	1000 hrs	VF <	70%, 110%,		
8	Steady State Operating Life Condition 1	Ta= 25°C/ Room Humidity	20	1000 hrs				
9	Steady State Operating Life Condition 2	Ta= 60°C	20	1000 hrs				
10	Steady State Operating Life of High Temp.	Ta= 85°C	5	1000 hrs				
11	Steady State Operating Life of High Humidity Heat	Ta= 60°C/ 90%RH	20	1000 hrs				

Notes:

- 1. Sampling for each test item: 22 (pcs.)
- 2. Test board: PCB board thickness=1.0mm, copper layer thickness=0.07mm, Rth j-a= 380°C/W.
- 3. Measurements are performed after allowing the LEDs to return to room temperature.

12 Copyright © 2010, Everlight All Rights Reserved. Release Date : 12.Dec. 2022. Issue No: V3 Issue No: DSE-0016189



Precautions for Use

1. Over-current-proof


Customer must apply resistors for protection, otherwise slight voltage shift will cause big current change (Burn out will happen).

2. Storage

- 2.1 Do not open moisture proof bag before the products are ready to use.
- 2.2 Before opening the package: The LEDs should be used within one year and kept at 30°C or less and 70%RH or less.
- 2.3 After opening the package: We recommend that the LED should be soldered quickly (within 3 days). The soldering condition is 30°C or less and 60%RH or less. If unused LEDs remain, it should be stored in moisture proof packages.
- 2.4 If the moisture absorbent material (silica gel) has faded away or the LEDs have exceeded the storage time, baking treatment should be performed using the following conditions. Baking treatment: 60±5°C for 24 hours. (One time only)

3. Soldering Condition

3.1 Pb-free solder temperature profile



3.2 Reflow soldering should not be done more than two times.

13 Copyright © 2010, Everlight All Rights Reserved. Release Date : 12.Dec. 2022. Issue No: V3 Issue No: DSE-0016189




- 3.3 When soldering, do not put stress on the LEDs during heating.
- 3.4 After soldering, do not warp the circuit board.

4. Soldering Iron

Each terminal is to go to the tip of soldering iron temperature less than 350°C for 3 seconds within once in less than the soldering iron capacity 25W. Leave two seconds and more intervals, and do soldering of each terminal. Be careful because the damage of the product is often started at the time of the hand solder.

5. Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether the characteristics of the LEDs will or will not be damaged by repairing.



6. Handling Indications

During processing, mechanical stress on the surface should be minimized as much as possible. Sharp objects of all types should not be used to pierce the sealing compound.

14 Copyright © 2010, Everlight All Rights Reserved. Release Date: 12.Dec. 2022. Issue No: V3

www.everlight.com