






◆FEATURES

- 1. Small in size and wide capacitance range. Max. 470µF is available.
- 2. Temperature characteristic is X7R in EIA code.
- 3. Superior humidity characteristic and long life.
- 4. Excellent high frequency characteristic due to low ESR.
- 5. High rated ripple current.
- 6. 500Vdc items are available.
- 7. Resin(UL94 V-0) used for coating.
- 8. Pb-free design(also ceramic dielectric)

APPLICATIONS

- 1. Smoothing circuit of switching mode AC-DC or DC-DC converter.
- 2. Noise suppressor for various kinds of equipments.
- 3. By-pass or decoupling circuits.
- 4. Automotive equipments.
- * Please contact us for more information about AEC-Q200.

◆CONSTRUCTION



◆RATINGS

Category Temperature Range	-55 to +125℃
2. Rated Voltage Range	25, 35, 50, 100, 250, 500Vdc
3. Rated Capacitance Range	0.1 to 470μF
4. Rated Capacitance Tolerance	M(±20%), K(±10%)
5. Temperature Characteristics	X7R
6. Rated Ripple Current	See No.5 on the following table

♦SPECIFICATIONS

No.	Items		Specification	Test (Condition		
1	Withstand Voltage	Between Terminals	No abnormality.	Rated voltage Less than 250V		Withstand voltage		
		Terminals to				250% of rated voltage		
	Coating Resin		More than 250V Less than 500V		100V + 150% of rated voltage			
				More than 500V		130% of rated voltage		
				Shall be applied for 5 seconds.				
2	2 Insulation Resistance		100/Cn(M Ω) or 4000(M Ω) whichever is less.	Rated voltage temperature	tage shall be applied for 60 ± 5 seconds at the 25 $\pm2^{\circ}$ C.			
3	Rated Capacitance		Within specified tolerance.		Cr≦10µF		Cr>10µF	
					25±2℃		:2°C	
4	4 Dissipation Factor		issipation Factor 5.0% maximum.		1±0.1kHz	<u>.</u>	120±12Hz	
					1±0.2Vrm	าร	0.5±0.2Vrms	







♦SPECIFICATIONS

No.		Items	Specification	Test Condition					
5	Rated Ripple	Current	See STANDARD RATINGS	10kHz to 1MHz (sine curve) Ripple voltage Vp shall be less than the rated		voltage.			
6	Robustness	Tension	No visible damage.	The force applied shall be :					
	of Terminations			Lead φ (mm)	Tensile(N)		(sec.)		
	Terriniations			0.5 max.	5		10±1		
				0.6 min. 10			10±1		
		Bending			Danding (NI)		(1)		
		_		Lead φ (mm)	Bending(N)		(kg)		
				0.5 max. 0.6 min.	2.5 5		0.25		
				Time : 2times.	5		0.51		
7	Vibration		Appearance : No abnormality.	Amplitude	: 1.5mm				
'	VIDIATION		Capacitance : To meet the initial	Frequency range	: 10-55-10Hz (1	min)			
			specification.	Direction and time :					
			D.F.: To meet the initial specification.	2 hours each to X, Y, Z axis. Total 6 hours.					
8	8 Solderability		Min. 75% of surface of the termination	Solder		Pb Free			
			shall be covered with new solder.	Solder Tempera	ature	245±5℃			
				Dipping Time 2±0.5sec.			ec.		
9	9 Resistance to Soldering Heat		Appearance : No abnormality.	Solder Temperature	Solder Temperature : 350±10°C				
ľ			ΔC/C :±15%	Dipping Time	: 3±0.5 sec.				
			D.F.: To meet the initial specification. I.R.: To meet the initial specification.	Depth : 1.5 to 2mm					
10	Temperature (Cycle		Step Temperature (°C)			(min.)		
			Appearance : No abnormality.	1 Min. Category temperature ±3			30±3		
			ΔC/C :±15%	9 3 1			3 max.		
		D.F. : To meet the initial specification.			3 Max. Category temperature ±3 30±				
			I.R.: To meet the initial specification.	4 Room temperature 3 max.					
				For 5 cycles for above temperature cycle.					
11	11 Humidity Load Life		Humidity Load Life Appearance : No abnormality.						
			ΔC/C :±20%	1	95%RH				
		D.F.: 10% maximum		Voltage : Rated voltage					
			I.R. : 25/C _R (M Ω) or 1000(M Ω) whichever is less.	Time : 500:	± ²⁴ hours				
12	12 Endurance		Appearance : No abnormality.	Temperature : 125:	±3℃				
			ΔC/C :±20%	Voltage : Rated voltage					
			D.F. : 10% maximum I.R. : $50/C_R(M\Omega)$ or $1000(M\Omega)$		$0\pm {}^{48}_{0}$ hours				
			whichever is less.						
	D-4 0								

*CR : Rated Capacitance(µF)





♦STANDARD RATINGS

Rated voltage	Rated Capacitance (µF)	Electrostatic Capacitance Temperature Characteristics	Dimensions(mm)					Maximum ripple current	Part Number	Taping Quantity per reel
(Vdc)			L max.	W max.	T max.	F±0.8	φd±0.05	(Arms)	rait Nullibei	(pcs. / reel)
	3.3	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD250B335 □32A0T00	2,000
	4.7	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD250B475□32A0T00	2,000
	6.8	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD250B685 ☐ 43A0T00	2,000
	10	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD250B106□43A0T00	2,000
	15	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD250B156□43A0T00	2,000
	15	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD250B156□55A0T00	2,000
	22	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD250B226□55A0T00	2,000
25	33	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD250B336□55A0T00	1,500
	47 68	X7R X7R	10.0 13.5	11.5 15.0	5.5 6.0	5.0 10.0	0.5	1.5 2.0	KTD250B476□76A0T00 KTD250B686M80A0B00	1,000
	100	X7R	13.5	15.0	8.0	10.0	0.6	2.0	KTD250B080M80A0B00	
	150	X7R	22.5	20.0	6.0	20.0	0.8	3.0	KTD250B157M90A0B00	_
	220	X7R	22.5	20.0	8.0	20.0	0.8	3.0	KTD250B137M90A0B00	_
	330	X7R	28.5	20.0	8.0	25.0	0.8	4.0	KTD250B337M99A0B00	_
	470	X7R	28.5	20.0	11.5	25.0	0.8	4.0	KTD250B477M99A0B00	_
	3.3	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD350B335□32A0T00	2,000
	4.7	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD350B475 □32A0T00	2,000
	6.8	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD350B685 □43A0T00	2,000
	10	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD350B106□43A0T00	2,000
35	15	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD350B156□55A0T00	2,000
	22	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD350B226□55A0T00	2,000
	33	X7R	10.0	11.5	5.0	5.0	0.5	1.5	KTD350B336 □ 76A0T00	1,000
	47	X7R	10.0	11.5	5.5	5.0	0.5	1.5	KTD350B476□76A0T00	1,000
	1.0	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD500B105□32A0T00	2,000
	1.5	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD500B155□32A0T00	2,000
	2.2	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD500B225□32A0T00	2,000
	3.3	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD500B335□32A0T00	2,000
	4.7	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD500B475□43A0T00	2,000
	6.8	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD500B685□43A0T00	2,000
	10	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD500B106□55A0T00	2,000
50	15	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD500B156□55A0T00	2,000
	22	X7R	10.0	11.5	5.0	5.0	0.5	1.5	KTD500B226□76A0T00	1,500
	33	X7R	13.5	15.0	5.5	10.0	0.6	2.0	KTD500B336M80A0B00	_
	47	X7R	22.5	20.0	6.0	20.0	0.8	3.0	KTD500B476M90A0B00	_
	68	X7R	22.5	20.0	6.0	20.0	0.8	3.0	KTD500B686M90A0B00	_
	100	X7R	22.5	20.0	6.0	20.0	0.8	3.0	KTD500B107M90A0B00	_
	150	X7R	28.5	20.0	7.5	25.0	0.8	4.0	KTD500B157M99A0B00	_
	220 0.33	X7R X7R	28.5 5.0	20.0 6.0	10.0 3.5	25.0 5.0	0.8	4.0 0.3	KTD500B227M99A0B00	- 2,000
	0.33	X7R X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD101B334□32A0T00 KTD101B474□32A0T00	2,000
	0.47	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD101B474□32A0T00 KTD101B684□32A0T00	2,000
	1.0	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD101B105□32A0T00	2,000
	1.5	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD101B155□32A0T00	2,000
	2.2	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD101B195□32A0T00	2,000
	1.5	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD101B155□43A0T00	2,000
	2.2	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD101B225 □43A0T00	2,000
	3.3	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD101B335□43A0T00	2,000
	4.7	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD101B475□43A0T00	2,000
100	3.3	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD101B335□55A0T00	2,000
	4.7	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD101B475□55A0T00	2,000
	6.8	X7R	7.5	9.0	4.7	5.0	0.5	1.0	KTD101B685□55A0T00	1,500
	6.8	X7R	10.0	11.5	5.0	5.0	0.5	1.5	KTD101B685□76A0T00	1,500
	10	X7R	13.5	15.0	5.0	10.0	0.6	2.0	KTD101B106M80A0B00	-
	15	X7R	13.5	15.0	6.0	10.0	0.6	2.0	KTD101B156M80A0B00	_
	22	X7R	22.5	20.0	6.0	20.0	0.8	3.0	KTD101B226M90A0B00	-
	33	X7R	22.5	20.0	6.0	20.0	0.8	3.0	KTD101B336M90A0B00	_
	47	X7R	28.5	20.0	7.5	25.0	0.8	4.0	KTD101B476M99A0B00	-
	68	X7R	28.5	20.0	7.5	25.0	0.8	4.0	KTD101B686M99A0B00	_
	100	X7R	28.5	20.0	9.0	25.0	0.8	4.0	KTD101B107M99A0B00	_






STANDARD RATINGS


Rated	Rated Capacitance (µF)	Electrostatic Capacitance Temperature Characteristics	Dimensions(mm)					Maximum ripple		Taping
voltage (Vdc)			L max.	W max.	T max.	F±0.8	φd±0.05	current (Arms)	Part Number	Quantity per reel (pcs. / reel)
	0.1	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD251B104□32A0T00	2,000
	0.15	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD251B154□32A0T00	2,000
	0.22	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD251B224□32A0T00	2,000
	0.33	X7R	5.0	6.0	3.5	5.0	0.5	0.3	KTD251B334□32A0T00	2,000
	0.47	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD251B474□43A0T00	2,000
	0.68	X7R	6.5	6.5	4.0	5.0	0.5	0.8	KTD251B684□43A0T00	2,000
	1.0	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD251B105□55A0T00	2,000
250	1.5	X7R	7.5	9.0	4.5	5.0	0.5	1.0	KTD251B155□55A0T00	2,000
	2.2	X7R	10.0	11.5	6.0	5.0	0.5	1.5	KTD251B225□76A0T00	1,000
	2.2	X7R	13.5	15.0	5.0	10.0	0.6	2.0	KTD251B225M80A0B00	_
	3.3	X7R	22.5	20.0	6.0	20.0	0.8	3.0	KTD251B335M90A0B00	_
	4.7	X7R	22.5	20.0	6.0	20.0	0.8	3.0	KTD251B475M90A0B00	_
	6.8	X7R	28.5	20.0	7.5	25.0	0.8	4.0	KTD251B685M99A0B00	_
	10	X7R	28.5	20.0	7.5	25.0	0.8	4.0	KTD251B106M99A0B00	_
	15	X7R	28.5	20.0	7.5	25.0	0.8	4.0	KTD251B156M99A0B00	_
	0.47	X7R	7.5	9.0	3.5	5.0	0.5	0.8	KTD501B474□55A0T00	2,000
	0.56	X7R	7.5	9.0	3.5	5.0	0.5	0.8	KTD501B564□55A0T00	2,000
500	0.68	X7R	10.0	11.5	3.4	5.0	0.5	1.0	KTD501B684□76A0T00	1,500
	1.0	X7R	10.0	11.5	3.8	5.0	0.5	1.0	KTD501B105□76A0T00	1,500
	1.2	X7R	10.0	11.5	4.2	5.0	0.5	1.0	KTD501B125□76A0T00	1,500

[※] The square (□) in part numbers is replaced by a capacitance tolerance code: 'K' when ±10%, or 'M' when ±20%

◆PART NUMBERING SYSTEM



♦DIMENSIONS



Please refer to "Part Numbering System" of the beginning of a catalog for the details.

[%] Please consult with us when you consider the rating other than a standard table.

CHEMI-CON MULTILAYER CERAMIC CAPACITORS

- Always read "Notes on Use" before using the product in order to enable you to use the product correctly and prevent any faults and accidents from occurring.
- Request the Product Specification on the product of NIPPON CHEMI-CON CORPORATION to refer to it as well as this brochure prior to the order of the products. Some specific notes on use of the ordered product may be described in the specifications.
- The products listed in this catalog are designed and manufactured for general electronics equipment use and are not intended for use in applications that can adversely affect human life; where the malfunction of equipment may cause damage to life or property. In addition, our products are not intended to be used in specific applications that may cause a major social impact. Please consult with us in advance of usage of our products in the following listed applications. ① Aerospace equipment ② Power generation equipment such as thermal power, nuclear power etc. ③ Medical equipment ④ Transport equipment (automobiles, trains, ships, etc.) ⑤ Transportation control equipment ⑥ Disaster prevention / crime prevention equipment ⑦ Highly publicized information processing equipment ⑧ Submarine equipment ⑨ Other applications that are not considered general-purpose applications.
- The circuits described as examples in this catalog and the "delivery specifications" are featured in order to show the operations and usage of our products, however, this fact does not guarantee that the circuits are available to function in your equipment systems. We are not in any case responsible for any failures or damage caused by the use of information contained herein. You should examine our products, of which the characteristics are described in the "delivery specifications" and other documents, and determine whether or not our products suit your requirements according to the specifications of your equipment systems. Therefore, you bear final responsibility regarding the use of our products.
 - Please make sure that you take appropriate safety measures such as use of redundant design and malfunction prevention measures in order to prevent fatal accidents and/or fires in the event any of our products malfunction.
- We strongly recommend our customers to purchase Nippon Chemi-Con products only through our official sales channels. We assume no responsibility for any defects or damages caused by using products purchased from outside our official sales channel or of counterfeit goods. In addition, we will ask the customer to pay the investigation cost for products purchased outside our official sales channel.
- We reserve the right to discontinue production and delivery of products. We do not guarantee that all the products included in this catalog will be available in the future.

 The aforementioned does not apply in the case of individual agreements deviating from the foregoing for customer-specific products
- We continually strive to improve the quality and reliability of our products, but in any case that our product does not meet our published specifications, please stop using it promptly and contact us immediately. As for compensation for non-conforming goods delivered by Chemi-Con, we will limit it only to goods found in non-compliance of our published specifications. This may be accomplished by a no cost replacement of non-conforming individual products, a credit of the piece price paid per each individual non-conforming product, or in other ways deemed necessary.

 In addition, we have an established system with enhanced traceability, therefore we will limit the applicable lot items for any potential compensation.

Precautions and Guidelines • Recommended Soldering Conditions
Part Numbering System
List of Standardization and Obsoleted Products
TAPING SPECIFICATION
Characteristics Data
Minimum Packaging Quantity