

APHB1608QBDSYKC

1.6 x 0.8 x 0.5 mm Bi-Color Surface Mount LED



DESCRIPTIONS

- The Blue source color devices are made with InGaN Light Emitting Diode
- The Super Bright Yellow device is made with AlGaInP (on GaAs substrate) light emitting diode chip
- · Electrostatic discharge and power surge could damage the LEDs
- . It is recommended to use a wrist band or anti-electrostatic glove when handling the LEDs
- · All devices, equipments and machineries must be electrically grounded

FEATURES

- 1.6 x 0.8 mm SMD LED, 0.5 mm thickness
- · Compatible with reflow soldering
- Available in various color combination
- Package: 2000 pcs / reel
- Moisture sensitivity level: 3
- · Tinned pads for improved solderability
- Halogen-free
- RoHS compliant

APPLICATIONS


- Backlight
- · Status indicator
- · Home and smart appliances
- · Wearable and portable devices
- · Healthcare applications


ATTENTION

Observe precautions for handling electrostatic discharge sensitive devices



PACKAGE DIMENSIONS





- Notes:
 1. All dimensions are in millimeters (inches).
 2. Tolerance is ±0.15(0.006") unless otherwise noted.
- The specifications, characteristics and technical data described in the datasheet are subject to change without prior notice.

 The device has a single mounting surface. The device must be mounted according to the specifications.

SELECTION GUIDE

Part Number	Emitting Color (Material)	Lens Type	Iv (mcd) @ 20mA [2]		Viewing Angle [1]
			Min.	Тур.	201/2
APHB1608QBDSYKC	■ Blue (InGaN)	Water Clear	40	70	4000
	Super Bright Yellow (AlGaInP)		80	150	130°

Notes.

1. 61/2 is the angle from optical centerline where the luminous intensity is 1/2 of the optical peak value.

2. Luminous intensity / luminous flux: +/-15%.

3. Luminous intensity value is traceable to CIE127-2007 standards.





ELECTRICAL / OPTICAL CHARACTERISTICS at T_A=25°C

Parameter	Symbol	Emitting Color	Value		Unit
raidilletei		Emitting Color	Тур.	Max.	Uill
Wavelength at Peak Emission I _F = 20mA	λ_{peak}	Blue Super Bright Yellow	460 590	-	nm
Dominant Wavelength I _F = 20mA	λ _{dom} ^[1]	Blue Super Bright Yellow	465 590	-	nm
Spectral Bandwidth at 50% Φ REL MAX $I_F = 20$ mA	Δλ	Blue Super Bright Yellow	25 20	-	nm
Forward Voltage I _F = 20mA	V _F ^[2]	Blue Super Bright Yellow	3.3 2.0	4.0 2.5	V
Reverse Current (V _R = 5V)	I _R	Blue Super Bright Yellow	-	50 10	μΑ
Temperature Coefficient of λ_{peak} I _F = 20mA, -10°C \leq T \leq 85°C	TC_{\lambdapeak}	Blue Super Bright Yellow	0.04 0.12	-	nm/°C
Temperature Coefficient of λ_{dom} I _F = 20mA, -10°C \leq T \leq 85°C	TC_{\lambdadom}	Blue Super Bright Yellow	0.03 0.07	-	nm/°C
Temperature Coefficient of V_F I_F = 20mA, -10°C \leq T \leq 85°C	TC _V	Blue Super Bright Yellow	-3.0 -1.9	-	mV/°C

Notes:

ABSOLUTE MAXIMUM RATINGS at T_A=25°C

Parameter	Comple ed	Va	11-4		
Parameter	Symbol	Blue	Super Bright Yellow	Unit	
Power Dissipation	P _D	120	75	mW	
Reverse Voltage	V _R	5	5	V	
Junction Temperature	T _j	115	115	°C	
Operating Temperature	T _{op}	-40 to +85		°C	
Storage Temperature	T _{stg}	-40 to +85		°C	
DC Forward Current	I _F	30	30	mA	
Peak Forward Current	I _{FP} ^[1]	150	175	mA	
Electrostatic Discharge Threshold (HBM)	-	250	3000	V	
Thermal Resistance (Junction / Ambient)	R _{th JA} [2]	740	730	°C/W	
Thermal Resistance (Junction / Solder point)	R _{th JS} ^[2]	580	620	°C/W	

Notes:
1. 1/10 Duty Cycle, 0.1ms Pulse Width.
2. $R_{\text{th.Ja}}$, $R_{\text{th.Ja}}$, $R_{\text{th.Ja}}$, Results from mounting on PC board FR4 (pad size \geq 16 mm² per pad).
3. Relative humidity levels maintained between 40% and 60% in production area are recommended to avoid the build-up of static electricity – Ref JEDEC/JESD625-A and JEDEC/J-STD-033.




^{1.} The dominant wavelength (λd) above is the setup value of the sorting machine. (Tolerance λd:±1nm.)
2. Forward voltage: ±0.1V.
3. Wavelength value is traceable to CIE127-2007 standards.
4. Excess driving current and / or operating temperature higher than recommended conditions may result in severe light degradation or premature failure.




TECHNICAL DATA


RELATIVE INTENSITY vs. WAVELENGTH





SPATIAL DISTRIBUTION




BLUE













SUPER BRIGHT YELLOW













REFLOW SOLDERING PROFILE for LEAD-FREE SMD PROCESS

300 above 255°C (°C) 260°C max. 30s max. 10s max. 250 3°C/s max 6°C/s max. 200 150 Temperature pre-heating 100 150~200°C above 217°C 60~120s 60~150s 50 25°C 0 50 100 150 200 Time

Notes


- Tollows.

 1. Don't cause stress to the LEDs while it is exposed to high temperature.


 2. The maximum number of reflow soldering passes is 2 times.

 3. Reflow soldering is recommended. Other soldering methods are not recommended as they might cause damage to the product.


TAPE SPECIFICATIONS (units: mm)



REEL DIMENSION (units: mm)



PACKING & LABEL SPECIFICATIONS



PRECAUTIONARY NOTES

- The information included in this document reflects representative usage scenarios and is intended for technical reference only.
- The part number, type, and specifications mentioned in this document are subject to future change and improvement without notice. Before production usage customer should refer
- to the latest datasheet for the updated specifications.

 When using the products referenced in this document, please make sure the product is being operated within the environmental and electrical limits specified in the datasheet. If customer usage exceeds the specified limits, Kingbright will not be responsible for any subsequent issues.
- The information in this document applies to typical usage in consumer electronics applications. If customer's application has special reliability requirements or have life-threatening liabilities, such as automotive or medical usage, please consult with Kingbright representative for further assistance.

 The contents and information of this document may not be reproduced or re-transmitted without permission by Kingbright.
- All design applications should refer to Kingbright application notes available at https://www.King

