









PART NUMBER SEE SHEET 2



spec ref *				dr Peng-Bing Fu		2013/01/15		projection 	MM 	size	A3	scale	3:2
tolerance std				eng Luo Weller		2013/03/13				ecn no -			
ASME Y14.5				chr -		-				rel level Released			
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr Pei-Ming Zheng		2013/03/13		product family PwrBlade+					
surface 	linear	0.X	±0.5		title 10HDP + 24S VERTICAL PF HEADER					dwg no	10106137-A006001		rev A
		0.XX	±0.25										
		0.XXX	±0.10										
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.			Product - Customer Drw			sheet 1 of 3		



A

B

C

D


A

B

C

D

- NOTES:
- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
  - 2) MATERIALS:
    - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
    - SIGNAL CONTACT - COPPER ALLOY.
    - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
  - 3) PLATING SPECIFICATION REFER TO FCI 10116351
  - 4) DENOTES CONNECTOR KEEP OUT ZONE.
  - 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
  - 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
  - 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
  - 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



dr	Peng-Bing Fu	2013/01/15	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	scale		
eng	Luo Weller	2013/03/13			A3	3:2		
chr	-	-			ecn no	-		
appr	Pei-Ming Zheng	2013/03/13	product family		PwrBlade+	rel level	Released	
	title 10HDP + 24S VERTICAL PF HEADER				dwg no 10106137-A006001	rev		
						A		
www.fci.com	cat. no.		Product - Customer Drw			sheet 3 of 3		