# molex

Part Number: 1041681620

**Product Description :** microSD Combo Connector, 2.28mm Height, Push-Pull, Normal Mount, With Detect

Switch, 8-Circuit Card Type **Series Number :** 104168

**Status**: Obsolete

**Product Category :** Memory / SIM Card Connectors



## **Documents & Resources**

Symbol and Footprint (Multi-Format)

## **Product Environment Compliance**

## **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	e per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

## Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

#### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### Substances of Interest

PFAS

## **EU RoHS Certificate of Compliance**

# **Part Details**

# General

Status	Obsolete
Category	Memory / SIM Card Connectors
Series	104168
Description	microSD Combo Connector, 2.28mm Height, Push-Pull, Normal Mount, With Detect Switch, 8- Circuit Card Type
Comments	Copper Alloy Terminal Material, Process Temperature Max = 250 C, 5 Second Duration at Max Process Temperature, 2 Cycles at Max Process Temperature
Product Name	Combo,micro-SIM,microSD Card
Style	Push-Pull
UPC	887191254715

# **Electrical**

Current - Maximum per C <mark>ontact</mark>	0.5A
Voltage - Maximum	10V AC (RMS)/DC

# Physical

Card Detection Switch	Open
Card Entry Location	Front
Circuits (Loaded)	8
Color - Resin	Natural
Durability (mating cycles max)	10000
Ejector Button Side	N/A
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Material - Resin	Liquid Crystal Polymer
Material - Shell	Stainless Steel
Net Weight	0.500/g
Packaging Type	Embossed Tape on Reel

PCB Locator	Yes
PCB Retention	Yes
Pitch - Mating Interface	1.10mm, 2.54mm
Temperature Range - Operating	-40° to +85°C
Termination Interface Style	Surface Mount

## **Solder Process Data**

Max-Duration	10
Lead-Free Process Capability	REFLOW
Max-Cycle	3
Max-Temp	260

# Mates With / Use With

# Mates with Part(s)

Description	Part Number
Mates With	microSD Card, micro-SIM Card

This document was generated on Sep 01, 2025