










RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = $\pm$ 0.2 .XX = $\pm$ 0.15	 WÜRTH ELEKTRONIK	
G							
F							
E	18-OCT-17	CHARACTERISTICS	AK				
D	26-JUN-17	UPGRADE	AK				
C	04-MAR-16	LAYOUT	AK	APPROVAL: NPr	UNIT: MM	DESCRIPTION: USB 3.1 TYPE C PLUG - HORIZONTAL SMT	SIZE A4
B	27-OCT-15	NOTE	AK <th>SCALE:</th>		SCALE:		
A	15-SEP-15	PDF	AK <th>SHEET: 1/5</th> <th rowspan="2">WERI PART NO: 632 712 000 021</th>		SHEET: 1/5	WERI PART NO: 632 712 000 021	
REV	DATE	FILE	BY <th>DRAW: AK</th>		DRAW: AK		




RoHS Compliant							
G				PROJECTION: 	GENERAL TOLERANCE .X = ± 0.2 .XX = ± 0.15	 WÜRTH ELEKTRONIK	
F							
E							
D							
C							
B				APPROVAL: NPr	UNIT: MM	DESCRIPTION: USB 3.1 TYPE C PLUG - HORIZONTAL SMT	
A					SCALE:		
REV	DATE	FILE	BY		SHEET: 2/5		
					DRAW: AK	WERI PART NO: 632 712 000 021	
							SIZE A4





200 pcs/reel
5 reels/carton
1000 pcs/carton

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15			
G								
F								
E								
D								
C				APPROVAL: NPr	UNIT: MM	DESCRIPTION: USB 3.1 TYPE C PLUG - HORIZONTAL SMT		SIZE A4
B					SCALE:			
A					SHEET: 4/5			
REV	DATE	FILE	BY		DRAW: AK			
					WERI PART NO: 632 712 000 021			

1				2				3				4				5			
Cautions and Warnings: This electronic component is designed and developed with the intention for use in general electronics equipments. Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Würth Elektronik must be asked for a written approval. In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.																A			
																B			
																C			
																D			
RoHS Compliant								PROJECTION:				GENERAL TOLERANCE							
G										.X = $\pm$ 0.2 .XX = $\pm$ 0.15									
F																			
E																			
D																			
C							APPROVAL: JC			UNIT: MM				DESCRIPTION: DISCLAIMER				SIZE	
B										SCALE:				WERI PART NO: DISCLAIMER				A4	
A	10-SEP-14	PDF	QL	SHEET: 5/5															
REV	DATE	FILE	BY	DRAW: QL															