


2885207

https://www.phoenixcontact.com/us/products/2885207

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.





Your advantages

- · Easy installation, thanks to flexible inner conductor
- · For indoors

Commercial Data

Item number	2885207
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Sales Key	DN23
Product Key	DNC6A3
Catalog Page	Page 396 (C-6-2019)
GTIN	4017918986513
Weight per Piece (including packing)	58.98 g
Weight per Piece (excluding packing)	48.4 g
Customs tariff number	85442000
Country of origin	US



2885207

https://www.phoenixcontact.com/us/products/2885207

Technical Data

Electrical properties

Frequency range	0.1 GHz 1 GHz
Impedance	50 Ω

Connection data

Connector connection

Connection method	Type 90° MCX (male)
Connector connection	
Connection method	N (male)

Material specifications

Outer sheath, material	Fluorinated ethylene propylene (FEP)
------------------------	--------------------------------------

Cable/line

Cable length	1.2 m
Cable type	RG 316
External cable diameter	2.50 mm
Outer sheath, material	Fluorinated ethylene propylene (FEP)
Bending radius, long-term	25.40 mm

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C 75 °C
Ambient temperature (storage/transport)	-40 °C 70 °C



2885207

https://www.phoenixcontact.com/us/products/2885207

Classifications

_			_
	വ	ΛΟ	ľ
-		Α.	١.٦

	ECLASS-11.0	27060310
ETIM		
	ETIM 8.0	EC001682
UNSPSC		
	UNSPSC 21.0	26121600



2885207

https://www.phoenixcontact.com/us/products/2885207

Environmental Product Compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com