

LEADFRAMES



✓ Active

TE CONNECTIVITY (TE) **CONTACT 718 MODIFI**

1544223-1

TE Internal Number: 1544223-1 Alias ID: 5182287042111

EU RoHS Compliant EU ELV Compliant

Standoff Height 1 mm [.039 in] Clip Style Single-In-Line (SIL)

Centerline (Pitch) (in) .1

Centerline (mm) 2.54

PCB Thickness .63 mm [.025 in]



PRODUCT DRAWING



★ 3D PDF

DOCUMENTATION

Product Drawings

CONTACT A SOUDER SIL

PDF

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model 3D_IGS.ZIP **English Customer View Model** 3D_STP.ZIP **English FEATURES** Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity. **Product Type Features Product Type** Leadframe **Configuration Features Solder Inlay** Without Winding Direction Down **Body Features** Clip Style Single-In-Line (SIL) **Hold-Down Feature** With **Clip Length** 1.7 mm [.067 in] Frame Thickness .25 mm [.01 in] Clip Type Y1 Frame Width 18.1 mm [.712 in] Hold-Down Type Type 1 **Contact Features Contact Plating Material** Pre-Tin **Pin Length** 9.5 mm [.374 in] **Contact Base Material** Phosphor Bronze **Termination Features Contact Termination Type** Through Hole **Housing Features** Centerline (Pitch) (in) .1 Centerline (mm) 2.54 **Dimensions** PCB Thickness .63 mm [.025 in] Standoff Height 1 mm [.039 in] **Gap Size** .5 mm [.02 in] Packaging Features

Downloaded from Arrow.com.

PRODUCT COMPLIANCE +

Statement of Compliance
Statement of Compliance
PDF