Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC NetShelter Power Cord, IEC C19 to NEMA L6-20P, 3.7m



AP9871

Overview

Lead time Usually in Stock

Main

Product or component type	Power cord
Input Connection Type	NEMA L6-20P
Number of rack unit	0U
Cable length	3.7 m
Number of cables	1

Physical

Colour	Black
Height	6.4 cm
Width	10.2 cm
Depth	29.2 cm
Net weight	1 kg
Mounting location	Front
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Network frequency	50/60 Hz	
Permissible voltage	200240 V	
Max line current	16 A	
Input current limits	16 A	

Output

Max current draw	16 A
Number of power socket outlets	1 IEC 60320 C19
Protection type	Without circuit breaker

Conformance

Product certifications	CSA	
	UL listed	

Environmental

Ambient air temperature for operation	045 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	095 %
Storage altitude	015240 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.2 cm
Package 1 Width	30.5 cm
Package 1 Length	10.2 cm
Package 1 Weight	1.1 kg

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
Halogen-free status	Product contains halogen above thresholds

Use Again

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	Yes
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

