# **D4/8.ADO**



TE Connectivity has acquired the DIN Rail Terminal Block product range from ABB

Products + Low Voltage Products and Systems + Connection Devices + Terminal Blocks + Solution Series

#### **General Information**

Extended Product Type: D4/8.ADO

**Product ID**: 1SNA399801R0400 **EAN**: 3472593998014

Catalog Description: D4/8.ADO IDC Terminal Blocks - Feed-through ADO - ADO - Orange

Long Description: - With the ABB ADO System®, experience the fastest and most reliable co

nnection on the market, - Designed for control applications exposed to sev

ere constrains (vibrations, shocks, corrosion etc.).

# Ordering

Color:	Orange
Minimum Order Quantity:	50 piece
Customs Tariff Number:	85369010

# Popular Downloads

Data Sheet, Technical Information:	1SNC160020C0201
Instructions and Manuals:	1SNC160020C0201

#### **Dimensions**

Product Net Width:	8 mm
Product Net Height:	50 mm
Product Net Depth / Length:	41 mm
Product Net Weight:	9 g

4 mm<sup>2</sup>

#### **Technical**

Rated Cross-Section:

Nated 01033-0ection.	4 11111
Spacing:	8 mm
Connection Type:	ADO System
Function:	Feed-through
Number of Levels:	1
Rated Current (I <sub>n</sub> ):	Main Circuit 32 A
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 480 A
Rated Voltage (U <sub>r</sub> ):	1000 V
Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	8000 V
Dielectric Test Voltage:	3500 V

Pollution Degree:	3
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
Insulation Material:	Polyamide
Mounting on DIN Rail:	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715

#### Technical UL/CSA

Connecting Capacity UL/CSA: Stranded 12 AWG

Flammability According to UL94: V0

#### Environmental

Ambient Air Temperature: Operation -55 ... +110 °C

Storage -55 ... +110 °C

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and amendment

# Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	1SND225025U1000
EAC Certificate:	1SND162001A1100
Environmental Information:	1SND220024E1003
Instructions and Manuals:	1SNC160020C0201
RoHS Information:	1SND230472F0201

## Classifications

Object Classification Code:	X
E-nummer:	2925807
ETIM 4:	EC000897 - Feed-through terminal block
ETIM 5:	EC000897 - Feed-through terminal block
ETIM 6:	EC000897 - Feed-through terminal block

## **Container Information**

Package Level 1 Units:	50 piece
Package Level 1 Width:	81 mm
Package Level 1 Depth / Length:	220 mm
Package Level 1 Height:	47 mm
Package Level 1 Gross Weight:	0.45 kg
Package Level 1 EAN:	3472593998014
Package Level 2 Units:	750 piece
Package Level 2 Width:	300 mm
Package Level 2 Depth / Length:	500 mm
Package Level 2 Height:	150 mm

Package Level 2 Gross Weight: 7.1 kg

Package Level 3 Units: 36000 piece

Product Packing Type: Box

