Instruction Leaflet IL 70-8749

Effective September 2013
Supersede September 2010

FAZ Lockoff for 1-3 Pole Supplementary Protectors

Installation Instructions

Step 1. (Figure 1) Lift lever and place lockoff bracket to right side of device.

Step 2. (Figure 1) Position lockoff bracket over DIN-rail, with lockoff bracket foot aligned on either side of DIN-rail.

Step 3. (Figure 1) Insert the screw in the bracket hole aligned with circuit breaker bracket hole and tighten with a screwdriver.

Step 4. (Figure 1) Insert lockoff bracket tab under right side of device while sliding along DIN-rail until stopping as shown in Figure 2.

Step 5. (Figure 2) Close lever so padlock holes are aligned until stopping as shown in Figure 3.

Step 6. (Figure 3) Insert padlock shank through padlock hole and lock when desired.




Figure 1.




Figure 2.




Figure 3.

FAZ Lockoff for 1-3 Pole
Supplementary Protectors

FAZPLOFF

CAT. NO. FAZPLOFF
QTY. 1

7 86685 44393 5

Powering Business Worldwide

Downloaded from Arrow.com.

This instruction leaflet is published solely for information purposes and should not be considered all-inclusive. If further information is required, you should consult an authorized Eaton sales representative.

The sale of the product shown in this literature is subject to the terms and conditions outlined in appropriate Eaton selling policies or other contractual agreement between the parties. This literature is not intended to and does not enlarge or add to any such contract. The sole source governing the rights and remedies of any purchaser of this equipment is the contract between the purchaser and Eaton.

NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY, OR WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE, ARE MADE REGARDING THE INFORMATION, RECOMMENDATIONS, AND DESCRIPTIONS CONTAINED HEREIN. In no event will Eaton be responsible to the purchaser or user in contract, in tort (including negligence), strict liability or otherwise for any special, indirect, incidental or consequential damage or loss whatsoever, including but not limited to damage or loss of use of equipment, plant or power system, cost of capital, loss of power, additional expenses in the use of existing power facilities, or claims against the purchaser or user by its customers resulting from the use of the information, recommendations and description contained herein.

Electrical Sector
1000 Eaton Boulevard
Cleveland, OH 44122 USA
United States
877-ETN-CARE (877-386-2273)
Eaton.com

© 2013 Eaton Corporation
All Rights Reserved
Printed in USA
Publication No. IL 70-8749 / 002
September 2013

Eaton is a registered trademark of Eaton Corporation.

All other trademarks are property of their respective owners.

Powering Business Worldwide

Downloaded from Arrow.com.