

TABLE OF DIMENSIONS									
PART NUMBER	F	1	·	J	Р	R	s	w	
	Min	Max	Min	Max	±10%	Ref	Ref	±20%	
	a	ь	a	ь	ь	b	ь	b	
202A312	.79	<u>.64</u>	.79	.24	<u>5.00</u>	<u>.62</u>	.50	<u>.08</u>	
	[20,1]	[16,3]	[20,1]	[6,1]	[127,0]	[15,7]	[12,7]	[2,03]	
202A322	.96	<u>.64</u>	.96	<u>.28</u>	<u>5.00</u>	<u>.62</u>	.50	. <u>08</u>	
	[24,4]	[16,3]	[24,4]	[7,1]	[127,0]	[15,7]	[12,7]	[2,03]	
202A333	1.20	.79	1.20	.35	<u>5.75</u>	<u>.62</u>	.50	<u>.09</u>	
	[30,5]	[20,1]	[30,5]	[8,9]	[146,1]	[15,7]	[12,7]	[2,29]	
202A343	1.62	1.00	1.62	<u>.40</u>	6.38	.88	<u>.76</u>	<u>.09</u>	
	[41,1]	[25,4]	[41,1]	[10,2]	[162,1]	[22,4]	[19,3]	[2,29]	
202A354	2.05	1.26	2.05	<u>.58</u>	7.06	1.00	<u>.76</u>	.10	
	[52,1]	[32,0]	[52,1]	[14,7]	[179,3]	[25,4]	[19,3]	[2,54]	
202A364	2.63	1.63	2.63	<u>.70</u>	7.06	1.00	.76	<u>.10</u>	
	[66,8]	[41,4]	[66,8]	[17,8]	[179,3]	[25,4]	[19,3]	[2,54]	

TE Connectivity. All Rights Reserved.

0 DIMENSIONS: 01JUN2023 MATERIAL M MAZARIEGOS INCHES CHK C LIMA 01JUN2023 TOLERANCES UNLESS OTHERWISE SPECIFIED: TE Connectivity APVD L RODRIGUEZ 01JUN2023 PRODUCT SPEC 0 PLC 1 PLC 2 PLC 3 PLC 4 PLC NAME Boot, Straight Long APPLICATION SPEC CAGE CODE DRAWING NO SIZE RESTRICTED TO ANGLES <u>0.000000</u> A4 G−202A312THRU364 WEIGHT DNS SHEET REV L1 1 or 2 CUSTOMER DRAWING


		REVISIONS			
Р	LTR	DESCRIPTION	DATE	DWN	APVD
	_	SEE SHEET 1	_	_	_

NOTES

- 1. All dimensions are in $\frac{\text{inches}}{[\text{millimeters}]}$
- 2. Dimensions appearing in table are as follows:
 - a As Supplied
 - b After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.
- 4. Molding ports are optional. When -00 modification number is specified molding ports will be located as shown.

COMPATABILITY CHART									
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.					
-3	Polyolefin, Semi-rigid	RT-301	/42,/86,/180	S-1017; S-1048; S-1030					
-4	Polyolefin, Flexible	RT-1304	/42,/86,/180	S-1017; S-1048; S-1030					
-12	*VITON, Flexible	RT-1312	N/A						
-25	Elastomer, Fluid Resistant	RT-1325	/42,/86,/225	S-1017; S-1048; S-1206					

^{*}VITON is a Registered Trademark of Dupont



$ \subseteq $												
DIMENSIONS: INCHES		DWN —	01JUN2023	MATERIA	AL.	_	FIN	NISH		=	=	
		CHK_	-									
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	-			TE		TE	Conne	ectivi	ty	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± -		PRODUCT SPEC — APPLICATION SF	PEC	NAME		Воо	t, Str	raight -	Long			
4 PLC \pm – ANGLES \pm –		_		SIZE		DRAWING NO					RE:	STRICTED TO
	<u> </u>	WEIGHT	0.000000	A4	00779	C- 20	2A3	12TH	RU36	4		_
		CUSTOMER	DRAWING				SCALE	DNS	SHEET	2 0	F 2	REV L1

1469-35 (1/15)