



Part Number : [2213770060](#)
Product Description : Easy-On FFC/FPC Connector,
0.40mm Pitch, FlatLock Series, Right-Angle, Dual
Contact, 0.65mm Height, 6 Circuits, Gold Plating
Series Number : 221377
Status : Active
Product Category : FFC / FPC Connectors



Documents and Resources

Drawings

- [2213770060_sd.pdf](#)
- [STEP AP242](#)
- [SOLIDWORKS](#)
- [Creo](#)

Specifications

- [2213770000-AS-000.pdf](#)
- [2213779200-SPK-200.pdf](#)
- [2213770000-PS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	FFC / FPC Connectors
Series	FlatLock
Description	Easy-On FFC/FPC Connector, 0.40mm Pitch, FlatLock Series, Right-Angle, Dual Contact, 0.65mm Height, 6 Circuits, Gold Plating
Contact Type	Dual
Product Name	Easy-On
UPC	196823230899

Electrical

Current - Maximum per Contact	0.5A
Voltage - Maximum	50V

Physical

Actuator Type	Back Flip
Circuits (Loaded)	6
Color - Resin	Black
Contact Position	Dual
Durability (mating cycles max)	15
Mated Height	0.65mm
Material - Metal	Copper Alloy

Material - Plating Mating	Gold
Material - Plating Termination	Gold
Material - Resin	Liquid Crystal Polymer (LCP)
Net Weight	11.599/mg
Orientation	Right Angle
Packaging Type	Embossed Tape on Reel
PCB Locator	No
PCB Mounting	Surface Mount
PCB Retention	No
Pitch - Mating Interface	0.40mm
Polarized to PCB	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C
Wire/Cable Type	FFC/FPC

Mates With / Use With

Mates with Part(s)

Description	Part Number
0.40mm Pitch Premo-Flex FFC/ FPC Jumpers	<u>15077</u>

This document was generated on Jul 20, 2026