




Quick Start Guide

TWRPI-PROXIMITY

Capacitive Proximity
Sensor Plug-In



Get to know the TWRPI-PROXIMITY

Features

- Capacitive proximity sensing
- Proximity detection up to ~1 inch
- Four discrete touch-sensing electrodes
- Compatible with TSS 3.1 and above



***Tower System module not included with TWRPI-PROXIMITY plug-in**



TWRPI-PROXIMITY Freescale Tower System

The TWRPI-PROXIMITY module is part of the Freescale Tower System portfolio, a modular development platform that enables rapid prototyping and tool reuse through reconfigurable hardware. Elevate your design to the next level by building your Tower System today.

Step-by-Step Installation Instructions

1 Install the TWRPI-PROXIMITY

- Identify an open touch-sense TWRPI socket on a TWRPI-compatible Tower System module.
- Identify the correct orientation of the TWRPI-PROXIMITY. The TWRPI is keyed and uniquely sized to only fit in the appropriate TWRPI socket with the correct orientation.
- Carefully insert the TWRPI-PROXIMITY into the touch-sense TWRPI socket.

2 Verify Latest Software Installation

Check [freescale.com/tss](https://www.freescale.com/tss) for touch library updates to make sure you have the latest software.

3 Follow the Respective Tower System Module Quick Start Guide

Follow the TSS library quick start guide to run the demo for the board being used.





Support

Visit **freescale.com/support** for a list of phone numbers within your region.

Warranty

Visit **freescale.com/warranty** for complete warranty information.

For more information, visit **freescale.com/Tower**

Join the online Tower community at **towergeeks.org**

Freescale and the Freescale logo are trademarks of Freescale Semiconductor, Inc., Reg. U.S. Pat. & Tm. Off. Tower is a trademark of Freescale Semiconductor, Inc. All other product or service names are the property of their respective owners. © 2013 Freescale Semiconductor, Inc.

Document Number: TWRPIPROXIMITYQSG REV 0
Agile Number: 926-78799 Rev A

