


**Part Number :** [351840200](#)

**Product Description :** 2.50mm Pitch Wire-to-Wire Plug Housing, Natural, 2 Circuits

**Series Number :** 35184

**Status :** Not Recommended For New Design

**Product Category :** Connector Housings



---

## Documents and Resources

### Drawings

[351840200\\_sd.pdf](#)

[351840200\\_stp.zip](#)

### Specifications

[PK-35184-001-001.pdf](#)


[PS-35053-001-001.pdf](#)

[PS-35184-001-001.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Compliant per EU 2015/863

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

**Part Details**

**General**

Status	Not Recommended For New Design
Category	Connector Housings
Series	35184
Description	2.50mm Pitch Wire-to-Wire Plug Housing, Natural, 2 Circuits
Application	Wire-to-Wire
Component Type	Housing
Product Name	N/A
UPC	800754940177

**Agency**

CSA	LR19980
UL	E29179

**Physical**

Circuits (maximum)	2
Color - Resin	Natural
Gender	Plug
Glow-Wire Capable	No
Keying to Mating Part	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.446/g
Number of Rows	1
Packaging Type	Bag

Panel Mount	No
Pitch - Mating Interface	2.50mm
Pitch - Termination Interface	2.50mm
Temperature Range - Operating	-40° to +105°C

### Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

---

### Mates With / Use With

#### Mates with Part(s)

Description	Part Number
2.50mm Pitch Wire-to-Board Housings	<u>35155</u>

#### Use with Part(s)

Description	Part Number
Wire-to-Wire Male Terminals	<u>35053</u>

---

This document was generated on Jun 03, 2026