


Part Number: 355330205

**Product Description :** PT Bulb Socket Single Housing Assembly, Type A, P21W, Unsealed, Gray

Series Number: 35533

**Status:** Obsolete

**Product Category:** Sockets



#### **Documents & Resources**

# **Product Environment Compliance**

### **Compliance**

GADSL/IMDS	Compliant
China RoHS	Not Relevant
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

## **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### **Substances of Interest**

PFAS

### **EU RoHS Certificate of Compliance**

### Additional Product Compliance Information

## **Part Details**

## General

Status	Obsolete
Category	Sockets
Series	35533
Description	PT Bulb Socket Single Housing Assembly, Type A, P21W, Unsealed, Gray
Comments	A-Type
Component Type	Socket
Product Name	PT Bulb Socket
UPC	756054 <mark>20285</mark> 2

## **Electrical**

Current - Maximum per Contact	7,0A
Voltage - Maximum	12V

# Physical

Circuits (Loaded)	2
Circuits (maximum)	2
Color - Resin	Gray
Durability (mating cycles max)	50
Entry Angle	Vertical
Keying to Mating Part	None
Material - Metal	Phosphor Bronze
Material - Resin	Nylon
Net Weight	5.520/g
Packaging Type	Bag
PCB Locator	No
PCB Retention	N/A
Pitch - Mating Interface	N/A
Temperature Range - Operating	-40° to +85°C
Termination Interface Style	Through Hole

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
Mates With	Bayonet Base Bulb

## Use with Part(s)

Description	Part Number
Contact Terminals for PT Bulb Socket	<u>35438</u>
2.00mm Bulb-Socket Earth Terminals	<u>35439</u>

This document was generated on Oct 05, 2025