

**Part Number**: <u>1731120419</u>

**Product Description :** FCT DIN Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold

Plating, for RG-58CU or RG-141AU Cable

Series Number: 173112

**Status:** Active

**Product Category :** D-Sub Contacts **Engineering Number :** FDS005S102



#### **Documents & Resources**

#### **Drawings**

1731120419 sd.pdf

STEP AP242

**SOLIDWORKS** 

Creo

#### **Specifications**

2195600660-000.pdf

1731120009-PK-000.pdf

2195600660-000.pdf

## **Product Environment Compliance**

## **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Contains Lead; pyrochlore, antimony lead yellow per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

## **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

## **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### **Substances of Interest**

PFAS

## **EU RoHS Certificate of Compliance**

## Additional Product Compliance Information

#### **Part Details**

#### **General**

Status	Active
Category	D-Sub Contacts
Series	173112
Description	FCT DIN Coaxial Contact, Female, Straight, Crimp, 50 Ohms, 1.30µm Gold Plating, for RG-58CU or RG-141AU Cable
Contact Type	Coaxial
Magnetic	Yes
Product Name	FCT Products
Туре	Mixed Layout
UPC	191128195812

#### **Electrical**

Current - Maximum per Contact	2.0A
Impedance	50Ω

## **Physical**

Durability (mating cycles min)	500
Gender	Female

Material - Contact	Copper Alloy
Material - Plating Mating	Gold over Nickel
Material - Plating Termination	Gold over Nickel
Net Weight	1.500/g
Orientation	Straight
Packaging Type	Bag
Plating min - Mating	1.300µm
Plating min - Termination	0.200μm
Temperature Range - Operating	-55° to +135°C
Termination Style	Crimp
Wire/Cable Type	RG-141AU, RG-58CU

# Mates With / Use With

# Use with Part(s)

Description	Part Number
Use With	FCT Mixed Layout Connectors

# **Application Tooling**

# Global

Description	Part Number
FCT Removal Tool for Size 8 Contacts	<u>1731121747</u>

This document was generated on Sep 10, 2025