




Self-closing polyester sleeving Twist-In 38

Helagaine Twist-In, Article number: 170-01008



Images (3)


Downloads



Features

- Self-closing sleeve made of sturdy polyester
- Provides very good protection against abrasion
- Ideal for retro-fitting
- Quick and easy installation and removal
- Allows for inspection and maintenance

Certifications & Approvals



Application

Helagaine Twist-In is used to bundle and protect pre-terminated cables in machine-building and automation, electrical installations and automobile and truck manufacturing.

HelaGaine Twist-In is also available in practical 2m and 5m lengths for use in the home or office.

Helagaine Twist-In is suitable for following markets and industries

Electronics Industry

Electrical Installation

Automotive Industry


More products in this product group

[Self-closing polyester sleeving >](#)

Base Data

Application Tool	HSG0
Colour	Black (BK)
Description Short (BMEcat) (max. 150 characters)	Self-closing sleeving, 32 - 38 mm, PET, black, 15 m
GLOBAL PART DESCRIPTION	Twist-In 38-PET-BK
Open, post termination	Yes
Pack Cont.	15 m
Package Quantity per	reel
Product Family	Helagaine Twist-In
Product Group	Self-closing polyester sleeving

Product Dimensions



Bundle ∅ max.	38 mm
Bundle ∅ min.	32 mm
Bundlediameter Range ETIM (Braided Sleeving)	32-38
Nominal ∅	38 mm
Wall (WT)	0.9 mm

Material and Specifications

ELV compliant (Article 4 - 2)	YES
Flammability	self-extinguishing, FMVSS 302
Halogenfree	Yes
Hazardous good	No
Material	Polyester (PET)
Melting Point	+255 °C
Operating Temperature - °C	-50 °C to +125 °C
Specifications	  
Specifications	UL 1441
UL-File Number	E197993

Logistics and Packaging

More Information

ETIM 5.0	EC001182
ETIM 6.0	EC001182

Further information to Twist-In 38




Catalogue page
(December 2017)

 Download >



All catalogue pages

More information >



Technical drawing 09-
0686-001-CSG

 Download >

Competences



Cable Protection Conduits

No cable can meet the demands posed today in terms of abrasion resistance, tensile strength and form consistency or impact resistance without having appropriate cable protection. Cable protection tubes...

[Cable Protection Conduits >](#)

Accessories



Sample Pack DE Twist-In
905-20002




Sample Pack ENG Twist-In
905-20003



HSGO
170-99001
Hot cutting tool


Similar products



Twist-In 05
170-01000
Self-closing polyester sleeving




Twist-In 05
170-01011
Self-closing polyester sleeving



Twist-In 08
170-01001
Self-closing polyester sleeving



Twist-In 08
170-01012
Self-closing polyester sleeving



Twist-In 08
170-01023
Self-closing polyester sleeving



Twist-In 13
170-01002
Self-closing polyester sleeving

[Show all v](#)

Stay in touch with us!



Global Company

About us
Worldwide
Philosophy
Environment & Quality
Corporate Social Responsibility
Product Development
E-Business
ACADEMY
Careers
MADE FOR REAL

Products

Product overview
Cable Ties and Fixings
Insulation
Cable Protection Systems
Electrical Installation
Identification Systems
Application Tooling
Connectivity

Competences

Cable Ties
Heat Shrink Tubing
Industrial Identification and Self-Adhesive Labels
Cable Protection
Conduits
Electrical Installation
Electrical tape
Wire connectors
Cable rods
Downlight covers
Cable jointing
Gel-filled cable joints
Cable Tie Guns
Connectivity Products
RFID tracking
Cable tie mounts
Thermal Transfer Printer
P-Clamp
Wiring ducts
Cable clips for edges

Markets & Industries

Automotive Industry
Solar plants
Wind turbines
Shipbuilding
Panel building
Rail industry
Food Industry
Chemical Industry
Aerospace Industry
Defence Industry

Media Centre

Videos
Product Catalogue
2018/2019
Automotive Catalogue
2016/2017
Connectivity Catalogues
2016/2017
Brochures
Software & Drivers
Helatag & Helafix
Templates
Manuals & Operating Instructions

Cable management high
temperature
applications

Events

Update: 07/10/2018

You can easily accept or reject the cookies on this site by choosing one of the following links:

[I accept cookies](#)

[I refuse cookies](#)

[Privacy](#)

[Contact](#) [Terms of Service](#) [Imprint](#) [Privacy Policy](#)

[statement](#)