

Product data sheet

Specifications

Rack Side Air Distribution 2U 115V 60HZ



ACF201BLK

⚠ Discontinued on: Nov 27, 2024

⚠ To be end-of-service on: Dec 31, 2027

⚠ To be discontinued

Overview

Presentation	Housing equipment with side to side airflow creates many challenges for IT and facility managers, particularly in regards to cooling. Because most enclosures are designed for a front to back airflow pattern, it is difficult to maintain ideal operating temperatures on side to side airflow equipment. The Rack Side Air Distribution Unit is a 2U rack mountable air distribution product for networking equipment or servers with side to side airflow. It pulls in conditioned air from the front of the rack and distributes it to the side air intake of the networking equipment.
--------------	--

Lead time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	120 V
Input Connection Type	IEC 60320 C13 NEMA 5-15P
Number of rack unit	2U
Number of cables	2
Provided equipment	Installation guide Rack mounting brackets User manual

General

Air flow	122.7 l/s
----------	-----------

Physical

Colour	Black
Height	8.7 cm
Width	43.1 cm
Depth	66.9 cm
Net weight	14.56 kg
Mounting preference	No preference
Mounting mode	Rack-mounted

Input

Input power	150 W
Network frequency	60 Hz +/- 5 Hz

Conformance

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product certifications	UL recognized
------------------------	---------------

Communications & Management

Control panel	Power on/off indicator
---------------	------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24.1 cm
Package 1 Width	78.7 cm
Package 1 Length	66 cm
Package 1 Weight	19.56 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Under investigation
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

