# TMS-SCE-1/4-2.0-4 V ACTIVE

#### TMS-SCE

TE Internal #: 3906690001

Yellow, Military, Ladder, Recovered ID 2.11 mm [.083 in], 3:1, 1

Markers per Sleeve, 50 mm [2 in] Length, 6.35 mm [.25 in] Expanded

Inside, TMS-SCE

View on TE.com >



Identification & Labeling > Printable Tubing > TMS-SCE Military Grade Sleeves



Printable Tubing Type: Ladder
Printable Tubing Grade: Military

Shrink Ratio: 3:1

Primary Product Color: Yellow

Markers per Sleeve: 1

All TMS-SCE Military Grade Sleeves (147)

### **Features**

## **Product Type Features**

Printable Tubing Type

Printable Tubing Grade	Military
Body Features	
Shrink Ratio	3:1
Primary Product Color	Yellow
Markers per Sleeve	1

Ladder

#### **Dimensions**

Product Length	50 mm[2 in]
Expanded Inside Diameter (Min)	6.35 mm[.25 in]
Recovered Inside Diameter (Max)	2.11 mm[.083 in]
Compatible Cable Diameter Range	2.3 – 5.4 mm[.091 – .215 in]

## **Usage Conditions**

Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
Operating remperature hange	-55 - 155 C[-07 - 275 1]

#### **Printer/Label Features**

Printer Technology	Thermal Transfer
--------------------	------------------



### **Packaging Features**

Packaging Quantity	250	

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**










Also in the Series | TMS-SCE






# Customers Also Bought


















## **Documents**

**Product Drawings** 

TMS-SCE-1/4-2.0-4

English

Datasheets & Catalog Pages

**IDENTIFICATION SELECTION GUIDE** 

English

TMS-SCE Heat Shrinkable Sleeves

English

Cable Identification Product Shelf Life

English

**Product Specifications** 

**Product Specification** 

English

**IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX** 

English

Yellow, Military, Ladder, Recovered ID 2.11 mm [.083 in], 3:1, 1 Markers per Sleeve, 50 mm [2 in] Length, 6.35 mm [.25 in] Expanded Inside, TMS-SCE



**Instruction Sheets** 

Instruction Sheet (non U.S.)

English