






Pin 1 ... 4: 0.75 mm²



Dimensions in mm

Short description:

- PUR, halogen-free
- UL / CSA
- Suitable for drag chains
- Silicon- and CFC-free
- High resistance to microbes, hydrolysis, oil, chemicals and UV radiation
- High chemical resistance
- Cable used: UL listed

Technical data	
Operating voltage	250 VAC/DC
Insulation resistance	>10 ⁹ Ω
Conductor resistance	≤ 26 Ω/km

Mechanical data	
Weight	983 g

Commercial data	
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454127114
Customs tariff number	85444290900
End of Sale	2024-05-01
End of Production	2024-05-15
End of Delivery	2024-06-01
End of Service and Repair	2025-06-01

Product Classification	
UNSPSC	26121604
eCl@ss 10.0	27-06-18-01
eCl@ss 9.0	27-06-18-01
ETIM 9.0	EC001855
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Exemption	6(c)
SCIP notification number (Austria)	371bd4b1-2030-430d-8972-f0be83ec9989
SCIP notification number (Belgium)	e6635a1c-7141-43f7-9ceb-0bb3216feaf8
SCIP notification number (Bulgaria)	489145bf-a915-45e1-a754-ceac51a54778
SCIP notification number (Czech Republic)	1b259d37-4ac9-4c10-a769-d54a5277867c
SCIP notification number (Denmark)	6d153de3-7162-4075-9b8d-993c9e6eb073
SCIP notification number (Finland)	97f02b18-68f2-4d92-a3b9-4d8a9b62ee13
SCIP notification number (France)	a0e4c2d0-2dd6-4a30-a5a3-9f636f417ea1
SCIP notification number (Germany)	5741eb78-e4f1-48c6-b3ce-731edc6ec898
SCIP notification number (Hungary)	794df86a-b84d-457a-8802-6a941113a887
SCIP notification number (Italy)	c4680d15-01c7-4b54-b132-282baf64e968
SCIP notification number (Netherlands)	d39cf14a-a169-4c12-af9c-d8cf30de3f6e
SCIP notification number (Poland)	53439ea2-ec99-4c9a-8e6b-41062c99089d
SCIP notification number (Romania)	333e7a3f-5dbf-4414-aad6-34d2aa5443dd
SCIP notification number (Sweden)	749daf25-aee7-4b82-bae1-d519d0882f30

Approvals / Certificates

General approvals



Approval	Standard	Certificate Name
UL Underwriters Laboratories Inc.	UL 2238	E519602



Downloads

Environmental Product Compliance

Compliance Search		
Environmental Product Compliance	756-3106/040-200	

Documentation

System Description		
I/O-SYSTEM – SPEED-WAY, General Product Information	pdf 1035.20 KB	

CAD/CAE-Data

CAE data		
WSCAD Universe	756-3106/040-200	