

**Part Number :** 734153980

**Product Description:** BNC Jack, Right-Angle, Dual

Stack, PCB Receptacle, Tray, 75 Ohms

Series Number: 73171

**Status**: Active

**Product Category:** RF / Coaxial Connectors



#### **Documents & Resources**

### **Drawings**

734153980 sd.pdf

**3D Models and Design Files** 

STEP AP242

**SOLIDWORKS** 

Creo

# **Product Environment Compliance**

## **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

#### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## **Substances of Interest**

PFAS

## **EU RoHS Certificate of Compliance**

## <u>Additional Product Compliance Information</u>

### **Part Details**

#### General

Status	Active
Category	RF / Coaxial Connectors
Series	73171
Description	BNC Jack, Right-Angle, Dual Stack, PCB Receptacle, Tray, 75 Ohms
Application	RF
Product Name	BNC
Style	PCB
Туре	Miniature
UPC	822348176700

### **Electrical**

Frequency	4 GHz
Impedance	75Ω
Power / Voltage	VOLTAGE: 500 Vrms@Sea Level

## **Physical**

Cable Attachment	N/A
Gender	Jack
Keying to Mating Part	N/A
Net Weight	17.878/g
Orientation	Right Angle
Packaging Type	Tray
Panel Mount	No
Panel Mount Method	N/A
PCB Mounting	Through Hole

PCB Thickness - Recommended	5.08mm
Reverse Polar	No
Wire/Cable Type	N/A

## **Solder Process Data**

Max-Duration	10
Lead-Free Process Capability	SMC&WAVE
Max-Cycle	2
Max-Temp	260

This document was generated on Sep 17, 2025