

Product data sheet

Specifications



Roof Fan Tray 208/230VAC 50/60HZ for NetShelter SX 750mm Wide x 1070mm Deep Enclosures

ACF504

⚠ Discontinued on: Nov 27, 2024

⚠ To be end-of-service on: Dec 31, 2027

⚠ To be discontinued

Overview

Presentation	The Rack Fan Tray is a low cost solution that aids in heat removal from a Netshelter Enclosure. The system easily installs into the top of the enclosure and expels heat from the roof of the rack. Wall-mounted enclosures have the additional option of installing the rack fan tray systems in the base of the rack as well. The fan trays are designed to promote bottom to top airflow within the enclosure.
Lead time	Usually in Stock

Main

Main Input Voltage	208 V 230 V
Input Connection Type	IEC 60320 C14 Schuko CEE 7/7P BS1363A British
Number of cables	1
Provided equipment	Installation guide

Physical

Color	Black
Height	2.4 in (6 cm)
Width	28.5 in (72.4 cm)
Depth	35.2 in (89.3 cm)
Net Weight	22.55 lb(US) (10.23 kg)
Mounting preference	No preference
Mounting Mode	Rack-mounted

Input

Input Frequency	50/60 Hz
-----------------	----------

Conformance

Product Certifications	PSE
Standards	CSA C22.2 No. 60950 UL 60950

Environmental

Air flow	440 ft³/min (207.7 l/s)
----------	-------------------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Audible noise at 1 meter from surface of unit	62 dBA
---	--------

Ordering and shipping details

GTIN	731304235156
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.5 in (16.5 cm)
Package 1 Width	39.02 in (99.1 cm)
Package 1 Length	36.0 in (91.4 cm)
Package weight(Lbs)	30.9 lb(US) (14 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained](#) >

[How we assess product sustainability](#) >

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

