

Installation Accessories

Series/Type: **B84298M**



Date: January 2004

© EPCOS AG 2015. Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.



EPCOS AG is a TDK Group Company.

RF-tight screw plugs

for sealing holes for connector fittings



Dimensional drawing	Installation instruction	Ordering code
Nominal width 25 mm, for connector fitting type B84298A0042L...		
 SGR0234-6	 Nut PG 29 (width across flats 41) RF gasket Shielding wall, max. thickness 5 mm SGR0235-E-E	B84298M0029C001

Nominal width 40 mm, for connector fitting type B84298A0044L...

 SGR0236-M	 Nut PG 42 (width across flats 60) RF gasket Shielding wall, max. thickness 5 mm SGR0237-V-E	B84298M0042C001
--	---	-----------------

RF-tight cover flange plate

Nominal width 80 mm, for connector fitting type B84298A0046L...

 8 x M8 SGR0238-4	 Shielding wall, max. thickness 5 mm SGR0239-C-E	B84298M0080C001
--	---	-----------------


Dummy panel for fixing holes

Ordering code: B84298M0012C001

for communication line filters B84312C*H...

The dummy panel will be delivered with all parts needed to close an opening for communication line filters with 10 pairs (B84312CH...) RF-tight up to 40 GHz.

Dimensional drawing



Adapter flange for fixing holes


Ordering code: B84298M0012C002

for communication line filters B84312C*H... (10 pairs/20 lines).

The adapter flange enables installation of up to four 2-line filters (B84312C*B...) or 4-line filters (B84312C*E...) RF-tight up to 40 GHz. It comes with all parts needed.

With the adapter flange you get 3 screw plugs for RF-tight sealing of unused holes.

Dimensional drawing




SGR0241-N-E

Bracket adapter for communication line filters with 10 pairs

Ordering code: B84298M0012C004


The bracket adapter allows flat installation of a communication line filters with 10 pairs (B84312C*H...) on the shielding wall.

Dimensional drawing



SGR0242-W-E

Installation section



SGR0243-5-E

Important notes

The following applies to all products named in this publication:

1. Some parts of this publication contain **statements about the suitability of our products for certain areas of application**. These statements are based on our knowledge of typical requirements that are often placed on our products in the areas of application concerned. We nevertheless expressly point out **that such statements cannot be regarded as binding statements about the suitability of our products for a particular customer application**. As a rule we are either unfamiliar with individual customer applications or less familiar with them than the customers themselves. For these reasons, it is always ultimately incumbent on the customer to check and decide whether a product with the properties described in the product specification is suitable for use in a particular customer application.
2. We also point out that **in individual cases, a malfunction of electronic components or failure before the end of their usual service life cannot be completely ruled out in the current state of the art, even if they are operated as specified**. In customer applications requiring a very high level of operational safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health (e.g. in accident prevention or life-saving systems), it must therefore be ensured by means of suitable design of the customer application or other action taken by the customer (e.g. installation of protective circuitry or redundancy) that no injury or damage is sustained by third parties in the event of malfunction or failure of an electronic component.
3. **The warnings, cautions and product-specific notes must be observed.**
4. In order to satisfy certain technical requirements, **some of the products described in this publication may contain substances subject to restrictions in certain jurisdictions (e.g. because they are classed as hazardous)**. Useful information on this will be found in our Material Data Sheets on the Internet (www.tdk-electronics.tdk.com/material). Should you have any more detailed questions, please contact our sales offices.
5. We constantly strive to improve our products. Consequently, **the products described in this publication may change from time to time**. The same is true of the corresponding product specifications. Please check therefore to what extent product descriptions and specifications contained in this publication are still applicable before or when you place an order.

We also **reserve the right to discontinue production and delivery of products**. Consequently, we cannot guarantee that all products named in this publication will always be available. The aforementioned does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.
6. Unless otherwise agreed in individual contracts, **all orders are subject to our General Terms and Conditions of Supply**.
7. **Our manufacturing sites serving the automotive business apply the IATF 16949 standard**. The IATF certifications confirm our compliance with requirements regarding the quality management system in the automotive industry. Referring to customer requirements and customer specific requirements ("CSR") TDK always has and will continue to have the policy of respecting individual agreements. Even if IATF 16949 may appear to support the acceptance of unilateral requirements, we hereby like to emphasize that **only requirements mutually agreed upon can and will be implemented in our Quality Management System**. For clarification purposes we like to point out that obligations from IATF 16949 shall only become legally binding if individually agreed upon.
8. The trade names EPCOS, CeraCharge, CeraDiode, CeraLink, CeraPad, CeraPlas, CSMP, CTVS, DeltaCap, DigiSiMic, ExoCore, FilterCap, FormFit, LeaXield, MiniBlue, MiniCell, MKD, MKK, MotorCap, PCC, PhaseCap, PhaseCube, PhaseMod, PhiCap, PowerHap, PQSine, PQvar, SIFERRIT, SIFI, SIKOREL, SilverCap, SIMDAD, SiMic, SIMID, SineFormer, SIOV, ThermoFuse, WindCap are **trademarks registered or pending** in Europe and in other countries. Further information will be found on the Internet at www.tdk-electronics.tdk.com/trademarks.