

Data Sheet

HRN-0118 Horn Antenna


Product Overview

The TDK HRN-0118 Horn Antenna is a wide band, double-ridged horn used to transmit and receive microwave signals over the frequency range of 1 GHz to 18 GHz.

The HRN-0118 generates high electric fields required for radiated immunity and emissions measurements, and features high gain, low VSWR, moderate power handling (500W), and a robust mechanical design.



- Operating frequency of 1 GHz to 18 GHz
- High gain
- Low VSWR
- Robust mechanical design
- Includes typical/average ANSI C63.5 data



The TDK HRN-0118 Horn Antenna is designed specifically for radiated emissions and immunity measurements in EMC test environments. The HRN-0118 provides optimal performance over the frequency range of 1 GHz to 18 GHz.

Applications

- Emissions testing
- Immunity testing

Options

- ISO/IEC 17025 accredited calibration
- Antenna Tripod TRI-15OR: The TDK TRI-15OR antenna tripod is a manually adjusted tripod (100 cm to 150 cm) designed for quick and easy mounting in EMC test environments.
- Antenna Tripod TRI-350R: The TDK TRI-350R antenna tripod is a lightweight, manually adjusted tripod (65 cm to 160 cm) designed for quick and easy mounting and portability in EMC test environments.



HRN-0118 Horn Antenna

Electrical Characteristics

Frequency Range: 1 GHz to 18 GHz

VSWR: <1.5:1 average

Polarization: Linear

Power Handling:

Max continuous power: 1-6 GHz: 500W;

6-18GHz: 300W

Max peak power (<10% duty cycle): 2000W

Feedpoint Impedance: 50 ohms (nominal)

Mechanical Specifications

Width: 23.4 cm (9.21 in)

Depth: 29 cm (11.54 in) with

mounting bracket 21 cm (8.27 in) without mounting bracket

Height: 14.5 cm (5.71 in)

Weight: 1.9 kg (4.2 lbs) with

mounting bracket

Construction: Aluminum with a gold


chromate finish


RF Connector: Type N female

Ordering Information

Product: Horn Antenna
Model Number: HRN-0118
Warranty: 1 year limited

Antenna Data





To place an order or to learn more about the TDK products that best meet your needs, contact your TDK sales representative:

12 13

TDK RF Solutions Inc.

1101 Cypress Creek Rd.

Cedar Park, Texas 78613 USA Phone: 1-512-258-9478

E-mail: trs.sales@tdk.com

World Wide Web: www.tdkrfsolutions.tdk.com



www.tdkrfsolutions.tdk.com

To learn more about TDK's wide range of innovative test products, solutions and services visit www.tdkrfsolutions.tdk.com