



D



C

B

A



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		REVISED PER E.O. P19196	13JUN2006		RDR
B		REVISED PER E.O. P21065	26AUG2011		RDR
C		REVISED PER PCN :E-17-013520	24JUL2017	DD	DM
C1		REVISED PER PCN :E-20-011899	20AUG2020	DB	IG




TE INTERNAL PN	DEUTSCH PN
DT13-12PA-B016	DT13-12PA-B016
DT13-12PB-B016	DT13-12PB-B016
DT13-12PC-B016	DT13-12PC-B016
DT13-12PD-B016	DT13-12PD-B016


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. BURKE CHK B. BYFORD APVD S. BEARD	03APL2002 26AUG2011 25AUG2011	TE Connectivity	
DIMENSIONS: in [mm]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE HEADER 12 PIN 90 DEG DT SERIES	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.025 [0.64] 4 PLC ± ANGLES ± FINISH -		PRODUCT SPEC 108-151009 APPLICATION SPEC - WEIGHT 61.47[g]		SIZE A2	CAGE CODE 4AFU8
MATERIAL 		CUSTOMER DRAWING		DRAWING NO C=DT13-12PX-B016	RESTRICTED TO -
		SCALE 2:1		SHEET 1	OF 3
				REV C1	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

7 DIGIT DATECODE
YEAR: FIRST AND SECOND DIGITS. (16 = 2016)
MONTH: THRID DIGIT, EXCLUDING I. A = JAN.,
B = FEB., C = MARCH... (L = NOVEMBER)
DAY: FOURTH AND FIFTH DIGITS (10 = 10th DAY)
HOUR: SIXTH AND SEVENTH DIGITS (14 = 2-3PM)




3D VIEW



8 RECOMMENDED PANEL CUTOUTS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. BURKE CHK B. BYFORD APVD S. BEARD	03APL2002 26AUG2011 25AUG2011	TE Connectivity	
DIMENSIONS: in [mm]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE HEADER 12 PIN 90 DEG DT SERIES	
		0 PLC $\pm$ - 1 PLC $\pm$ - 2 PLC $\pm$ - 3 PLC $\pm .025$ [0.64] 4 PLC $\pm$ - ANGLES $\pm$ - FINISH -		PRODUCT SPEC 108-151009 APPLICATION SPEC -	
MATERIAL 		WEIGHT 61.47[g]		SIZE A2	CAGE CODE 4AFU8
CUSTOMER DRAWING		DRAWING NO DT13-12PX-B016		RESTRICTED TO -	REV C1
		SCALE 2:1		SHEET 2 OF 3	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
in [mm]

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±

2 PLC ±

3 PLC ±.025 [0.64]

4 PLC ±

ANGLES ±

FINISH -

DWN P. BURKE 03APL2002

CHK B. BYFORD 26AUG2011

APVD S. BEARD 25AUG2011

PRODUCT SPEC 108-151009

APPLICATION SPEC -

WEIGHT 61.47[g]

CUSTOMER DRAWING

TE Connectivity

NAME RECEPTACLE HEADER
12 PIN 90 DEG
DT SERIES

SIZE A2 CAGE CODE 4AFU8 DRAWING NO. C-DT13-12PX-B016

RESTRICTED TO -

SCALE 2:1 SHEET 3 OF 3 REV C1