



Pushing Performance
Since 1945

Frame Han 24HPR EasyCon Short PE-Mod-A-H




Image is for illustration purposes only. Please refer to product description.

Part number	09 40 024 9935
Specification	Frame Han 24HPR EasyCon Short PE-Mod-A-H
HARTING eCatalogue	https://harting.com/09400249935

Identification

Category	Accessories
Series of hoods/housings	Han® HPR EasyCon
Type of accessory	Frame
Description of the accessory	for up to 8 single modules
	A ... H
	Low construction

Version

Size	24 B
Details	ATTENTION! Only to be used with Han® 24 HPR EasyCon Short hoods and housings!
Pack contents	1x male PE adapter
	1x female PE adapter
	2x M4/M5 distance bolts (AF 7)
	2x M5/M6 distance bolts (AF 7)
	2x M3 screw
	2x M4 screw
	2x washer SK S4

Technical characteristics

Conductor cross-section	4 ... 10 mm² PE terminal power side
	1 ... 2.5 mm² PE terminal signal side
Tightening torque	0.5 Nm Fixing screws M3
	1.5 Nm Fixing screws M4
	6 Nm Distance bolt
	0.8 Nm PE terminal clamp 1 ... 2.5 mm2
	1.5 Nm PE terminal clamp 4 ... 10 mm2
Limiting temperature	-40 ... +125 °C



Pushing Performance
Since 1945

Technical characteristics

Mating cycles ≥500

Material properties

Material (accessories)	Zinc die-cast
	Stainless steel

Commercial data

Packaging size	1
Net weight	150 g
Country of origin	China
European customs tariff number	85389099
GTIN	5713140194472
eCl@ss	27440210 Fixing element for industrial connectors
ETIM	EC002310
UNSPSC 24.0	39121466