



Part Number : [348855512](#)
Product Description : .635mm, 1.50mm, Power
CMX Connector, 55 Circuits, Left Wire Output, Black
Coding
Series Number : 34885
Status : Active
Product Category : Connector Housings



Documents & Resources

Drawings
[348855512 sd.pdf](#)
[STEP AP242](#)
[SOLIDWORKS](#)
[Creo](#)

Specifications
[AS-34885-002-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant
China RoHS	 per SJ/T 11365-2006
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

- Compliance Statements
- EU RoHS
 - REACH SVHC
 - Low-Halogen

- Industry Documents
- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Connector Housings
Series	34885
Description	.635mm, 1.50mm, Power CMX Connector, 55 Circuits, Left Wire Output, Black Coding
Application	Automotive, Power, Wire-to-Board
Comments	Current tested on 0.85mm ² wire for CTX64 and CTX150; 2A for CTX64, 10A for CTX150
More Detailed Tech Information	Sealed, hybrid, high-density, a new generation of CMC, suitable for rugged, powertrain applications in transportation market
Product Name	CMX
UPC	889056358026

Physical

Circuits Detail	35x0.64mm, 20x1.50mm terminals
Circuits (maximum)	55
Color - Resin	Black
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	Polyester

Net Weight	40.342/g
Number of Rows	5
Packaging Type	Carton
Panel Mount	No
Pitch - Mating Interface	2.50mm, 3.70mm
Stackable	No
Temperature Range - Operating	-40° to +120°C

Mates With / Use With

Use with Part(s)

Description	Part Number
CMC 0.635mm Blind Cavity Plug	<u>643251010</u>
CMC 1.50mm Blind Cavity Plug	<u>643251023</u>
CTX64 Female Terminals	<u>34803</u>
CTX150 Female Terminals	<u>34805</u>

This document was generated on Sep 23, 2025