| I. MATERIALS OF CONSTRUCTION: BODY, FERRULE, & SHELL = BRASS, NICKEL PLATE. CONTACT PIN = BRASS, GOLD PLATE. INSULATOR = PIFE DO NOT SCALE THIS DRAWING NON-CAPTIVATED CONTACT, .043 WIRE ENTRY. PACKAGE CONNECTOR AS FOLLOWS: CRIMP FERRULE WITH HEX CRIMP .213. CRIMP CONTACT PIN WITH HE) | CRIMP .068. | THIRD ANGLE PROJ. | REV DESCRIPTIONS C SEE SHEET ONE | O MFG. | 43249 CPM |
|---|---|--|--|--|-----------|
| | | | | SCALE 2.000 | |
| Ø . 256 [6.5] Ø . 335 [8.5] | AMP "AMPHENOL RFX" Ø [10.4] | Ø.098 [2,5] Ø.043 [1.1] | 539 [13,7] 181 Ø [4.6] | .697 REF [17.7] | |
| RECOMMENDED CABLE STRIPPING DIM'S. SCALE 4.000 | | | | OUTLINE DRAWING EFERENCE ONLY | |
| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1° NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data. | REFERENCE EAR 967411-0 GEN# ASSYMI_M!NI-UHF | DRAWN C. McGRATH ENGINEER T. AUBIN APPROVED CAD FILE I:\MINI-UHF\81-115-RFX | DATE TITLE MINI-UHF CR PLUG FOR RG & 142 CABLE CODE DW 74868 | IMP CRIMP -58, 141 , 50 OHM G SIZE DRAWING NO. B Amphenol Correction Communication Products Divisor Danbury, CT U.S.A SCALE: 4.0:1 SHEE | 06810 |

81-115-RFX

DRAWING NO.

REV

NOTES:

REVISIONS

DATE

ECO

APPR

DESCRIPTION