

**Part Number**: 2162811031

**Product Description :** MX150 Female-to-Pigtail Off-the-Shelf (OTS) Cable Assembly, Single Row, 150.00mm

Length, Tin (Sn) Plating, 3 Circuits, Black

Series Number: 216281

**Status**: Active

**Product Category:** Power and Signal Cable

**Assemblies** 



#### **Documents & Resources**

## **Drawings**

2162811031 sd.pdf

2162801021-001.pdf

**3D Models and Design Files** 

STEP AP242

**SOLIDWORKS** 

Creo

## **Product Environment Compliance**

### **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Dodecamethylcyclohexasiloxane; Decamethylcyclopentasiloxane; Octamethylcyclotetrasiloxane per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

### **Compliance Statements**

• EU RoHS

- REACH SVHC
- Low-Halogen

### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### **Substances of Interest**

PFAS

### **EU RoHS Certificate of Compliance**

# Additional Product Compliance Information

### **Part Details**

#### General

Status	Active
Category	Power and Signal Cable Assemblies
Series	216281
Description	MX150 Female-to-Pigtail Off-the- Shelf (OTS) Cable Assembly, Single Row, 150.00mm Length, Tin (Sn) Plating, 3 Circuits, Black
Application	Power, Wire-to-Board, Wire-to- Wire, Automotive
Assembly Configuration	Single Ended Connector
Connector to Connector	MX150-to-Pigtail
Product Name	MX150
Туре	Discrete Wire Assembly, Sealed Assembly
UPC	193264714384

#### **Electrical**

Current - Maximum per Contact	22.0A
Voltage - Maximum	14V DC

### **Physical**

Calaladaaada	450.00
Cable Length	150.00mm

3
3
Black
Female-Pigtail
Yes
High Performance Alloy (HPA)
Tin
Tin
SPS/Nylon
165.200/g
1
No
Bag
3.50mm
Yes
Crimp or Compression
TXL
14

# Mates With / Use With

# Mates with Part(s)

Description	Part Number
MX150 Mat-Sealed Single Row Male Connector Assemblies	<u>33481</u>

This document was generated on Sep 11, 2025