

THIRD ANGLE PROJ. 🕀 🖯 REVISIONS DESCRIPTION DATE ECO APPR PROTOTYPE RELEASE 21-May-10 AAP - -

PRELIMINARY ISSUE



SCALE 2.000



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ±0.05mm ±0.1mm ±0.2mm ±0.3mm ±1.	MATERIAL SEE NOTES	DRAWN PADMANABHAN E	DATE 22 - Feb - 10	TITLE HD BNC PLUG TO	Amphenol RF
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol carp, (2) must be returned upon requisel; and (3) arre confidential and not to be disclosed to any person other than those to whom they	SEE NOTES	ENGINEER PADMANABHAN E	DATE 22-Feb-10	BNC PLUG 75 OHM	Danbury CT USA, Tainan, Taiwan, Shenzhen, China www.amphenolrf.com
are given by Amphenol Corp. the funishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or ony other sperson to manufacture, use or sell any	REFERENCE EAR #	APPROVED	DATE	ADAPTER SCALE: 7.0:1.0 SHEET 2 OF 2	DRAWING NO. APH-BNCP-HDBNCP
product, process or design, polented or only other specials to manufacture, use of seri day product, process or design, polented or otherwise, that may in any way be related to or disclosed by sold drawings, specifications, or other data.	CONFIGURATION LEVEL: Prototype FINISH	CAD FILE Root Folder/BNC/APH-BNCP-HDBNCP		DWG SIZE REV	PART NO.APH-BNCP-HDBNCP

NOTES:

3. MECHANICAL:

4. PACKAGING:

I. MATERIALS AND FINISHES:
BODY & BAYONETS - BRASS, NICKEL PLATING
OUTER CONTACT - BCCU, NICKEL PLATING
CONTACT - BRASS, GOLD PLATING
INSULATOR - PTFE

A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -65°C TO +165°C

2. ELECTRICAL:
A. IMPEDANCE: 75 OHM
B. FREQUENCY RANGE: DC - 3 GHz
C. RETURN LOSS: 30dB MIN.