# molex

**Part Number:** <u>368770008</u>

**Product Description:** Ditto Hermaphroditic Crimp

Housing, Friction Lock, 8 Circuit, Natural

Series Number: 36877

Status: Obsolete

**Product Category:** Connector Housings



#### **Documents & Resources**

#### **Drawings**

368770008 sd.pdf

368770008 stp.zip

#### **Specifications**

TS-36876-001-001.pdf



# **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	e per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

#### **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

#### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

• chemSHERPA (xml)

## **Substances of Interest**

PFAS

## **EU RoHS Certificate of Compliance**

## <u>Additional Product Compliance Information</u>

## **Part Details**

#### General

Status	Obsolete
Category	Connector Housings
Series	36877
Description	Ditto Hermaphroditic Crimp Housing, Friction Lock, 8 Circuit, Natural
Application	Wire-to-Wire
Product Name	Ditto
UPC	887191584065

## Agency

UI	F29179
OL	LZJITJ

## **Physical**

8
Natural (White)
94V-0
Hermaphroditic
No
Yes
Nylon
1.858/g
1
Bag
No
2.50mm
2.50mm

Temperature Names Operating   40 to 1105 c	Temperature Range - Operating	-40° to +105°C
--	-------------------------------	----------------

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
Ditto Hermaphroditic Crimp Housings	<u>36877</u>

## **Use with Part(s)**

Description	Part Number	
Ditto Hermaphroditic Crimp Terminals	<u>36876</u>	

This document was generated on Sep 06, 2025