

This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.








ORIGINAL



REVISIONS

SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A		RELEASE FOR RoHS	05/02/2012	Arron Lin
B	NE-14040	UPDATE DRAWING FOR SHELL	03/18/2014	Arron Lin
C	NE-14187	ADD DIM	10/17/2014	Arron Lin
D	NE-16069	ADD T&R OPTION	03/30/2016	Arron Lin




P/N: GSB121 X X RSK X HR

CONTACT FINISH
1: GOLD FLASH
2: 30u" MIN. GOLD

PACKAGE OPTION
BLANK: TRAY
R: T&R

COLOR OF INSULATOR
0: IVORY
1: BLACK



RECOMMENDED PCB LAYOUT (TOP VIEW)

TOLERANCE		APPROVALS		DATE	TITLE		UNIVERSAL SERIAL BUS RECEPTACLE, SERIES A STANDARD, RIGHT-ANGLE PCB MOUNT		Amphenol® Amphenol Corporation Amphenol Taiwan Corporation	
X. X.X X.XX X.XXX ANGULAR UNLESS OTHERWISE SPECIFIED	±0.30 ±0.20 ±0.10 ±1°	DRAWN	Debby Hung	03/30/2016		UNIT mm SCALE NA	SIZE A3 SHEET 1 OF 3	PART No. GSB121XXRSKXHR	DWG No. GSB121XXRSKXHR	REV. D
		CHECKED	Roger Tsai	03/30/2016						
		APPROVED	Arron Lin	03/30/2016						
		DWG TYPE	CUST DWG	PROJECT CODE OTHER						

This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.




ORIGINAL




REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A		RELEASE FOR RoHS	05/02/2012	Arron Lin
B	NE-14040	UPDATE DRAWING FOR SHELL	03/18/2014	Arron Lin
C	NE-14187	ADD DIM	10/17/2014	Arron Lin
D	NE-16069	ADD T&R OPTION	03/30/2016	Arron Lin

20 PCS
TRAY/CARTON




TRAY DIMENSION:
230.0 X 220.0 X 12.7 MM.


100 PCS/TRAY



SHIPPING CARTON DIMENSION:
520 X 273 X 310 MM.



LABEL



PACKAGING BY TRAY	12.2	8.2	100	20	4000	GSB121XXRSKXHR
	G/W KG	N/W KG	PCS/ TRAY	TRAYS/ BOX	QUANTITY (PCS)	PART NUMBER

TOLERANCE		APPROVALS		DATE	TITLE			Amphenol®						
X.		DRAWN	Debby Hung	03/30/2016	UNIVERSAL SERIAL BUS RECEPTACLE, SERIES A STANDARD, RIGHT-ANGLE PCB MOUNT			Amphenol Corporation Amphenol Taiwan Corporation						
X.X ±0.30														
X.XX ±0.20														
X.XXX ±0.10														
ANGULAR ±1°		CHECKED	Roger Tsai	03/30/2016				UNIT	mm	SIZE	A3	PART No.	GSB121XXRSKXHR	
UNLESS OTHERWISE SPECIFIED		APPROVED	Arron Lin	03/30/2016				SCALE	NA	SHEET	2 OF 3		DWG No.	GSB121XXRSKXHR
DWG TYPE		CUST DWG		PROJECT CODE		OTHER								

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.






ORIGINAL



REVISIONS

SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A		RELEASE FOR RoHS	05/02/2012	Arron Lin
B	NE-14040	UPDATE DRAWING FOR SHELL	03/18/2014	Arron Lin
C	NE-14187	ADD DIM	10/17/2014	Arron Lin
D	NE-16069	ADD T&R OPTION	03/30/2016	Arron Lin




FCC ID LABEL LOCATION

NOTES:

1. STAPLES SHOULD ONLY BE USED TO SET UP CARTON. ALL CARTON CLOSURES MUST BE DONE WITH TAPE.
2. FILL PACKAGING TRAYS WITH THE QUANTITIES AS INDICATED IN THE CHART.
3. SHIPPING CARTON DIMENSION: 690 X 360 X 325mm.
4. NET WEIGHT: 7.3 KG.
GROSS WEIGHT: 13.6 KG.

PACKAGING BY T&R	13.6	7.3	240	16	3840	GSB121XXRSKRHR
	G/W KG	N/W KG	PCS/ REEL	REELS/ BOX	QUANTITY (PCS)	PART NUMBER

TOLERANCE		APPROVALS		DATE	TITLE		Amphenol® Amphenol Corporation Amphenol Taiwan Corporation						
X.		DRAWN	Debby Hung	03/30/2016	UNIVERSAL SERIAL BUS RECEPTACLE, SERIES A STANDARD, RIGHT-ANGLE PCB MOUNT				UNIT mm SIZE A3		PART No. GSB121XXRSKXHR		
X.X	±0.30	CHECKED	Roger Tsai	03/30/2016							DWG No. GSB121XXRSKXHR		
X.XX	±0.20												
X.XXX	±0.10	APPROVED	Arron Lin	03/30/2016					SHEET 3 OF 3		REV. D		
ANGULAR ±1°													
UNLESS OTHERWISE SPECIFIED		DWG TYPE CUST DWG		PROJECT CODE OTHER									