

Hybrid Memory Cube Controller IP Core User Guide - Intel Stratix 10 Beta Version

Last updated for Quartus Prime Design Suite: Quartus Prime Pro–Stratix 10

Edition Beta

UG-20191

2016.08.08



Subscribe



Send Feedback

101 Innovation Drive
San Jose, CA 95134
www.altera.com



Contents

About the Hybrid Memory Cube Controller IP Core.....	1-1
HMC Controller IP Core Supported Features.....	1-2
HMC Controller IP Core Supported HMC Transaction Types.....	1-3
Device Family Support.....	1-4
IP Core Verification.....	1-5
Simulation.....	1-5
Performance and Resource Utilization.....	1-5
Device Speed Grade Support.....	1-6
Release Information.....	1-7
 Getting Started with the HMC Controller IP Core.....	 2-1
Installing and Licensing Intel FPGA IP Cores.....	2-2
Intel FPGA IP Evaluation Mode.....	2-2
Specifying IP Core Parameters and Options.....	2-5
HMC Controller IP Core Parameters.....	2-5
RX Mapping and TX Mapping Parameters.....	2-8
Files Generated for Intel FPGA IP Cores.....	2-11
Integrating Your IP Core in Your Design.....	2-12
Pin Constraints.....	2-13
Required External Blocks.....	2-13
Simulating Intel FPGA IP Cores.....	2-18
 Functional Description.....	 3-1
High Level Block Diagram.....	3-1
Interfaces Overview.....	3-2
Application Interfaces.....	3-2
HMC Interface.....	3-2
Interface to External I ² C Master.....	3-2
Control and Status Register Interface.....	3-3
Status and Debug Interface.....	3-3
Transceiver Control Interfaces.....	3-3
Clocking Structure.....	3-4
Initialization and Reset.....	3-5
M20K ECC Support.....	3-9
Flow Control.....	3-9
Error Detection and Management.....	3-10
Testing Features.....	3-11
 HMC Controller IP Core Signals.....	 4-1
Application Interface Signals.....	4-1

Application Request Interface.....	4-2
Application Response Interface.....	4-5
HMC Controller IP Core Data Path Example.....	4-9
HMC Interface Signals.....	4-10
Signals on the Interface to the I ² C Master.....	4-11
Control and Status Register Interface Signals.....	4-12
Status and Debug Signals.....	4-13
Clock and Reset Signals.....	4-14
Transceiver Reconfiguration Signals.....	4-15
Signals on the Interface to the External PLL.....	4-16
HMC Controller IP Core Register Map.....	5-1
CONTROL Register.....	5-2
XCVR_STATUS Register.....	5-3
LANE_STATUS Register.....	5-4
LINK_STATUS Register.....	5-4
ERROR_RESPONSE Register.....	5-5
LIMIT_OUTSTANDING_PACKETS Register.....	5-6
Interrupt Related Registers.....	5-7
Error and Retry Statistics Registers.....	5-10
HMC Controller IP Core Stratix 10 Design Example.....	6-1
HMC Controller IP Core User Guide Archives.....	A-1
Additional Information.....	B-1
HMC Controller IP Core User Guide Revision History.....	B-1

About the Hybrid Memory Cube Controller IP Core

1

2016.08.08

UG-01152



Subscribe




Send Feedback

The Hybrid Memory Cube (HMC) specification defines a new type of memory device that provides a significant increase in bandwidth and power efficiency over existing memory architectures. The HMC specification targets high performance computers and next-generation networking equipment and provides scalability for a wide range of applications.

The Intel® HMC Controller IP core enables easy access to external HMC devices. HMC devices provide high bandwidth, reliable access to large amounts of memory with a small form factor, and provide significant system cost savings in high performance, memory intensive applications. The HMC Controller IP core provides a simple user interface through which you can communicate with an external HMC device to incorporate these bandwidth and performance gains in your design.

Figure 1-1: Typical HMC Controller Application



Related Information

- [HMC Controller IP Core User Guide Archives](#) on page 7-1

Intel Corporation. All rights reserved. Intel, the Intel logo, Altera, Arria, Cyclone, Enpirion, MAX, Nios, Quartus and Stratix words and logos are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Intel warrants performance of its FPGA and semiconductor products to current specifications in accordance with Intel's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Intel assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Intel. Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.

ISO
9001:2015
Registered

ALTERA
now part of Intel

- [Hybrid Memory Cube Controller Design Example User Guide](#)
- [Introduction to Intel FPGA IP Cores](#)
Provides general information about all Intel FPGA IP cores, including parameterizing, generating, upgrading, and simulating IP cores.
- [Creating Version-Independent IP and Qsys Simulation Scripts](#)
Create simulation scripts that do not require manual updates for software or IP version upgrades.
- [Project Management Best Practices](#)
Guidelines for efficient management and portability of your project and IP files.
- [Hybrid Memory Cube Specification 1.1](#)
The HMC specification is available for download from the Hybrid Memory Cube Consortium web page.

HMC Controller IP Core Supported Features

The Intel HMC Controller IP core offers the following features:

- Communicates through Intel FPGA high-speed transceivers with an external HMC device compliant with the *Hybrid Memory Cube Specification 1.1*.
- Communicates with the HMC device at per-lane rates of 10 Gbps, 12.5 Gbps, or 15 Gbps.
- Features Avalon[®] Memory-Mapped (Avalon-MM) interface to access control and status registers.
- Connects to 16 lanes of an HMC device with one to four simple 512-bit client data interfaces. Multiple data interfaces provide increased utilization of the HMC link.
- Supports memory READ and WRITE transactions with all valid payload sizes.
- Supports posted and non-posted versions of ATOMIC transactions, BIT WRITE transactions, and WRITE transactions.
- Supports MODE READ and MODE WRITE transactions.
- Supports optional response reordering to ensure the IP core sends responses on each application response interface in the order it received the requests. When you select this option, the IP core manages the tags, which are not visible on the client interfaces.
- Supports Response Open Loop Mode for receive (RX) flow control to decrease device resource requirements.
- Supports token-based transmit (TX) flow control.
- Supports poisoned packets.
- Supports reordering of transceiver lanes for board-design flexibility.
- Supports link training sequence and provides word alignment, lane alignment, and transceiver status information in real time.
- Provides fast simulation support.
- Provides real-time error statistics.
- Provides hardware and software reset control.
- Provides power management control.
- Optionally supports ADME direct access to transceiver registers through the System Console, for debugging or monitoring PHY signal integrity.
- Provides option to include ECC support in all M20K memory blocks configured in the IP core.

To support multi-link connection to the HMC device in your design, you can configure multiple HMC Controller IP cores to communicate with the same HMC device through separate HMC links. Each HMC Controller IP core connects to a single HMC device link.

For the detailed HMC specification refer to the *Hybrid Memory Cube Specification 1.1*.

Related Information

[Hybrid Memory Cube Specification 1.1](#)

The HMC specification is available for download from the Hybrid Memory Cube Consortium web page.

HMC Controller IP Core Supported HMC Transaction Types

The Intel HMC Controller IP core supports all HMC transactions.

HMC Controller To HMC Device Packet Types

Transfers on the HMC interface are sequences of 128-bit flow units (FLITs). The HMC Controller IP core generates the following packet types on the link to the HMC device:

- NULL FLIT
- Pointer Return (PRET) (single FLIT packet)
- Init Retry (IRTRY) (single FLIT packet)
- READ request (single FLIT packet)
- 16-byte WRITE or Posted WRITE request (2-FLIT packet)
- 32-byte WRITE or Posted WRITE request (3-FLIT packet)
- 48-byte WRITE or Posted WRITE request (4-FLIT packet)
- 64-byte WRITE or Posted WRITE request (5-FLIT packet)
- 80-byte WRITE or Posted WRITE request (6-FLIT packet)
- 96-byte WRITE or Posted WRITE request (7-FLIT packet)
- 112-byte WRITE or Posted WRITE request (8-FLIT packet)
- 128-byte WRITE or Posted WRITE request (9-FLIT packet)
- BIT WRITE or Posted BIT WRITE request (2-FLIT packet)
- MODE READ request (single FLIT packet)
- MODE WRITE request (2-FLIT packet)
- Dual 8-byte ADD IMMEDIATE or Posted Dual 8-byte ADD IMMEDIATE request (2-FLIT packet)
- Single 16-byte ADD IMMEDIATE or Posted Single 16-byte ADD IMMEDIATE request (2-FLIT packet)

The HMC Controller IP core operates in the Response Open Loop Mode and therefore does not generate Token Return (TRET) packets.

HMC Device to HMC Controller Packet Types

The HMC Controller IP core can process the following packet types generated by the HMC device:

- NULL FLIT
- PRET (single FLIT packet)
- TRET (single FLIT packet)
- IRTRY (single FLIT packet)
- ERROR response (single FLIT packet)
- WRITE response (single FLIT packet)

- 16-byte READ response (2-FLIT packet)
- 32-byte READ response (3-FLIT packet)
- 48-byte READ response (4-FLIT packet)
- 64-byte READ response (5-FLIT packet)
- 80-byte READ response (6-FLIT packet)
- 96-byte READ response (7-FLIT packet)
- 112-byte READ response (8-FLIT packet)
- 128-byte READ response (9-FLIT packet)
- MODE READ response (2-FLIT packet)
- MODE WRITE response (single FLIT packet)

The HMC Controller IP core does not define or support any vendor specific packet types.

Device Family Support

The following table lists the device support level definitions for Intel FPGA IP cores.

Table 1-1: Intel FPGA IP Core Device Support Levels

FPGA Device Families
<p>Advance support— The IP core is available for simulation and compilation for this device family. FPGA programming file (.pof) support is not available in the Quartus® Prime Pro – Stratix 10 Edition Beta software, and IP timing closure cannot be guaranteed. Timing models include initial engineering estimates of delays based on early post-layout information. The timing models are subject to change as silicon testing improves the correlation between the actual silicon and the timing models. You can use this IP core for system architecture and resource utilization studies, simulation, pinout, system latency assessments, basic timing assessments (pipeline budgeting), and I/O transfer strategy (datapath width, burst depth, I/O standards tradeoffs).</p>
<p>Preliminary support — The IP core is verified with preliminary timing models for this device family. The IP core meets all functional requirements, but might still be undergoing timing analysis for the device family. It can be used in production designs with caution.</p>
<p>Final — The IP core is verified with final timing models for this device family. The IP core meets all functional and timing requirements for the device family and can be used in production designs.</p>

The following table shows the level of support offered by the HMC Controller IP core for each Intel device family.

Table 1-2: HMC Controller IP Core Device Family Support in the Quartus Prime Pro – Stratix 10 Edition Beta Software

Device Family	Support
Stratix 10	Advance

Device Family	Support
All other device families	No support in this release

Related Information**Timing and Power Models**

Reports the default device support levels in the current version of the Quartus Prime Pro Edition software.

IP Core Verification

Before releasing a version of the HMC Controller IP core, Intel runs comprehensive regression tests in the current version of the Quartus Prime software. The HMC Controller IP core is tested in simulation and hardware to confirm functionality.

Note: In the Quartus Prime Pro – Stratix 10 Edition Beta software, the IP core is tested in simulation and through compilation only.

Related Information

- **Knowledge Base Errata for HMC Controller IP core**

Exceptions to functional correctness are documented in the HMC Controller IP core errata.

- **Intel FPGA IP Release Notes**

Changes to the HMC Controller IP core are noted in the Intel FPGA IP Release Notes starting from the Quartus II software v15.0. The Intel FPGA IP Release Notes list changes in major production releases.

Simulation

Intel performs the following tests on the HMC Controller IP core in simulation, using the Micron HMC BFM:

- Constrained random tests that cover randomized legal payload sizes and contents
- Assertion based tests to confirm proper behavior of the IP core with respect to the specification
- Extensive coverage of packet retry functionality

Constrained random techniques generate appropriate stimulus for the functional verification of the IP core. Intel monitors line, expression, and assertion coverage metrics to ensure that all important features are verified.

Performance and Resource Utilization

Table 1-3: HMC Controller IP Core FPGA Resource Utilization

Typical resource utilization for an HMC Controller IP core configured with a data rate of 10 Gbps, using the software, with the following IP core features turned off:

- M20K ECC support

The numbers of ALMs and logic registers are rounded up to the nearest 100. The numbers of ALMs, before rounding, are the **ALMs needed** numbers from the Quartus Prime Pro – Stratix 10 Edition Beta Fitter Report.

Stratix 10 IP Core Variation		Resource Utilization		
Response Reordering	Number of Ports	ALMs Needed	Dedicated Logic Registers	M20K Blocks
Off	1	26500	51000	51
	2	31700	62600	86
	3	36800	74300	121
	4	42000	86100	154
On	1	32000	62000	55
	2	39800	80400	94
	3	49700	100900	133
	4	55300	116900	170

Related Information

- [Fitter Resources Reports in the Quartus Prime Pro Edition Help](#)
Information about Quartus Prime Pro Edition resource utilization reporting, including **ALMs needed**.
- [Quartus Prime Standard Edition Handbook, Volume 1: Design and Synthesis](#)

Device Speed Grade Support

Table 1-4: Minimum Recommended Device Family Speed Grades

Intel recommends that you configure the HMC Controller IP core only in the device speed grades listed in the table, or any faster (lower numbered) device speed grades that are available.

Intel does not support configuration of this IP core in slower (higher numbered) device speed grades.

Device Family	IP Core Variation: Lane Rate		
	10 Gbps	12.5 Gbps	15 Gbps
Stratix 10	(1)	(1)	(1)

⁽¹⁾ This information is not yet available.

Release Information

Table 1-5: HMC Controller IP Core Current Release Information

Item	Value
Version	Quartus Prime Pro – Stratix 10 Edition Beta
Release Date	2016.08.08
Ordering Code	IP-HMCSR15FW
Vendor ID	6AF7

Getting Started with the HMC Controller IP Core

2

2016.08.08

UG-01152



Subscribe



Send Feedback

The following information explains how to install, parameterize, and simulate the Hybrid Memory Cube Controller IP core.

Installing and Licensing Intel FPGA IP Cores on page 2-2

The HMC Controller IP core is available with the Quartus Prime software in the Altera IP Library.

Specifying IP Core Parameters and Options on page 2-5

The HMC Controller IP core supports the standard customization and generation process. This IP core is not supported in Qsys.

HMC Controller IP Core Parameters on page 2-5

The HMC Controller parameter editor provides the parameters you can set to configure the HMC Controller IP core and simulation testbenches.

Files Generated for Intel FPGA IP Cores on page 2-11

The Quartus Prime software generates multiple files during generation of your IP core variation.

Integrating Your IP Core in Your Design on page 2-12

To ensure the HMC Controller IP core functions correctly in hardware, you must connect additional blocks to your IP core and assign device pins in order.

Simulating Intel FPGA IP Cores on page 2-18

The Quartus Prime software supports RTL and gate-level design simulation of Intel FPGA IP cores in supported EDA simulators. Simulation involves setting up your simulator working environment, compiling simulation model libraries, and running your simulation.

Related Information

- **HMC Controller IP Core Stratix 10 Design Example** on page 6-1
The HMC Controller design example provides an example of how to connect your IP core with an external I²C master module and an external TX PLL.
- **Introduction to Intel FPGA IP Cores**
Provides general information about all Intel FPGA IP cores, including parameterizing, generating, upgrading, and simulating IP cores.
- **Creating Version-Independent IP and Qsys Simulation Scripts**
Create simulation scripts that do not require manual updates for software or IP version upgrades.
- **Project Management Best Practices**
Guidelines for efficient management and portability of your project and IP files.

Intel Corporation. All rights reserved. Intel, the Intel logo, Altera, Arria, Cyclone, Enpirion, MAX, Nios, Quartus and Stratix words and logos are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Intel warrants performance of its FPGA and semiconductor products to current specifications in accordance with Intel's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Intel assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Intel. Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.

ISO
9001:2015
Registered

ALTERA
now part of Intel

Installing and Licensing Intel FPGA IP Cores

The Quartus Prime software installation includes the Intel FPGA IP library. This library provides many useful IP cores for your production use without the need for an additional license. Some Intel FPGA IP cores require purchase of a separate license for production use. The Intel FPGA IP Evaluation Mode allows you to evaluate these licensed Intel FPGA IP cores in simulation and hardware, before deciding to purchase a full production IP core license. You only need to purchase a full production license for licensed Intel IP cores after you complete hardware testing and are ready to use the IP in production.

The Quartus Prime software installs IP cores in the following locations by default:

Figure 2-1: IP Core Installation Path




Table 2-1: IP Core Installation Locations

Location	Software	Platform
<code><drive>:\intelFPGA_pro\quartus\ip\altera</code>	Quartus Prime Pro – Stratix 10 Edition Beta	Windows*
<code><drive>:\intelFPGA\quartus\ip\altera</code>	Quartus Prime Standard Edition	Windows
<code><home directory>:/intelFPGA_pro/quartus/ip/altera</code>	Quartus Prime Pro – Stratix 10 Edition Beta	Linux*
<code><home directory>:/intelFPGA/quartus/ip/altera</code>	Quartus Prime Standard Edition	Linux

Intel FPGA IP Evaluation Mode

The free Intel FPGA IP Evaluation Mode allows you to evaluate licensed Intel FPGA IP cores in simulation and hardware before purchase. Intel FPGA IP Evaluation Mode supports the following evaluations without additional license:

- Simulate the behavior of a licensed Intel FPGA IP core in your system.
- Verify the functionality, size, and speed of the IP core quickly and easily.
- Generate time-limited device programming files for designs that include IP cores.
- Program a device with your IP core and verify your design in hardware.


Intel FPGA IP Evaluation Mode supports the following operation modes:

- **Tethered**—Allows running the design containing the licensed Intel FPGA IP indefinitely with a connection between your board and the host computer. Tethered mode requires a serial joint test action group (JTAG) cable connected between the JTAG port on your board and the host computer, which is running the Quartus Prime Programmer for the duration of the hardware evaluation period. The Programmer only requires a minimum installation of the Quartus Prime software, and requires no Quartus Prime license. The host computer controls the evaluation time by sending a periodic signal to the device via the JTAG port. If all licensed IP cores in the design support tethered mode, the evaluation time runs until any IP core evaluation expires. If all of the IP cores support unlimited evaluation time, the device does not time-out.
- **Untethered**—Allows running the design containing the licensed IP for a limited time. The IP core reverts to untethered mode if the device disconnects from the host computer running the Quartus Prime software. The IP core also reverts to untethered mode if any other licensed IP core in the design does not support tethered mode.

When the evaluation time expires for any licensed Intel FPGA IP in the design, the design stops functioning. All IP cores that use the Intel FPGA IP Evaluation Mode time out simultaneously when any IP core in the design times out. When the evaluation time expires, you must reprogram the FPGA device before continuing hardware verification. To extend use of the IP core for production, purchase a full production license for the IP core.

You must purchase the license and generate a full production license key before you can generate an unrestricted device programming file. During Intel FPGA IP Evaluation Mode, the Compiler only generates a time-limited device programming file (*<project name>_time_limited.sof*) that expires at the time limit.

Figure 2-2: Intel FPGA IP Evaluation Mode Flow



Note: Refer to each IP core's user guide for parameterization steps and implementation details.

Intel licenses IP cores on a per-seat, perpetual basis. The license fee includes first-year maintenance and support. You must renew the maintenance contract to receive updates, bug fixes, and technical support beyond the first year. You must purchase a full production license for Intel FPGA IP cores that require a production license, before generating programming files that you may use for an unlimited time. During Intel FPGA IP Evaluation Mode, the Compiler only generates a time-limited device programming file (`<project name>_time_limited.sof`) that expires at the time limit. To obtain your production license keys, visit the [Self-Service Licensing Center](#) or contact your local [Intel FPGA representative](#).

The [Intel FPGA Software License Agreements](#) govern the installation and use of licensed IP cores, the Quartus Prime design software, and all unlicensed IP cores.

Related Information

- [Quartus Prime Licensing Site](#)
- [Intel FPGA Software Installation and Licensing](#)

Specifying IP Core Parameters and Options

The HMC Controller parameter editor allows you to quickly configure your custom IP variation. Use the following steps to specify IP core options and parameters in the Quartus Prime software.

1. In the IP Catalog (**Tools > IP Catalog**), under **Memory Interfaces and Controllers**, locate and double-click the name of the IP core to customize. The parameter editor appears.
2. Specify a top-level name for your custom IP variation. The parameter editor saves the IP variation settings in a file named `<your_ip>.ip`. Click **OK**.
3. Specify the parameters and options for your IP variation in the parameter editor. Refer to the Parameters section for information about specific IP core parameters.
4. Click **Generate HDL**. The **Generation** dialog box appears.
5. To generate a simulation model of the HMC Controller IP core, under **Simulation > Create Simulation Model**, select **Verilog HDL**.
6. Specify other output file generation options, and then click **Generate**. The IP variation files generate according to your specifications.
7. Click **Finish**. The parameter editor adds the top-level `.ip` file to the current project automatically. If you are prompted to manually add the `.ip` file to the project, click **Project > Add/Remove Files in Project** to add the file.
8. After generating and instantiating your IP variation, make appropriate pin assignments to connect ports.

HMC Controller IP Core Parameters

The HMC Controller parameter editor provides the parameters you can set to configure the HMC Controller IP core and simulation testbenches.

The HMC Controller parameter editor includes an **Example Design** tab. For information about that tab, refer to the [Hybrid Memory Controller Design Example User Guide](#).

Table 2-2: HMC Controller IP Core Parameters

Parameters for customizing the HMC Controller IP core in the **IP** tab of the HMC Controller parameter editor.

Parameter	Type	Range	Default Setting	Parameter Description
Lanes	Integer	<ul style="list-style-type: none">• 16	16	Selects full-width (16 lanes) functionality. IP cores that target a Stratix 10 device do not support half-width functionality.
Data rate	String	<ul style="list-style-type: none">• 10 Gbps• 12.5 Gbps• 15 Gbps	10 Gbps	Selects the data rate on each lane.

Parameter	Type	Range	Default Setting	Parameter Description
CDR reference clock	String	<ul style="list-style-type: none"> 125 MHz 156.25 MHz 166.67 MHz (available only for Data rate 10 Gbps or 15 Gbps) 	125 MHz	<p>Selects the frequency of the input reference clock for the RX CDR PLL. You must drive the <code>rx_cdr_refclk0</code> input signal at the frequency you specify for this parameter.</p> <p>In addition, your design must derive this clock, the external transceiver TX PLL reference clock, and the <code>REFCLKP</code> and <code>REFCLKN</code> input signals of the external HMC device from the same clock source.</p>
Ports	Integer	<ul style="list-style-type: none"> 1 2 3 4 	1	<p>Number of ports (data path interfaces).</p> <p>Increasing the number of ports increases utilization of the Hybrid Memory Cube, increasing efficiency. However, it may increase request-to-response latency on each individual port, as the IP core arbitrates among the incoming requests.</p> <p>If you specify more than one port, each port is assigned a range of tags.</p> <ul style="list-style-type: none"> If you specify 2 ports, port 0 must use tags in the range 0 to 255, and port 1 must use tags in the range 256 to 511. If you specify 3 ports, port 0 must use tags in the range 0 to 175, port 1 must use tags in the range 176 to 351, and port 2 must use tags in the range 352 to 511. If you specify 4 ports, port 0 must use tags in the range 0 to 127, port 1 must use tags in the range 128 to 255, port 2 must use tags in the range 256 to 383, and port 3 must use tags in the range 384 to 511.

Parameter	Type	Range	Default Setting	Parameter Description
Enable response re-ordering	Boolean	<ul style="list-style-type: none"> • True • False 	False	<p>Specifies whether the IP core ensures that responses appear on each data response interface in the order the original requests arrived on the corresponding request interface.</p> <p>If you turn on this feature, the IP core manages tags internally. In that case tags are not available on the data interfaces.</p> <p>Turning on this feature can increase round-trip latency.</p>
RX mapping	64-bit value		0xFEDCBA9876543210	<p>Selects the RX lane mapping.</p> <p>Use caution in modifying this parameter. Refer to RX Mapping and TX Mapping Parameters on page 2-8.</p>
TX mapping	64-bit value		0xFEDCBA9876543210	<p>Selects the TX lane mapping.</p> <p>Use caution in modifying this parameter. Refer to RX Mapping and TX Mapping Parameters on page 2-8.</p>
Enable M20K ECC support	Boolean	<ul style="list-style-type: none"> • True • False 	False	<p>Specifies whether the IP core supports the ECC feature in the device M20K memory blocks that are configured as part of the IP core.</p> <p>You can turn on this parameter to enhance data reliability by enabling single-error correction, double-adjacent-error correction, and triple-adjacent-error correction ECC functionality in the M20K memory blocks configured in your IP core. Turn off this parameter to decrease latency and resource utilization.</p>

RX Mapping and TX Mapping Parameters


The HMC Controller IP core provides the **RX mapping** and **TX mapping** parameters for flexibility in board design.

The default values of these parameters specify the correct IP core behavior when the HMC device $LxTX[<i>]$ output signal connects to the HMC Controller IP core $hmc_lrx[<i>]$ input port, and the $LxRX[<i>]$ input signal connects to the HMC Controller IP core $hmc_ltx[<i>]$ output port, for each $<i>$.

However, if your design constraints prevent you from connecting these signals as expected, you can instead modify one or both HMC Controller IP core mapping parameters to accommodate the non-standard connection.

Note: The Quartus Prime Fitter prevents you from mapping the HMC Controller IP core lanes to device transceiver channels out of order. Therefore, these two parameters only compensate for out-of-order connections on the board between the device transceiver pins and the HMC device ports.

Figure 2-3: Default RX and TX Mapping Parameter Values



If the HMC device $LxTX[<i>]$ output signal connects to the HMC Controller IP core $hmc_lrx[<k>]$ input port, you must set the value in bits $[(4<i>+3):(4<i>)]$ (nibble $<i>$) of the **RX mapping** parameter to

4'h<k>. Therefore, the default value of the **RX mapping** parameter is 0xFEDCBA9876543210, indicating that LxTX[F] connects to hmc_lxrx[F], LxTX[E] connects to hmc_lxrx[E], and so on.

If the HMC device LxRX[<i>] input signal connects to the HMC Controller IP core hmc_lxtx[<k>] input port, you must set the value in bits [(4<i>+3):(4<i>)] (nibble <i>) of the **TX mapping** parameter to 4'h<k>. Therefore, the default value of the **TX mapping** parameter is 0xFEDCBA9876543210, indicating that LxRX[F] connects to hmc_lxtx[F], LxRX[E] connects to hmc_lxtx[E], and so on.

Example: Non-Default RX Mapping Parameter Value


Table 2-3: Non-Default RX Connections

HMC Device Output Signal	IP Core Input Signal
LxTX[2]	hmc_lxrx[0]
LxTX[1]	hmc_lxrx[2]
LxTX[0]	hmc_lxrx[1]

Figure 2-4: Non-Default RX Mapping Parameter Value Example

If you connect the IP core `hmc_lrx[2:0]` input signals according to the table, and connect all other IP core `hmc_lrx[<i>]` input ports to the corresponding HMC device `LxTX[<i>]` output ports, you would set the value of the **RX mapping** parameter to `0xFEDCBA9876543021` to compensate for the non-standard connection.

Note: The **RX mapping** parameter specifies the HMC device lane by position and the IP core lane by value. The figure illustrates a mapping parameter value of `0xFEDCBA9876543021` and not a value of `0xFED....43102`.



Example: Non-Default TX Mapping Parameter Value


Table 2-4: Non-Default TX Connections

HMC Device Input Signal	IP Core Output Signal
<code>LxRX[2]</code>	<code>hmc_ltx[0]</code>
<code>LxRX[1]</code>	<code>hmc_ltx[2]</code>
<code>LxRX[0]</code>	<code>hmc_ltx[1]</code>

Figure 2-5: Non-Default TX Mapping Parameter Value Example

If you connect the HMC Controller IP core `hmc_lxtx[2:0]` output signals according to the table, and connect all other IP core `hmc_lxtx[<i>]` output ports to the corresponding HMC device `LxRX[<i>]` input ports, you would set the value of the **TX mapping** parameter to 0xFEDCBA9876543021 to compensate for the non-standard connection.

Note: The **TX mapping** parameter specifies the HMC device lane by position and the IP core lane by value. The figure illustrates a mapping parameter value of 0xFEDCBA.....43021 and not a value of 0xFED....43102.




Use caution in modifying these parameters. In loopback configurations, you must ensure the **RX mapping** and **TX mapping** parameters specify reversed mappings. Otherwise, the IP core downstream of the RX lane swapper appears to receive data on the wrong lanes.

Files Generated for Intel FPGA IP Cores

The Quartus Prime software generates multiple files during generation of your IP core variation.

Figure 2-6: IP Core Generated Files



Integrating Your IP Core in Your Design

To ensure the HMC Controller IP core functions correctly in hardware, you must connect additional blocks to your IP core and assign device pins in order.

Pin Constraints

When you integrate your HMC Controller IP core instance in your design, you must make appropriate pin assignments. You can create a virtual pin to avoid making specific pin assignments for top-level signals while you are simulating and not ready to map the design to hardware.

When you are ready to map the design to hardware, you must enforce the following constraints:

- Adjacent HMC Controller lanes must map to adjacent Intel device pins. You cannot swap the lane order by mapping lanes to other Intel device pins. Instead, use the **RX mapping** and **TX mapping** parameters to compensate for board design issues.
- All lanes of an HMC Controller IP core that targets a Stratix 10 device must be configured in the same transceiver tile.
- The lanes of an HMC Controller IP core must be configured in no more than three transceiver blocks. To enforce this constraint, you must configure IP core lanes in transceiver channels with the following restrictions:
 - Lane 0 must map to channel 0, 1, or 2 of a transceiver block.
 - If Lane 0 maps to channel 0, then HMC Controller Lane 1 must map to channel 1 of the same transceiver block (transceiver block N), and Lane 15 maps to channel 3 of the transceiver block N +2.
 - If Lane 0 maps to channel 1, then HMC Controller Lane 1 must map to channel 2 of the same transceiver block (transceiver block N), and Lane 15 maps to channel 4 of the transceiver block N +2.
 - If Lane 0 maps to channel 2, then HMC Controller Lane 1 must map to channel 3 of the same transceiver block (transceiver block N), and Lane 15 maps to channel 5 of the transceiver block N +2.


Required External Blocks

The HMC Controller IP core requires that you define and instantiate the following additional modules:

- External PLL IP core to configure transceiver TX PLL for all of the HMC lanes. Although the hardware these IP cores configure might physically be part of the device transceiver, you must instantiate them in software separately from the HMC Controller IP core. This requirement supports the configuration of multiple Intel FPGA IP cores using the same transceiver block in the device.
- An external I²C master module in your design. Your design must include this module to initialize the HMC device to which your IP core connects.

Figure 2-7: Required External Blocks

The required external blocks appear darker than the other blocks in the figure. The external TX PLL IP core configures an ATX PLL in the device transceiver or an fPLL in Transceiver mode.



Adding the External PLL

The HMC Controller IP core requires that you generate and connect an external PLL IP core. You must generate the PLL IP core required to clock the TX transceiver channels that are configured as HMC Controller IP core lanes. The ATX PLL IP core configures the transceiver PLL in the transceiver in hardware, but you must generate the transceiver PLL IP core separately from the HMC Controller IP core in software. Alternatively, you can configure an fPLL in transceiver mode. If you do not generate and connect the PLL IP core, the HMC Controller IP core does not function correctly in hardware.

You can use the IP Catalog to generate the external PLL IP core that configures a transceiver PLL on the device.

In the transceiver PLL parameter editor, you must configure the PLL IP core in the xN bonding configuration. In addition, you must set the following parameter values:

- **PLL output frequency** to one half of the per-lane data rate of the IP core variation. The transceiver performs dual edge clocking, using both the rising and falling edges of the input clock from the PLL. Therefore, this PLL output frequency setting drives the transceiver with the correct clock for the lanes that connect to the HMC device.
- **PMA interface width** to 32.
- **PLL integer reference clock frequency** (ATX PLL) or **Desired reference clock frequency** (fPLL).

Intel recommends that you specify 125 MHz, 156.25 MHz, or 166.67 MHz. You can theoretically specify any reference clock frequency from which the PLL can generate the required output clock frequency. However, you must drive this TX PLL and the RX CDR PLL (`rx_cdr_refclk0` input signal to the HMC Controller IP core) and the HMC device reference clock input signals (`REFCLKP` and `REFCLKN`) from the same clock source.

Note: You must drive the external PLL reference clock input signal at the frequency you specify for this parameter.


In xN bonding mode, a single PLL is sufficient to drive the channels in the configured transceiver blocks. Recall that your HMC link TX serial lanes must be configured in order in adjacent physical transceiver channels so that these lanes configure a maximum of three transceiver blocks. You can view I/O constraints that enforce these requirements in the design example Quartus Settings File `hmc_c_example.qsf` provided with the HMC Controller IP core.

Note: The HMC Controller IP core does not support PLL feedback compensation bonding.

The PLL output connects directly to the x6 network for its transceiver block and drives additional transceiver blocks through the xN clock network.

Figure 2-8: Transceiver PLL Connections Example with xN Bonding Scheme

Example connections between an HMC Controller IP core and a single ATX PLL IP core in xN bonding mode.



You must connect the external PLL signals and the HMC Controller IP core transceiver TX PLL interface signals according to the following rules:

HMC Controller Signal	Connects to TX PLL Signal
tx_bonding_clocks[5:0] input signal for HMC lane N	tx_bonding_clocks[5:0] output vector of PLL IP core for the transceiver block in which lane N is configured. In the case of xN bonding, a single PLL connects to the xN clock network and the tx_bonding_clocks[5:0] input pins for HMC lanes in a different transceiver block from the configured PLL receive the clock from the xN clock network.
pll_locked input signal	pll_locked output signal of the external PLL for all of the HMC lanes.

HMC Controller Signal	Connects to TX PLL Signal
<code>pll_cal_busy</code> input signal	<code>pll_cal_busy</code> output signal of the external PLL for all of the HMC lanes.

User logic must provide the connections.

Related Information

- [External PLL Interface](#) on page 3-3
- [Signals on the Interface to the External PLL](#) on page 4-16
- [HMC Controller IP Core Stratix 10 Design Example](#) on page 6-1
The HMC Controller design example provides an example of how to connect an external PLL to your HMC Controller IP core.
- [Pin Constraints](#) on page 2-13
Describes the requirement that your IP core lanes configure a maximum of three transceiver blocks.

Adding the External I²C Master Module

The HMC Controller IP core requires that you instantiate an external I²C master module in your design. Your design must include this module to initialize the HMC device to which your IP core connects. Alternatively, you can implement the required initialization sequence with a JTAG master module.

The I²C master module in your system must load the HMC device configuration registers according to the initialization requirements of the specific HMC device in your system.

The HMC specification requires that you set the HMC device `REGISTER_REQUEST` commands register to the value of `Init Continue` after sending the commands to initialize the HMC. Therefore, the I²C master module must set this register to indicate successful completion of the HMC device configuration register load sequence.

In addition, the I²C master module must provide the following two signals to connect to the HMC Controller IP core:

- An input signal that accepts requests to load the configuration registers of the HMC device. You must connect this signal to the HMC Controller IP core `i2c_load_registers` output signal. If multiple HMC Controller IP cores connect to the same HMC device, you must connect this input signal to the AND of the individual HMC Controller IP core `i2c_load_registers` output signals. You must provide the AND function.
- An output signal that indicates successful completion of the configuration register load sequence. The I²C master must implement this signal with the following behavior:
 1. Deassert this signal when coming out of reset.
 2. Assert this signal after writing `Init Continue` to the HMC device `REGISTER_REQUEST` commands register.
 3. Deassert this signal in response to the falling edge of the input signal described above.

You must connect this signal to the HMC Controller IP core `i2c_registers_loaded` input signal. If multiple HMC Controller IP cores connect to the same HMC device, you must connect this signal to the `i2c_registers_loaded` signals of all of the HMC Controller IP cores.

For information about the required register configuration sequence, you must refer to the data sheet of the HMC device that is connected to your HMC Controller IP core. Recall that the HMC Controller IP core operates in Response Open Loop Mode, and you must configure the HMC device to communicate correctly with the IP core in this mode. In addition, because the IP core does not support the TGA field, you must configure the HMC device to respond to every non-posted Write request with a Write response packet.

Related Information


- **HMC Controller IP Core Stratix 10 Design Example** on page 6-1
The HMC Controller design example provides an example I²C master module and demonstrates how to connect it to your HMC Controller IP core.
- **Interface to External I2C Master** on page 3-2
- **Signals on the Interface to the I2C Master** on page 4-11
Describes the signals on this interface and the four-way handshaking protocol that the HMC Controller IP core implements and that the I²C master must implement for correct IP core functionality.
- **Hybrid Memory Cube Specification 1.1**
The *Power-On and Initialization* section of the Hybrid Memory Cube specification describes the initialization sequence requirements.

Simulating Intel FPGA IP Cores

The Quartus Prime software supports RTL and gate-level design simulation of Intel FPGA IP cores in supported EDA simulators. Simulation involves setting up your simulator working environment, compiling simulation model libraries, and running your simulation.

You can use the functional simulation model and the testbench or design example available with your IP core for simulation. When you click the **Generate Example Design** button, the functional simulation model and testbench files are generated in a location you specify. By default, if you do not modify the target location, they are generated in a project subdirectory. This directory includes scripts to compile and run the testbench. For a complete list of models or libraries required to simulate your IP core, refer to the scripts generated with the testbench.

Figure 2-9: Simulation in Quartus Prime Design Flow



Note: Post-fit timing simulation is not supported for 28nm and later device architectures. Therefore, the HMC Controller IP core does not support post-fit timing simulation.

Intel FPGA IP supports a variety of simulation models, including simulation-specific IP functional simulation models and encrypted RTL models, and plain text RTL models. These are all cycle-accurate models. The models support fast functional simulation of your IP core instance using industry-standard VHDL or Verilog HDL simulators. For some cores, only the plain text RTL model is generated, and you can simulate that model.

Note: Use the simulation models only for simulation and not for synthesis or any other purposes. Using these models for synthesis creates a nonfunctional design.

If you use an HMC BFM to simulate your HMC Controller IP core, ensure that you set the BFM parameters to match the features of your HMC Controller IP core and design. For example, confirm that you set the BFM memory size (2G or 4G) to match the address space that you expect your design to access, and that you set the BFM to communicate correctly with the HMC Controller IP core in Response Open Loop Mode. You must also set the BFM to send Write response packets for non-posted Write transactions received, because the HMC Controller IP core does not support the TGA field.

Related Information

[Simulating Intel FPGA IP Cores](#)

2016.08.08

UG-01152



Subscribe




Send Feedback

The Intel HMC Controller IP core enables easy access to external HMC devices.

High Level Block Diagram

Figure 3-1: HMC Controller IP Core Block Diagram



Intel Corporation. All rights reserved. Intel, the Intel logo, Altera, Arria, Cyclone, Enpirion, MAX, Nios, Quartus and Stratix words and logos are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Intel warrants performance of its FPGA and semiconductor products to current specifications in accordance with Intel's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Intel assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Intel. Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.

ISO
9001:2015
Registered

ALTERA
now part of Intel

The HMC Controller IP core includes the following components:

- Two data paths, an HMC TX path and an HMC RX path. Each path includes a link layer module, a lane swapper, and high-speed transceivers on the HMC link.
- An initialization state machine.
- A register control block.
- A Native PHY dynamic reconfiguration block. This block is not functional in the Quartus Prime Pro – Stratix 10 Edition Beta software.

The TX lane swapper remaps the HMC TX lanes to transceiver channels according to the **TX mapping** parameter. The RX lane swapper remaps the HMC RX lanes from transceiver channels according to the **RX mapping** parameter.

Interfaces Overview

The HMC Controller IP core supports multiple external interfaces.

Application Interfaces

The data path request and response interfaces, also called the application request interface and the application response interface, provide a 512-bit data bus and dedicated signals for the application to provide HMC request packet field values and to read HMC response packet field values. The IP core supports one, two, three, or four pairs of data path request and response interfaces.

Related Information

[Application Interface Signals](#) on page 4-1

HMC Interface

The HMC interface connects to the external HMC device, and complies with the HMC specification. The interface provides a single 16-lane link, configured in an Intel device in 16 adjacent transceiver channels.

The HMC Controller IP core operates in Response Open Loop Mode.

Related Information

[HMC Interface Signals](#) on page 4-10

The HMC Controller IP core's HMC interface connects to the external HMC device's link interface and main reset signal.

Interface to External I²C Master

The HMC Controller IP core requires that you instantiate an external I²C master module or JTAG master module in your design. This external master module must coordinate link initialization on the link between the HMC and the HMC Controller. The master module coordinates with the HMC Controller internal initialization state machine and programs configuration registers in the HMC device to which your IP core connects.

Separating the HMC Controller IP core from the initialization master module provides design flexibility. Because the IP core does not include the I²C master module, you can instantiate a single I²C master to control link initialization for multiple HMC Controller IP cores. The external I²C master module can also control other I²C slaves.

Related Information

- [Adding the External I2C Master Module](#) on page 2-17
Information about how to connect the HMC Controller IP core to the external I2C master module.
- [Signals on the Interface to the I2C Master](#) on page 4-11
Describes the signals on this interface and the four-way handshaking protocol that the HMC Controller IP core implements and that the I²C master must implement for correct IP core functionality.

Control and Status Register Interface

The control and status register interface provides access to the HMC Controller IP core internal control and status registers. This interface does not provide access to the transceiver registers.

The control and status register interface complies with the Avalon Memory-Mapped (Avalon-MM) specification defined in the *Avalon Interface Specifications*.

The control and status register interface provides a 32-bit wide data bus for register content. All HMC Controller control and status registers are 32 bits wide and all register accesses through the control and status register interface read or write the full 32 bits of register content.

Related Information

- [Control and Status Register Interface Signals](#) on page 4-12
- [HMC Controller IP Core Register Map](#) on page 5-1
- [Avalon Interface Specifications](#)

Status and Debug Interface

The status and debug interface provides signals to communicate successful link initialization and to support debugging of your HMC system.

Related Information

[Status and Debug Signals](#) on page 4-13

Transceiver Control Interfaces

The HMC Controller IP core supports the following transceiver control interfaces:

[External PLL Interface](#) on page 3-3

[Transceiver Reconfiguration Interface](#) on page 3-4

External PLL Interface

The HMC Controller IP core requires that you generate an external transceiver PLL IP core and connect it to each HMC Controller IP core lane.

If you do not generate and connect the transceiver PLL IP core, the HMC Controller IP core does not function correctly in hardware.

Related Information

- [Adding the External PLL](#) on page 2-14
Describes how to generate an external transceiver PLL IP core, including parameter requirements.
- [Signals on the Interface to the External PLL](#) on page 4-16
- [HMC Controller IP Core Stratix 10 Design Example](#) on page 6-1
The HMC Controller design example provides an example of how to connect an external PLL to your HMC Controller IP core.

Transceiver Reconfiguration Interface

The transceiver reconfiguration interface provides access to the registers in the embedded Native PHY IP core. This interface provides direct access to the hard PCS registers on the device.

Note: This interface is present in the Quartus Prime Pro – Stratix 10 Edition Beta software but is not functional in this release. However, the IP core uses the `reconfig_clk` internally. You must connect a valid clock to the `reconfig_clk` input port for correct functionality of the IP core.

The transceiver reconfiguration interface complies with the Avalon Memory-Mapped (Avalon-MM) specification defined in the *Avalon Interface Specifications*.

Related Information


- [Transceiver Reconfiguration Signals](#) on page 4-15
- [Avalon Interface Specifications](#)
Defines the Avalon Memory-Mapped (Avalon-MM) specification.

Clocking Structure

The HMC Controller IP core has a single core clock domain and multiple transceiver-related clock domains.

Your design must derive the external transceiver TX PLL reference clock, the RX CDR reference clock, and the `REFCLKP` and `REFCLKN` input signals of the external HMC device from the same clock reference source. This requirement ensures a 0 PPM difference between the receive and transmit clocks, as required by the HMC specification.

Figure 3-2: HMC Controller IP Core Clocking Diagram

**Related Information**

Clock and Reset Signals on page 4-14


Lists the clock and reset signals and the relationships between them.

Initialization and Reset

When you assert the active low `rst_n` signal, you trigger initialization of the HMC Controller IP core, the HMC device, and the HMC link that connects them. To ensure the correct sequence, you must connect the HMC Controller IP core, the I²C master module, and the HMC device correctly. The IP core provides register fields to support link reinitialization, soft reset, fatal error recovery, and power management sleep and down modes.

Figure 3-3: Initialization and Reset Options in the Stratix 10 HMC Controller IP Core

The HMC Controller IP core provides several mechanisms to reset various parts of the IP core, including the `rst_n` input signal and the `SoftReset` and `Retrain` fields of the HMC Controller IP core `CONTROL` register.



Initialization

The following signals control HMC Controller IP core, HMC link, and HMC device initialization:


- `rst_n`: Active low HMC Controller IP core input signal that triggers IP core initialization
- `hmc_p_rst_n`: HMC Controller IP core output signal.
 - Signal control: While `rst_n` is asserted, and immediately after it is deasserted, the IP core controls this output signal. However, after the IP core raises this signal when `rst_n` is deasserted, the `P_RST_N` field in bit [17] of the `CONTROL` register drives this signal. Software can modify this bit to force the HMC device to reset.
 - Signal connection: You should connect this signal to the active low HMC device `P_RST_N` input signal. `P_RST_N` triggers HMC device initialization.
- `i2c_load_registers`: HMC Controller IP core output signal. You should connect this signal to the I²C master module input signal that tells the I²C master module to load the configuration registers of the HMC device.
- `i2c_registers_loaded`: HMC Controller IP core input signal that indicates the I²C master module has completed its part in the initialization of the HMC device. You should connect this signal to the I²C master module output signal that indicates successful completion of the HMC configuration register load sequence.

The IP core reports link initialization status in the `InitializationState` field of the `LINK_STATUS` register at offset 0x10. The HMC device reports its own link initialization status in its own link interface status registers.

When you initialize the HMC link, recall the following HMC Controller IP core requirements:

- The HMC Controller IP core operates in Response Open Loop Mode, and you must configure the HMC device to communicate correctly with the IP core in this mode.
- The IP core does not support the `TGA` field, so you must configure the HMC device to acknowledge every non-posted Write request with a Write response packet.

Figure 3-4: HMC Link Initialization Sequence



Fatal Error Recovery

If the HMC device declares a fatal error, you must perform a warm reset of the HMC device and a reset of the HMC Controller IP core. To perform the HMC device warm reset, set the appropriate field in the HMC Global Configuration register.

You can perform a soft reset or a hard reset of the HMC Controller IP core. To perform the HMC Controller IP core soft reset, set the `SoftReset` field in bit [2] of the HMC Controller IP core `CONTROL` register. To perform the hard reset, assert the `rst_n` input signal.

If the HMC Controller IP core declares a fatal error, set the `ClearFatalError` field in bit [1] of the `CONTROL` register. In some cases, this action is sufficient to force the IP core to resume normal operation. If this action is not sufficient, you must perform a full reinitialization of the IP core.

Power Management

To save power during a period of inactivity on the link, you can put the HMC link in sleep mode. After a certain amount of time in sleep mode, the HMC device automatically moves to down mode.

To put the link to sleep:

1. Stop sending requests on the data path request interfaces, to force the IP core to stop sending requests on the HMC link.
2. Wait for all responses to arrive and tokens to return.
3. Write the value of 0 to the `TXPS` field in bit [16] of the `CONTROL` register.
4. Wait for the IP core to set the `RXPS` field in bit [16] of the `LINK_STATUS` register to the value of 0.

To wake the link up from sleep mode or from down mode:

1. Write the value of 1 to the `Retrain` field in bit [0] of the `CONTROL` register.
2. Write the value of 1 to the `TXPS` field in bit [16] of the `CONTROL` register.
3. Wait for the IP core to set the `RXPS` field in bit [16] of the `LINK_STATUS` register to the value of 1.

Link Reinitialization

To recover from a fatal error, to wake up the link from sleep mode, or to retrain a link exhibiting a high bit error rate, you must reinitialize the HMC link.

After the HMC device exits sleep mode, you must reinitialize the link to resynchronize descramblers and perform word and lane alignment.

To reinitialize the link, write a 1 to the `Retrain` field in bit [0] of the `CONTROL` register.

Related Information

- [Adding the External I2C Master Module](#) on page 2-17
Describes the I²C master module requirements and the module's connections to the HMC Controller IP core.
- [Signals on the Interface to the I2C Master](#) on page 4-11
Describes the detailed behavior of the I²C master module during initialization.
- [HMC Interface Signals](#) on page 4-10
This interface includes the `hmc_p_rst_n` signal.
- [Clock and Reset Signals](#) on page 4-14
- [LINK_STATUS Register](#) on page 5-4
- [CONTROL Register](#) on page 5-2

M20K ECC Support

If you turn on **Enable M20K ECC support** in your HMC Controller IP core variation, the IP core takes advantage of the built-in device support for ECC checking in all M20K blocks configured in the IP core on the device. The feature performs single-error correction, double-adjacent-error correction, and triple-adjacent-error correction in the M20K memory blocks configured in your IP core.

For additional information about the ECC functionality in the Stratix 10 M20K memory blocks, refer to the *Stratix 10 Embedded Memory User Guide*.

The HMC Controller IP core reports ECC error statistics in the registers `RETRY_BUFFER_ECC_COUNT` at offset 0x38 and `RESPONSE_QUEUE_ECC_COUNT` at offset 0x3C.

This feature enhances data reliability but increases request-to-response latency and resource utilization. Enabling this feature might reduce the maximum operating frequency (f_{MAX}) and might increase the difficulty of closing timing.

Related Information

[Error and Retry Statistics Registers](#) on page 5-10

Describes the `RETRY_ECC_COUNT` and `RESPONSE_ECC_COUNT` registers.

Flow Control

The HMC specification describes two possible flow control schemes for traffic between the host and the HMC memory device, token based flow control and Response Open Loop Mode.

In token-passing mode, the host sends information about its buffering capacity to the HMC device during transaction layer initialization. In Response Open Loop Mode, the host does not send information about its buffering capacity to the HMC device. Instead, the host only sends a request packet when it has room to receive the response at any time.


The HMC Controller IP core operates in Response Open Loop Mode. The IP core is designed to have the capacity to accept all response packets from the HMC device.

When user requests come in faster than the HMC Controller IP core can send them out on the HMC link, the HMC Controller IP core backpressures the application by deasserting the `dp_req_ready` signal.

In addition, the IP core supports the Limit Outstanding FLITs feature. You can turn on this feature to ensure that the IP core limits the number of outstanding FLITs in expected read responses. The IP core delays sending a request to the HMC if sending it would increase the number of pending response FLITs from the HMC above a user-specified threshold.

The Limit Outstanding FLITs feature limit the worst-case round-trip latency of packets in the system by avoiding the congestion that can occur when response packets have large payloads. A sequence of RD128 requests, for example, causes congestion in the response path. Designers building read-intensive, latency-sensitive applications can use the Limit Outstanding FLITs feature to improve latency and throughput.

Figure 3-5: Improving Latency and Throughput Flow Chart

**Related Information**

[LIMIT_OUTSTANDING_PACKETS Register](#) on page 5-6

Error Detection and Management

The HMC specification defines error detection and recovery processes. The HMC Controller IP core complies with these requirements, and implements the following additional features to support error management:

- Error Response queues to support software handling without dropping Error Responses that arrive in quick succession
- Statistics registers that count the number of packets in various error categories

Table 3-1: HMC Response Packet Field Checking

The HMC Controller checks these HMC packet fields for error indications, and handles errors by entering Error Abort mode to force the HMC device to retransmit the packet. In this mode, the IP core completes transmission of any partially transmitted packet and then submits IRTRY packets, per the HMC specification. The IP core also sets the indicated bit in the INTERRUPT_STATUS register and increments the Local Count field of the LOCAL_ERROR_COUNT register.

Received Packet Field	Error Indication	INTERRUPT_STATUS Register Bit
LNG and DLN	The two fields have different values, or an invalid value	LNG/DLN Error
CRC	Incorrect CRC	CRC Error
SEQ	Unexpected value	SEQ Error

The HMC Controller IP core also checks the `ERRSTAT` field value and treats the response according to the following rules:

- If `ERRSTAT` has the value of zero, this field indicates no errors or conditions. The IP core processes the response packet as usual.
- If `ERRSTAT` has a non-zero value in a Read response, Write response, or MODE response packet, the IP core processes the response as usual, but asserts the `dp_rsp_error` signal on the RX data path interface when passing the response to the application.
- If `ERRSTAT` has a non-zero value in an Error response packet, the IP core does not forward the Error response packet to the RX data path interface. Instead, the IP core diverts the packet's `ERRSTAT` and cube ID values to the internal Error Response FIFO. The first element of the internal Error Response FIFO is always readable in the `ERROR_RESPONSE` register. You can process these packets in software.

The HMC Controller IP core transmits 32 `IRTRY` packets in every retry sequence.

Note: The IP core expects to receive *at least* 20 `IRTRY` packets from the HMC device.

Related Information

- [Interrupt Related Registers](#) on page 5-7
Describes the `INTERRUPT_STATUS` interrupt bits `CRC Error`, `SEQ Error`, and `LNG/DLN Error`.
- [Error and Retry Statistics Registers](#) on page 5-10
Describes the `Local Count` field of the `LOCAL_ERROR_COUNT` register.
- [ERROR_RESPONSE Register](#) on page 5-5
Describes the `ERROR_RESPONSE` register and the Error Response queue.

Testing Features

The HMC Controller IP core supports multiple testing features.

- You can control the following testing features by writing fields in the HMC Controller IP core `CONTROL` register:
 - Force the HMC Controller IP core to detect an error in the input stream and send a `StartRetry` request to the HMC device.
 - Inject a single-bit error in the CRC of the next request packet the IP core transmits.
 - Force the Retry State Machine to exit the fatal error state.
 - Force the HMC device and the IP core to reset.
- You can use the testing features that the Native PHY IP core provides. You control these features by writing fields in the hard PCS registers. Write access to these registers is available through the transceiver reconfiguration interface. If you turn on **Enable ADME and Optional Reconfiguration Logic**, write access to these registers is also available through a JTAG master accessible from the System Console.

Related Information

- [Transceiver Reconfiguration Signals](#) on page 4-15
- [CONTROL Register](#) on page 5-2

2016.08.08

UG-01152



Subscribe



Send Feedback

The HMC Controller IP core communicates with other design components through multiple interfaces. The IP core has the following top-level signals:

Application Interface Signals on page 4-1

The application interface supports easy access to the external HMC device by providing a simple data path interface to specify memory read and write requests and to receive memory read and write responses. This interface is also called the data path interface.

HMC Interface Signals on page 4-10

The HMC Controller IP core's HMC interface connects to the external HMC device's link interface and main reset signal.

Signals on the Interface to the I2C Master on page 4-11

Your design must include an I²C master module that drives the HMC device I²C interface for link initialization. This interface connects to the I²C module.

Control and Status Register Interface Signals on page 4-12

Status and Debug Signals on page 4-13

Clock and Reset Signals on page 4-14

Transceiver Reconfiguration Signals on page 4-15

Signals on the Interface to the External PLL on page 4-16

Application Interface Signals

The application interface supports easy access to the external HMC device by providing a simple data path interface to specify memory read and write requests and to receive memory read and write responses. This interface is also called the data path interface.

The HMC Controller supports one, two, three, or four data path interfaces. You set the number of data path interfaces in the HMC Controller parameter editor.

Related Information

Application Interfaces on page 3-2

Intel Corporation. All rights reserved. Intel, the Intel logo, Altera, Arria, Cyclone, Enpirion, MAX, Nios, Quartus and Stratix words and logos are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Intel warrants performance of its FPGA and semiconductor products to current specifications in accordance with Intel's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Intel assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Intel. Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.

ISO
9001:2015
Registered

ALTERA
now part of Intel

Application Request Interface

The data path request interface, or application request interface, provides a 512-bit data bus and dedicated signals for the application to provide HMC request packet field values to the HMC Controller IP core. The interface supports Write requests with payload sizes up to 128 bytes. The maximum payload size limits the interface to data bursts of 2 or fewer `core_clk` clock cycles. Write requests and read responses with a payload size that is not a multiple of the bus size carry the end of the payload in the lower order bits of the data bus in the final clock cycle.

Your IP core can have one, two, three, or four data path request interfaces. The interfaces are numbered and if you turn off the **Response re-ordering** parameter, each is restricted to a set range of tags. If you violate this restriction, the results are undefined.

The application must provide the following routing and control information for every request it sends on the TX data path interface:

- A well-formed HMC destination address.
- A unique 9-bit in-flight tag (if you turn off **Response re-ordering**). This requirement does not apply to posted transaction requests. In the case of multiple ports, each port is assigned a range of tags for its exclusive use. The application can reuse a tag only after the previous transaction with that tag is completely resolved.
- A correct 3-bit cube ID.

In addition, the application must ensure that it sends a request only when it is able to receive the response to the request as soon as that response arrives.

Figure 4-1: Application to HMC Controller IP Core With Single Port

The client acts as a source and the HMC Controller acts as a sink in the transmit direction.




Figure 4-2: Application to HMC Controller IP Core With Multiple Ports

The client acts as a source and the HMC Controller acts as a sink in the transmit direction. N is the number of ports you specify with the **Ports** parameter.




Table 4-1: Signals of Each Data Path Request Interface

All interface signals are synchronous with the `core_clk` clock. If the IP core has multiple ports, the port number is part of the signal name, as shown. If the IP core has a single port, the port number is not included in the signal name, for backward compatibility with previous releases of the IP core. If the IP core has two ports, it has two sets of signals, one with n=0 and one with n=1. If the IP core has four ports, it has four sets of signals, with n=0,1,2,and 3.

Signal Name	Direction	Description
dp<n>_req_ready	Output	<p>When the HMC Controller IP core asserts this signal, the IP core is ready to receive data. The HMC Controller IP core accepts data when both dp<n>_req_ready and dp<n>_req_valid are asserted in the same cycle.</p> <p>The IP core deasserts this signal to back-pressure the application when it cannot currently process any incoming requests.</p> <p>The IP core does not deassert this signal between the cycles of a multi-cycle write data transfer.</p>

Signal Name	Direction	Description
dp<n>_req_valid	Input	<p>Indicates that the transaction is valid—all input signals have valid values. The HMC Controller IP core accepts data on the rising edge of <code>core_clk</code> when both <code>dp<n>_req_ready</code> and <code>dp<n>_req_valid</code> are asserted.</p> <p>The application must maintain this signal asserted during a multi-cycle write data transfer.</p> <p>The application can send back-to-back requests by maintaining the <code>dp<n>_req_valid</code> signal asserted.</p> <p>Note: For requests that require a response, the application must update the value it drives on <code>dp<n>_req_tag</code> for the new request. If the application continues to drive the old values on the input signals, that new request has the same tag as the previous request.</p>
dp<n>_req_tag[8:0]	Input	<p>The user-generated tag associated with this request. The corresponding response returns with the identical tag.</p> <p>This signal is not available if you turn on Response re-ordering. In that case the IP core manages tags internally.</p> <p>The value of this signal is a Don't Care for posted transaction requests. Because these requests have no corresponding response that must be identified, they do not require meaningful tag values.</p> <p>You must ensure every tag in use at any given time by a non-posted transaction is unique. After a response returns, the tag is available for re-use.</p> <p>If your IP core has multiple ports, each port is restricted to a specific range of tags:</p> <ul style="list-style-type: none"> Two ports: port 0 tag range is 0 to 255, and port 1 tag range is 256 to 511. Three ports: port 0 tag range is 0 to 175, port 1 tag range is 176 to 351, port 2 tag range is 352 to 511, Four ports: port 0 tag range is 0 to 127, port 1 tag range is 128 to 255, port 2 tag range is 256 to 383, and port 3 tag range is 384 to 511. <p>Results are undefined if this restriction is violated.</p> <p>The application must maintain the value on this signal during a multi-cycle write data transfer.</p>
dp<n>_req_cmd[5:0]	Input	<p>Indicates the packet command associated with this request. Refer to Table 17 in the HMC Specification v1.1 for the command encodings.</p> <p>The application must maintain the value on this signal during a multi-cycle write data transfer.</p>

Signal Name	Direction	Description
dp<n>_req_cube[2:0]	Input	The CUB ID of the cube to which the request is directed. The application must maintain the value on this signal during a multi-cycle write data transfer.
dp<n>_req_addr[33:0]	Input	Target address in the external HMC device. Current HMC devices ignore the four least significant bits of the address (and assumes they have the value of 4'b0000) in all requests the HMC Controller IP core generates, except for the BIT WRITE request. The application must maintain the value on this signal during a multi-cycle write data transfer.
dp<n>_req_data[511:0]	Input	Write data. The application must transfer the least significant bytes of the write payload in the first cycle. If the size of the payload is not an integer multiple of the data bus width, then in the final data transfer cycle, the application must transfer the remaining write payload in the least significant bytes of dp<n>_req_data or dp_req_data. For example, the application must: <ul style="list-style-type: none"> • Transfer a 16-byte payload in dp_req_data[127:0]. • Transfer a 32-byte payload in dp_req_data[255:0]. • Transfer the final (most significant) 48 bytes of a 112-byte payload in dp_req_data[383:0] in the second data transfer clock cycle. During a read request, the value on this data bus does not matter.
dp<n>_req_sop	Input	Start of packet. The application must assert this signal in the first cycle of all transactions.
dp<n>_req_eop	Input	End of packet. The application must assert this signal in the final cycle of all transactions.

Application Response Interface

The data path response interface, or application response interface, provides a 512-bit data bus and dedicated signals for the IP core to provide HMC response information to the application. The interface supports Read responses with payload sizes up to 128 bytes. The maximum payload size limits the interface to data bursts of 2 or fewer `core_clk` clock cycles. Read responses with a payload size that is not a multiple of the bus size carry the end of the payload in the lower order bits of the data bus in the final clock cycle.

If you turn off **Response re-ordering**, the HMC Controller returns the 9-bit tag from the original request with every response it sends on the data path response interface. The application must use the tag to match each response with the corresponding request.

You cannot back-pressure the IP core data path response interface. To ensure the application can process every response it receives, the application must only send requests for which it has the resources to process or buffer the response.

Figure 4-3: HMC Controller IP Core With Single Port to RX Application

The HMC Controller IP core acts as a source and the client acts as a sink in the receive direction.




Figure 4-4: HMC Controller IP Core With Multiple Ports to RX Application

The HMC Controller IP core acts as a source and the client acts as a sink in the receive direction. N is the number of ports you specify with the **Ports** parameter.




Table 4-2: Signals of Each Data Path Response Interface

All interface signals are clocked by the `core_clk` clock. If the IP core has multiple ports, the port number is part of the signal name, as shown. If the IP core has a single port, the port number is not included in the signal name, for backward compatibility with previous releases of the IP core. If the IP core has two ports, it has two sets of signals, one with $n=0$ and one with $n=1$. If the IP core has three ports, it has three sets of signals, with $n=0$, 1, and 2. If the IP core has four ports, it has four sets of signals, with $n=0$, 1, 2, and 3.


Signal Name	Direction	Description
dp<n>_rsp_valid	Output	<p>Indicates that all of the dp<n>_rsp_tag, dp<n>_rsp_cmd, dp<n>_rsp_error, dp<n>_rsp_sop, dp<n>_rsp_eop, and dp<n>_rsp_errstat signals are valid, and in a read response with payload, dp<n>_rsp_data and dp<n>_rsp_size are valid.</p> <p>The application must accept all valid transactions. You cannot back-pressure the HMC Controller IP core data path response interface.</p> <p>The IP core maintains this signal asserted for the duration of a multi-cycle read data transfer.</p>
dp<n>_rsp_tag[8:0]	Output	<p>The tag associated with the original request to which this is a response.</p> <p>After you process this response, the tag is available for re-use.</p> <p>The IP core maintains the value of this signal for the duration of a multi-cycle read data transfer.</p> <p>This signal is not available if you turn on Response re-ordering. In that case the IP core manages tags internally.</p>
dp<n>_rsp_cmd[5:0]	Output	<p>Indicates the packet command associated with this response. Refer to Table 25 in the HMC Specification v1.1 for the command encodings. This signal holds only non-error response codes; the IP core routes error responses to the registers.</p> <p>The IP core maintains the value of this signal for the duration of a multi-cycle read data transfer.</p>

Signal Name	Direction	Description
dp<n>_rsp_size[2:0]	Output	<p>Indicates the size of the payload associated with this response. If the current response is a Read response, indicates the size of the payload in dp<n>_rsp_data.</p> <p>During a response with an associated payload, the IP core sets this signal to one of the following valid values:</p> <ul style="list-style-type: none"> 3'b000 indicates a 16-byte payload. 3'b001 indicates a 32-byte payload. 3'b010 indicates a 48-byte payload. 3'b011 indicates a 64-byte payload. 3'b100 indicates a 80-byte payload. 3'b101 indicates a 96-byte payload. 3'b110 indicates a 112-byte payload. 3'b111 indicates a 128-byte payload. <p>During a response with no associated payload, the value of this signal is undefined. Responses with no associated payload are the responses for which dp<n>_rsp_cmd[0] has the value of 1.</p> <p>The IP core maintains the value of this signal for the duration of a multi-cycle read data transfer.</p>
dp<n>_rsp_data[511:0]	Output	<p>Read response data.</p> <p>During a response with no associated payload, the value of this signal is undefined. Responses with no associated payload are the responses for which dp<n>_rsp_cmd[0] has the value of 1.</p> <p>If the size of the payload is not an integer multiple of the data bus width, then in the final data transfer cycle, the IP core transfers the remaining read payload in the least significant bytes of dp<n>_rsp_data or dp_rsp_data. For example, the IP core:</p> <ul style="list-style-type: none"> Transfers a 16-byte payload in dp_rsp_data[127:0]. Transfers a 32-byte payload in dp_rsp_data[255:0]. Transfers the final (most significant) 48 bytes of a 112-byte payload in dp_rsp_data[383:0] in the second data transfer clock cycle.
dp<n>_rsp_error	Output	<p>Indicates that the corresponding request completed with an error and will not be retried automatically. The HMC Controller IP core asserts this signal if it received a Read or Write response packet from the external HMC device with a non-zero ERRSTAT or DINV field.</p> <p>The IP core maintains the value of this signal for the duration of a multi-cycle read data transfer.</p>

Signal Name	Direction	Description
dp<n>_rsp_sop	Output	Start of packet. The IP core asserts this signal in the first cycle of all response transactions.
dp<n>_rsp_eop	Output	End of packet. The IP core asserts this signal in the final cycle of all response transactions.
dp<n>_rsp_errstat[6:0]	Output	Error status. The IP core passes this value directly from the external HMC device ERRSTAT field.

HMC Controller IP Core Data Path Example

Figure 4-5: HMC Controller IP Core Application Interface Example



In this example, user logic sends four consecutive request packets to an HMC Controller IP core with a single data interface port. The IP core sends the corresponding response packets. The first three requests complete without error. The fourth request completes with an error indication.

When the HMC Controller IP core deasserts the `dp_req_ready` signal, user logic maintains the current values until a full clock cycle after the IP core reasserts `dp_req_ready`. User logic is required to send the values while `dp_req_ready` is asserted, to ensure that the IP core captures them correctly.

The IP core asserts the `dp_rsp_error` signal while sending the response to the WR128 request. This signal indicates that the WR128 request did not complete successfully. The IP core passes this information through from the HMC device; therefore, this signal indicates that the HMC device encountered an error while attempting to service the request.

HMC Interface Signals

The HMC Controller IP core's HMC interface connects to the external HMC device's link interface and main reset signal.

Table 4-3: Signals of the HMC Interface

Signal Name	Direction	Description
<code>hmc_lxrx[15:0]</code>	Input	Receiving lanes. Implements HMC specification <code>LxRXP</code> and <code>LxRXN</code> differential pairs. You must connect this data bus to the HMC device <code>LxTXP</code> bus. The Quartus Prime Fitter assigns the correct pin to the negative signal automatically.
<code>hmc_lctx[15:0]</code>	Output	Transmitting lanes. Implements HMC specification <code>LxTXP</code> and <code>LxTXN</code> differential pairs. You must connect this data bus to the HMC device <code>LxRXP</code> bus. The Quartus Prime Fitter assigns the correct pin to the negative signal automatically.
<code>hmc_lxrxps</code>	Input	Link power reduction input. Implements HMC specification <code>LxRXPS</code> signal. The HMC Controller IP core sets the value of the <code>RXPS</code> field of the <code>LINK_STATUS</code> register to the value of this signal. You should connect this input signal to the HMC device <code>LxTXPS</code> output signal.
<code>hmc_lctxps</code>	Output	Link power reduction output. Implements HMC specification <code>LxTXPS</code> signal. The IP core drives this signal with the value in the <code>TXPS</code> bit of the <code>CONTROL</code> register. You must connect this output signal to the HMC device <code>LxRXPS</code> input signal.
<code>hmc_ferr_n</code>	Input	Active-low fatal error indication from the HMC device. The HMC Controller IP core sets the value of the <code>FERR_N</code> field of the <code>INTERRUPT_STATUS</code> register to the value of this signal. You must connect this signal to the HMC device <code>FERR_N</code> signal.

Signal Name	Direction	Description
hmc_p_rst_n	Output	Main reset signal to the HMC device. The IP core drives this signal with the value in the P_RST_N bit of the CONTROL register. You must connect this signal to the HMC device P_RST_N signal.

Related Information

- **Initialization and Reset** on page 3-5
Under Initialization and Power Management, describes reset and power management usage of HMC interface signals.
- **CONTROL Register** on page 5-2
- **LINK_STATUS Register** on page 5-4
- **Interrupt Related Registers** on page 5-7
Describes the INTERRUPT_STATUS register.
- **Hybrid Memory Cube Specification 1.1**
The HMC specification is available for download from the Hybrid Memory Cube Consortium web page.

Signals on the Interface to the I²C Master

Your design must include an I²C master module that drives the HMC device I²C interface for link initialization. This interface connects to the I²C module.

The I²C module and the IP core together must implement the following four-way handshake with the two interface signals:

1. Resetting the IP core deasserts the `i2c_load_registers` signal. Resetting the I²C master module should deassert the `i2c_registers_loaded` signal.
2. When the IP core and the HMC are ready, the IP core asserts `i2c_load_registers`. In simulation, the IP core assumes the HMC simulation model is ready instantaneously, and in hardware, the IP core waits the required t_{INIT} duration of 20 ms.
3. After the I²C master module detects the assertion of `i2c_load_registers`, it writes to the HMC device registers to set them up for link initialization (concluding with `Init Continue`) and then asserts the `i2c_registers_loaded` signal.
4. The HMC Controller IP core deasserts `i2c_load_registers`.
5. The I²C master module deasserts `i2c_registers_loaded`.

Table 4-4: Signals on the Interface to the External I²C Master Module

The IP core `i2c_load_registers` signal behavior conforms to the four-way handshaking protocol. For correct HMC Controller IP core functionality, you must design the I²C master module in your design to implement `i2c_registers_loaded` signal behavior that conforms to this four-way handshaking protocol.

Signal Name	Direction	Description
<code>i2c_load_registers</code>	Output	Indicates the HMC Controller IP core is ready for the external I ² C master module to load the HMC device configuration registers, as part of the link initialization sequence. You must connect this signal to the I ² C master module input port that accepts requests to load the configuration registers of the HMC device.
<code>i2c_registers_loaded</code>	Input	Indicates the external HMC device registers are configured. You must connect this signal to the output port of the I ² C master that indicates successful completion of the configuration register load sequence.

If multiple HMC Controller IP cores are connected to different links of the same HMC device, the external I²C master must wait until all of the HMC Controller IP cores have asserted their `i2c_load_registers` signal, before writing to the HMC device configuration registers. After the external I²C master completes writing all of the HMC configuration registers, it must assert the `i2c_registers_loaded` signals for all of the HMC Controller IP cores simultaneously.

Related Information

[HMC Controller IP Core Stratix 10 Design Example](#) on page 6-1

The HMC Controller design example includes an I²C master module that correctly implements the four-way handshaking protocol with the HMC Controller IP core, and that implements the recommended sequence of register writes to initialize the Micron HMC 15G SR HMC device.

Control and Status Register Interface Signals

The control and status register interface is an Avalon-MM interface that provides access to the HMC Controller IP core internal control and status registers. This interface does not provide access to the transceiver configuration registers.

The Avalon-MM interface implements a standard memory-mapped protocol. You can connect any Avalon master—for example, an embedded processor or JTAG Avalon master—to this bus to access the IP core control and status registers.

Table 4-5: Control and Status Register Interface Signals

The `core_clk` clocks the signals on the HMC Controller IP core control and status register interface. This interface supports only read operations and write operations with a 32-bit payload (one full register value).

Signal Name	Direction	Description
<code>csr_address[5:0]</code>	Input	Byte address for register reads and writes. All HMC Controller control and status registers are 32 bits wide. Therefore, all addresses are 4-byte aligned.
<code>csr_read</code>	Input	You must assert this signal to request a read transfer

Signal Name	Direction	Description
csr_write	Input	You must assert this signal to request a write transfer
csr_writedata[31:0]	Input	Write data
csr_readdata[31:0]	Output	Read data
csr_readdatavalid	Output	Read data is ready for use
csr_irq	Output	Interrupt request. The value of this signal is not associated with the current values of other signals on this interface. The IP core asserts this interrupt signal asynchronously as soon as an INTERRUPT_STATUS register bit is asserted (if the corresponding INTERRUPT_ENABLE bit is set and the GLOBAL_INTERRUPT_ENABLE register's GlobalEnable bit has the value of 1) and maintains the signal asserted until either one of the two relevant enable bits is reset, or the application writes the value of 1 to all currently-asserted INTERRUPT_STATUS register bits.

Related Information

- [Control and Status Register Interface](#) on page 3-3
- [HMC Controller IP Core Register Map](#) on page 5-1
- [Interrupt Related Registers](#) on page 5-7
Describes the INTERRUPT_STATUS, INTERRUPT_ENABLE, and INTERRUPT_GLOBAL_ENABLE registers.
- [Avalon Interface Specifications](#)
For more information about the Avalon-MM protocol, including timing diagrams, refer to the *Avalon Memory-Mapped Interfaces* chapter.

Status and Debug Signals

Table 4-6: Status and Debug Signals

The HMC Controller IP core status and debug interface provides a few extra signals to communicate successful link initialization and to support debugging of your HMC system.

Clock Name	Direction	Description
link_init_complete	Output	The IP core asserts this signal when the link initialization state machine is in the active state.
debug_tx_data[511:0]	Output	This data bus shows an unscrambled copy of the striped data before it enters the TX lane swapper. The data on this bus is striped but not scrambled.

Clock Name	Direction	Description
debug_rx_data[511:0]	Output	<p>This data bus shows the striped and descrambled received data after processing by the RX lane swapper and the descrambler. For each lane, the output of the descrambler is forced to zero when the descrambler is not synchronized.</p> <p>Before interpreting the values on this bus, check the status of the descrambler by reading the <code>DescramSync</code> field of the <code>LANE_STATUS</code> register.</p>

Related Information

[Status and Debug Interface](#) on page 3-3

Clock and Reset Signals

Table 4-7: HMC Controller IP Core Clock and Reset Signals

The HMC Controller IP core has a single clock domain outside of the transceiver. Your design must derive the external TX PLL reference clock, the RX CDR reference clock, and the HMC device `REFCLKP` and `REFCLKN` input reference clock signals from the same clock reference source.

Clock Name	Direction	Description
rst_n	Input	<p>Active low master reset signal for the HMC Controller IP core. This signal is asynchronous.</p> <p>When asserted, the signal must remain asserted for at least two <code>reconfig_clk</code> clock cycles to allow the IP core to capture the reset request.</p>
core_rst_n	Output	<p>When asserted, indicates that the HMC Controller IP core is in reset.</p> <p>The IP core deasserts the <code>core_rst_n</code> signal only after <code>core_clk</code> is stable and the transceiver is ready to transmit data.</p>
rx_cdr_refclk0	Input	<p>Reference clock for the RX transceiver CDR PLL.</p> <p>You must drive this clock with the frequency you specify for the CDR reference clock parameter.</p> <p><code>rx_cdr_refclk0</code> is not the reference clock for the TX PLL. The reference clock for the TX PLL is an input to the external TX PLL IP cores that you connect to your HMC Controller IP core. The reference clock for the TX PLLs does not drive the HMC Controller IP core directly.</p>

Clock Name	Direction	Description								
tx_bonding_clocks[95:0]	Input	<p>Clocks for the individual transceiver channels. The input clock to each transceiver channel has six bits.</p> <p>You must connect this input bus to the external transceiver TX PLL IP core. You must parameterize the external TX PLL IP core to specify an output frequency that is one half of the per-lane data rate. For a 10 Gbps HMC Controller IP core lane rate, the TX PLL IP core output frequency must be 5 GHz; for a 12.5 Gbps lane rate, the TX PLL IP core output frequency must be 6.25 GHz; for a 15 Gbps lane rate, the TX PLL IP core output frequency must be 7.5 GHz.</p>								
core_clk	Output	<p>Master clock for the HMC Controller IP core. The transceiver generates core_clk. The frequency of core_clk is the lane rate divided by 32.</p> <table><tr><th>Lane Rate</th><th>core_clk Frequency</th></tr><tr><td>10 Gbps</td><td>312.5 MHz</td></tr><tr><td>12.5 Gbps</td><td>390.625 MHz</td></tr><tr><td>15 Gbps</td><td>468.75 MHz</td></tr></table> <p>core_clk clocks the HMC Controller IP core signals, including the signals on the control and status register interface.</p>	Lane Rate	core_clk Frequency	10 Gbps	312.5 MHz	12.5 Gbps	390.625 MHz	15 Gbps	468.75 MHz
Lane Rate	core_clk Frequency									
10 Gbps	312.5 MHz									
12.5 Gbps	390.625 MHz									
15 Gbps	468.75 MHz									
reconfig_clk	Input	<p>Clock for the transceiver reconfiguration interface. In HMC Controller IP cores that target a Stratix 10 device, also clocks the internal reset controllers. You must drive this clock at a frequency in the range of 100 to 150 MHz.</p>								
reconfig_reset	Input	<p>Reset signal for the transceiver reconfiguration interface. This signal is asynchronous. The IP core captures reset requests synchronously with the reconfig_clk. When asserted, this signal must remain asserted for at least two reconfig_clk cycles.</p>								

Transceiver Reconfiguration Signals

Intel provides a dedicated Avalon-MM interface, called the transceiver reconfiguration interface, to access the transceiver registers. You access the transceiver registers through this dedicated interface and not through the IP core general purpose control and status register interface.

Note: This interface is present in the Quartus Prime Pro – Stratix 10 Edition Beta software but is not functional in this release. However, the IP core uses the `reconfig_clk` internally. You must connect a valid clock to the `reconfig_clk` input port for correct functionality of the IP core.

The Avalon-MM interface implements a standard memory-mapped protocol. You can connect an Avalon master to this bus to access the registers of the embedded Native PHY IP core.

Table 4-8: HMC Controller IP Core Transceiver Reconfiguration Interface Signals

The `reconfig_clk` clocks the signals on the HMC Controller IP core transceiver reconfiguration interface. The `reconfig_reset` input signal resets the interface.

Signal Name	Direction	Description
<code>reconfig_address[13:0]</code>	Input	Word address for reads and writes.
<code>reconfig_read</code>	Input	You must assert this signal to request a read transfer.
<code>reconfig_write</code>	Input	You must assert this signal to request a write transfer.
<code>reconfig_writedata[31:0]</code>	Input	Write data
<code>reconfig_readdata[31:0]</code>	Output	Read data The data on <code>reconfig_readdata[31:0]</code> is valid on the rising edge of <code>reconfig_clk</code> following a clock cycle in which <code>reconfig_read</code> is asserted and <code>reconfig_waitrequest</code> is deasserted.
<code>reconfig_waitrequest</code>	Output	Indicates the IP core is not ready. You must maintain the values on the input signals while <code>reconfig_waitrequest</code> is asserted. The data on <code>reconfig_readdata[31:0]</code> is not valid while <code>reconfig_waitrequest</code> is asserted.

Related Information

- [Transceiver Reconfiguration Interface](#) on page 3-4
- [Testing Features](#) on page 3-11
- [Avalon Interface Specifications](#)

For more information about the Avalon-MM protocol, including timing diagrams, refer to the *Avalon Memory-Mapped Interfaces* chapter.

Signals on the Interface to the External PLL

Table 4-9: HMC Controller IP Core External PLL Interface Signals

The HMC Controller IP core requires that you generate and connect a TX PLL IP core to each HMC Controller IP core lane. The HMC Controller IP core external PLL interface connects to this PLL IP core instance.

Signal Name	Direction	Description
tx_bonding_clocks[95:0]	Input	<p>Clocks for the individual transceiver channels. The input clock to each transceiver channel has six bits.</p> <p>You must connect this input bus to a transceiver TX PLL IP core. You must parameterize an external TX PLL IP core to specify an output frequency that is one half of the per-lane data rate. For a 10 Gbps HMC Controller IP core lane rate, the TX PLL IP core output frequency must be 5 GHz; for a 12.5 Gbps lane rate, the TX PLL IP core output frequency must be 6.25 GHz; for a 15 Gbps lane rate, the TX PLL IP core output frequency must be 7.5 GHz.</p>
pll_locked	Input	<p>PLL-locked indication from the external TX PLL. User logic must drive this input signal with the <code>pll_locked</code> indications from the external TX PLL.</p> <p><code>core_clk</code> can stabilize only after <code>pll_locked</code> is asserted. The IP core deasserts the <code>core_rst_n</code> signal to indicate that <code>core_clk</code> has stabilized.</p>
pll_cal_busy	Input	<p>PLL-busy indication from the external TX PLL. When asserted, indicates that PLL calibration is in progress.</p>

Related Information

[Adding the External PLL](#) on page 2-14

Describes how to generate and connect the external transceiver PLL IP core to your HMC Controller IP core.

2016.08.08

UG-01152



Subscribe



Send Feedback

The HMC Controller IP core internal registers are 32 bits wide and are accessible to you using the control and status register interface, an Avalon-MM interface which conforms to the *Avalon Interface Specifications*.

All of these registers are 32 bits wide and the addresses are shown as hexadecimal values. The registers can be accessed only on a 32-bit (4-byte) basis. The addressing for the registers therefore increments by units of 4.

Write accesses to a Reserved or undefined location have no effect. Read accesses to a Reserved or undefined location return an undefined result.

Table 5-1: Register Access Codes

Lists the access codes used to describe the type of register bits.

Code	Description
RW	Read / write
RO	Read only
RW1C	Read / write 1 to clear
RTC	Read to clear
WO	Write only

Table 5-2: Control and Status Register Map

Offset	Register Name	Location of Additional Information
0x00	Reserved	
0x04	CONTROL	Control register
0x08	XCVR_STATUS	Transceiver status register
0x0C	LANE_STATUS	Lane status register
0x10	LINK_STATUS	Link status register
0x14	ERROR_RESPONSE_CAPTURE	Error response register

Intel Corporation. All rights reserved. Intel, the Intel logo, Altera, Arria, Cyclone, Enpirion, MAX, Nios, Quartus and Stratix words and logos are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Intel warrants performance of its FPGA and semiconductor products to current specifications in accordance with Intel's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Intel assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Intel. Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.

ISO
9001:2015
Registered

ALTERA
now part of Intel

Offset	Register Name	Location of Additional Information
0x18	Reserved	
0x1C	LIMIT_OUTSTANDING_PACKETS	Limit number of FLITs in outstanding response packets
0x20	INTERRUPT_STATUS	Interrupt registers
0x24	INTERRUPT_ENABLE	
0x28	GLOBAL_INTERRUPT_ENABLE	
0x2C	Reserved	
0x30	LOCAL_ERROR_COUNT	Statistics registers
0x34	REMOTE_ERROR_COUNT	
0x38	RETRY_BUFFER_ECC_COUNT	
0x3C	RESPONSE_QUEUE_ECC_COUNT	

CONTROL Register

Table 5-3: HMC Controller IP Core CONTROL Register at Offset 0x04

Bits	Field Name	Type	Value on Reset	Description
31:18	Reserved	RO	0	
17	P_RST_N	RW	0x1	Software-controlled reset of the HMC. The IP core drives the value of this field on the <code>hmc_p_rst_n</code> output port, which should be connected to the HMC <code>P_RST_N</code> reset signal. For backward compatibility with the IP core v15.0, the IP core forces this output signal low while the <code>rst_n</code> input signal is asserted, and raises it when <code>rst_n</code> is deasserted. After the IP core sets it to the value of 1, the output signal is driven from the <code>P_RST_N</code> register field.
16	TXPS	RW	0x1	Power management field. The IP core drives the value of this field on the <code>hmc_lxtxps</code> output port, which should be connected to the HMC <code>LxRXPS</code> input port. For backward compatibility with the IP core v15.0, the IP core forces this output signal high while the <code>rst_n</code> input signal is asserted, and when <code>rst_n</code> is deasserted. Afterwards, the output signal is driven from the <code>TXPS</code> register field.
15:10	Reserved	RO	0x00	

Bits	Field Name	Type	Value on Reset	Description
9	ForceRXError	WO	0x0	Writing the value of 1 to this register field forces the HMC Controller IP core to detect an error in the input stream and send a StartRetry request to the HMC device. This bit is self-clearing.
8	CRCErrorInject	WO	0x0	Writing the value of 1 to this register field injects a single bit error in the CRC of the next request packet. This bit is self-clearing.
7:3	Reserved	RO	0x00	
2	SoftReset	WO	0x0	Writing the value of 1 to this register field resets all parts of the HMC Controller IP core except the registers and the transmit side of the transceiver. This bit is self-clearing. Reading this bit always returns the value of 0.
1	ClearFatalError	WO	0x0	If the Retry State Machine (RSM) is in fatal error state (RetryFatalError), writing the value of 1 to this register field causes the RSM to resume normal operation. When a RetryFatalError occurs, the RSM halts and waits for external corrective action. Writing the value of 1 to this register field forces the RSM to continue. This bit is self-clearing. It clears whether or not it affects the RSM state. Reading this bit always returns the value of 0.
0	Retrain	WO	0x0	Writing the value of 1 to this register field causes the HMC Controller IP core to restart the link initialization sequence. This bit is self-clearing. Reading this bit always returns the value of 0.

Related Information

- [Testing Features](#) on page 3-11
- [Initialization and Reset](#) on page 3-5

XCVR_STATUS Register

Table 5-4: HMC Controller IP Core XCVR_STATUS Register at Offset 0x08

Individual transceiver status in HMC link, ordered by transceiver channel.

Bits	Field Name	Type	Value on Reset	Description
31:16	Reserved	RO	0x0001	

Bits	Field Name	Type	Value on Reset	Description
15:0	CDR Lock	RO	0x0000	Each bit indicates whether the CDR for the corresponding transceiver channel has locked to the received data.

LANE_STATUS Register

Table 5-5: HMC Controller IP Core LANE_STATUS Register at Offset 0x0C

Individual lane status in HMC link, ordered by transceiver channel.

Bits	Field Name	Type	Value on Reset	Description
31:16	WordLock	RO	0x00	Each bit indicates whether the corresponding transceiver channel in the HMC link has locked to the TS1 word boundary.
15:0	DescramSync	RO	0x00	Each bit indicates whether the descrambler for the corresponding transceiver channel has synchronized to the received data.

LINK_STATUS Register

Table 5-6: HMC Controller IP Core LINK_STATUS Register at Offset 0x10

Bits	Field Name	Type	Value on Reset	Description
31:17	Reserved	RO	0x0000	
16	RXPS	RO	0x0	Level of the <code>hmc_lrxps</code> input signal, which should be connected to the LxTXPS output signal from the HMC device.
15:9	Reserved	RO	0x00	
8	LanesAligned	RO	0x0	Indicates whether the received data is aligned across all lanes.
7:6	Reserved	RO	0x0	

Bits	Field Name	Type	Value on Reset	Description
5:0	InitializationState	RO	0x01	<p>Indicates the current state in link initialization. This register field has the following valid values:</p> <ul style="list-style-type: none"> 6'b100000: Active 6'b010000: Transaction Initialization (Wait for TRET) 6'b001000: Word Synchronization (Transmit TS1) 6'b000100: Scrambler Synchronization (Transmit NULLs) 6'b000010: HMC Configuration (by the external I²C master or JTAG master module) 6'b000001: Reset

Related Information

Initialization and Reset on page 3-5

Describes the behavior of the InitializationState field during HMC Controller IP core initialization.

ERROR_RESPONSE Register

Table 5-7: HMC Controller IP Core ERROR_RESPONSE Register at Offset 0x14

The HMC Controller IP core stores the ERRSTAT and CUB fields of the Error responses that it receives on the HMC link. The IP core stores these fields in an internal Error Response queue (FIFO buffer). The application can read the relevant information for each Error Response packet from this queue by reading the ERROR_RESPONSE register. Reading from the register advances the queue.

Read, Write, or MODE response packets the HMC Controller IP core receives with a non-zero ERRSTAT field do not route to this queue or register. Instead they are sent to the data path response interface with dp_rsp_error asserted.

Bits	Field Name	Type	Value on Reset	Description
31:17	Reserved	RO	0x0000	
16	Valid	RO	0x0	<p>Indicates the CUB and ERRSTAT fields in the register hold valid values. When the Error Response queue is empty, the CUB and ERRSTAT fields are not valid, and the Valid bit has the value of 0.</p> <p>You can poll the Valid bit to determine if any Error Response packets are waiting to be processed, or you can enable the RX Error Response interrupt in the INTERRUPT_ENABLE register.</p>
15:11	Reserved	RO	0x00	

Bits	Field Name	Type	Value on Reset	Description
10:8	CUB	RO	0x0	The CUB ID extracted from the TAG field of the Error Response packet.
7	Reserved	RO	0x0	
6:0	ERRSTAT	RO	0x00	The ERRSTAT value extracted from the Error Response packet.

Related Information**Hybrid Memory Cube Specification 1.1**

Information about the encoding of the ERRSTAT response packet field is available in Table 16 in the HMC specification.

LIMIT_OUTSTANDING_PACKETS Register

Table 5-8: HMC Controller IP Core LIMIT_OUTSTANDING_PACKETS Register at Offset 0x1C

Bits	Field Name	Type	Value on Reset	Description
31	Enable	RW	0x0	<p>Writing the value of 1 to this register field turns on the Limit Outstanding FLITs feature. When this feature is turned on, the IP core limits the number of FLITs in outstanding response packets, to the threshold specified by the MaxRspPktFlit field. The effect of turning on this feature is that the IP core does not send requests to the HMC if the expected responses would exceed the threshold.</p> <p>Whether the feature is on or off, the IP core sends request packets to the HMC only if retry buffer space and tokens are available. The client is responsible to send requests on the data path request interface only if the client is able to receive the expected response at any time. The IP core can backpressure a data path request interface by deasserting the dp<n>_req_ready signal. If the Limit Outstanding FLITs feature or the Response Open Loop Mode feature prevents the IP core from sending request packets to the HMC, the IP core deasserts the dp<n>_req_ready signal.</p>
30:10	Reserved	RO	0x000000	

Bits	Field Name	Type	Value on Reset	Description
9:2	MaxRspPkt Flit	RW	0x00	Specifies the maximum number of FLITs if the Limit Outstanding FLITs feature is turned on. The threshold value is four times the value of this register field. The typical value for this register is 150. However, given your design's traffic pattern and system configuration, you may want to adjust this value for better throughput or latency. A lower value reduces the latency but can degrade the RX throughput. Use the lowest value that results in acceptable throughput.
1:0	Reserved	RO	0x0	

Related Information[Flow Control](#) on page 3-9

Interrupt Related Registers

THE HMC Controller IP core has three interrupt-related registers.

- `INTERRUPT_STATUS`: Register bits report individual interrupt source status.
- `INTERRUPT_ENABLE`: Register bits individually enable the corresponding interrupts in the `INTERRUPT_STATUS` register to trigger assertion of the IP core `csr_irq` output signal, unless the `GLOBAL_INTERRUPT_ENABLE` register turns off this ability.
- `GLOBAL_INTERRUPT_ENABLE`: Register allows you to disable all interrupt responses or to enable those interrupt sources indicated in the `INTERRUPT_ENABLE` register.

Table 5-9: HMC Controller IP Core INTERRUPT_STATUS Register at Offset 0x20

To clear an interrupt, write the value of 1 to the interrupt bit.

Bits	Field Name	Type	Value on Reset	Description
31:16	Reserved	RO	0x0000	
15	Response Queue Uncorrectable ECC Error	W1C	0x0	The IP core sets this bit if it detects an uncorrectable ECC error in the Response Queue memory. The IP core can detect such an error only if you turn on Enable M20K ECC support in the parameter editor.
14	Response Queue ECC Error	W1C	0x0	The IP core sets this bit if it detects a correctable ECC error in the Response Queue memory. If the IP core sets this bit it also corrects the ECC error. The IP core can detect such an error only if you turn on Enable M20K ECC support in the parameter editor.

Bits	Field Name	Type	Value on Reset	Description
13	FERR_N	W1C	0x0	The IP core sets this bit if the HMC device indicates a fatal error by asserting its active-low FERR_N pin. You must connect the IP core <code>hmc_ferr_n</code> input signal to the HMC device FERR_N output signal.
12	Retry Buffer Uncorrectable ECC Error	W1C	0x0	The IP core sets this interrupt bit if it detects an uncorrectable ECC error in the Retry Buffer memory. The IP core can detect such an error only if you turn on Enable M20K ECC support in the parameter editor.
11	Retry Buffer ECC Error	W1C	0x0	The IP core sets this interrupt bit if it detects a correctable ECC error in the Retry Buffer memory. The IP core automatically corrects the ECC in this case. The IP core can detect such an error only if you turn on Enable M20K ECC support in the parameter editor.
10	Reserved	RO	0x0	
9	No More Tokens	W1C	0x0	<p>The IP core sets this interrupt bit if it runs out of tokens. Tokens represent available buffer space in the HMC device. While the IP core has no remaining tokens, it does not send any additional requests, per token-based flow control requirements. This situation is not an error condition, but it may indicate a reduction in performance. However, like any interrupt bit, it causes the IP core to assert the <code>csr_irq</code> signal (assuming the global interrupt enable register bit is set).</p> <p>This bit has the value of 0 when the IP core comes out of reset. After link initialization, the HMC device communicates its buffer capacity with a sequence of TRET packets. After the IP core receives the first TRET packet, it begins updating the No More Tokens register field.</p>
8	Retry Buffer Full	W1C	0x0	The IP core sets this interrupt bit if the Retry buffer fills. When the Retry buffer is full, the IP core does not send any additional Read or Write requests. This situation is not an error condition, but it may indicate a reduction in performance.
7	Reserved	RO	0x0	
6	RX Error Response Overflow	W1C	0x0	The IP core sets this interrupt bit if too many Error Response packets are received before they are read from the <code>ERROR_RESPONSE</code> register. If overflow occurs, the IP core drops incoming Error Response packets until space is again available in the Error Response queue.
5	RX Error Response	W1C	0x0	The IP core sets this interrupt bit if the IP core receives an Error Response packet.
4	Fatal Error	W1C	0x0	The IP core sets this interrupt bit if it makes three or more successive retry attempts that are unsuccessful.

Bits	Field Name	Type	Value on Reset	Description
3	Remote Error	W1C	0x0	The IP core sets this interrupt bit if it receives a valid IRTRY (StartRetry) sequence, indicating the HMC device detected an error.
2	SEQ Error	W1C	0x0	The IP core sets this interrupt bit if it receives a packet with a SEQ field value that is not a +1 increment from the SEQ field value of the previous packet it received.
1	LNG/DLN Error	W1C	0x0	The IP core sets this interrupt bit if it receives a packet with unequal or invalid values in the LNG (packet length) and DLN (duplicate length) fields.
0	CRC Error	W1C	0x0	The IP core sets this interrupt bit to the value of 1 if it detects an error in the CRC of a packet it receives.

Table 5-10: HMC Controller IP Core INTERRUPT_ENABLE Register at Offset 0x24

Each bit in this register enables the corresponding interrupt in the INTERRUPT_STATUS register at offset 0x20. For each register bit:

- If the bit has the value of 0, the interrupt is disabled.
- If the bit has the value of 1, and the GlobalEnable bit of the GLOBAL_INTERRUPT_ENABLE register at offset 0x28 has the value of 1, the interrupt is enabled.

Bits	Field Name	Type	Value on Reset	Description
31: 16	Reserved	RO	0x0000	
15	Response Queue Uncorrectable ECC Error Enable	RW	0x0	Enables Response Queue Uncorrectable ECC Error interrupt.
14	Response Queue ECC Error Enable	RW	0x0	Enables Response Queue ECC Error interrupt.
13	FERR_N Enable	RW	0x0	Enables FERR_N interrupt.
12	Retry Buffer Uncorrectable ECC Error Enable	RW	0x0	Enables Retry Buffer Uncorrectable ECC Error interrupt.
11	Retry Buffer ECC Error Enable	RW	0x0	Enables Retry Buffer ECC Error interrupt.
10	Reserved	RO	0x0	
9	No More Tokens Enable	RW	0x0	Enables No More Tokens interrupt.

Bits	Field Name	Type	Value on Reset	Description
8	Retry Buffer Full Enable	RW	0x0	Enables Retry Buffer Full interrupt.
7	Reserved	RO	0x0	
6	RX Error Response Overflow Enable	RW	0x0	Enables RX Error Response Overflow interrupt.
5	RX Error Response Enable	RW	0x0	Enables RX Error Response interrupt.
4	Fatal Error Enable	RW	0x0	Enables Fatal Error interrupt.
3	Remote Error Enable	RW	0x0	Enables Remote Error interrupt.
2	SEQ Error Enable	RW	0x0	Enables SEQ Error interrupt.
1	LNG/DLN Error Enable	RW	0x0	Enables LNG/DLN Error interrupt.
0	CRC Error Enable	RW	0x0	Enables CRC Error interrupt.

Table 5-11: HMC Controller IP Core GLOBAL_INTERRUPT_ENABLE Register at Offset 0x28

Gates the INTERRUPT_ENABLE register.

Bits	Field Name	Type	Value on Reset	Description
31:1	Reserved	RO	0x00000000	
0	GlobalEnable	RW	0x0	Writing the value of 0 to this register field disables all interrupt sources from asserting the <code>csr_irq</code> output signal. Writing the value of 1 to this register field allows the IP core to assert the <code>csr_irq</code> output signal according to the interrupt sources enabled in the <code>INTERRUPT_ENABLE</code> register at offset 0x24. An interrupt source causes the IP core to assert the <code>csr_irq</code> output signal only if the <code>GlobalEnable</code> register field and the relevant <code>INTERRUPT_ENABLE</code> register field both have the value of 1.

Error and Retry Statistics Registers

The HMC Controller IP core has four statistics registers. Counter fields in these registers are all of type RC (Read to Clear).

Table 5-12: HMC Controller IP Core LOCAL_ERROR_COUNT Register at Offset 0x30

Bits	Field Name	Type	Value on Reset	Description
31:16	Reserved	RO	0x0000	
15:0	Local Count	RC	0x0000	Count of received packets with CRC, SEQ, or length errors. The counter saturates at 0xFFFF. Reading this register clears the Local Count field.

Table 5-13: HMC Controller IP Core REMOTE_ERROR_COUNT Register at Offset 0x34

Bits	Field Name	Type	Value on Reset	Description
31:16	Reserved	RO	0x0000	
15:0	Error Count	RC	0x0000	Number of times the HMC Controller IP core began the output error recovery process and retransmitted packets. This number indicates the number of errors detected by the external HMC device. This counter saturates at 0xFFFF. Reading this register clears the Error Count field.

Table 5-14: HMC Controller IP Core RETRY_BUFFER_ECC_COUNT Register at Offset 0x38

Bits	Field Name	Type	Value on Reset	Description
31:24	Reserved	RO	0x00	
23:16	Uncorrectable Count	RC	0x00	Number of uncorrectable ECC errors the IP core detected in the Retry Buffer memory. This counter saturates at 0xFF. This field maintains the value of zero unless you turn on Enable M20K ECC support in the parameter editor. Reading this register clears all of its fields, including the Uncorrectable Count field.
15:8	Reserved	RO	0x00	

Bits	Field Name	Type	Value on Reset	Description
7:0	Correctable Count	RC	0x00	<p>Number of correctable ECC errors the IP core detected in the Retry Buffer memory (and corrected). This counter saturates at 0xFF.</p> <p>This field maintains the value of zero unless you turn on Enable M20K ECC support in the parameter editor.</p> <p>Reading this register clears all of its fields, including the Correctable Count field.</p>

Table 5-15: HMC Controller IP Core RESPONSE_QUEUE_ECC_COUNT Register at Offset 0x3C

Bits	Field Name	Type	Value on Reset	Description
31:24	Reserved	RO	0x00	
23:16	Uncorrectable Count	RC	0x00	<p>Number of uncorrectable ECC errors the IP core detected in the Response Queue memory. This counter saturates at 0xFF.</p> <p>This field maintains the value of zero unless you turn on Enable M20K ECC support in the parameter editor.</p> <p>Reading this register clears all of its fields, including the Uncorrectable Count field.</p>
15:8	Reserved	RO	0x00	
7:0	Correctable Count	RC	0x00	<p>Number of correctable ECC errors the IP core detected in the Response Queue memory (and corrected). This counter saturates at 0xFF.</p> <p>This field maintains the value of zero unless you turn on Enable M20K ECC support in the parameter editor.</p> <p>Reading this register clears all of its fields, including the Correctable Count field.</p>

Related Information

[M20K ECC Support](#) on page 3-9

HMC Controller IP Core Stratix 10 Design Example

6

2016.08.08

UG-01152



Subscribe




Send Feedback

Intel provides a simulation- and compilation-ready design example with the HMC Controller IP core that targets a Stratix 10 device. This design is not guaranteed to close timing. Refer to the *Hybrid Memory Cube Controller Design Example User Guide* for information about the Arria 10 version of this design example. The Stratix 10 version of this IP core currently supports no board, but is available for simulation and compilation.

Note: The design example is available for simulation and compilation, but is not guaranteed to close timing. In addition, the Quartus Prime Pro – Stratix 10 Edition Beta version of the IP core supports only the Mentor Graphics Modelsim simulator and the Synopsys VCS simulator.

Figure 6-1: High Level Block Diagram for the HMC Controller IP Core Design Example



Intel Corporation. All rights reserved. Intel, the Intel logo, Altera, Arria, Cyclone, Enpirion, MAX, Nios, Quartus and Stratix words and logos are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Intel warrants performance of its FPGA and semiconductor products to current specifications in accordance with Intel's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Intel assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Intel. Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.

ISO
9001:2015
Registered

ALTERA
now part of Intel

Related Information

- [All Development Kits web page](#)
For information about the Intel development kit that the design examples targets.
- [Quartus Prime Standard Edition Handbook, Volume 3: Verification](#)
For information about programming an Intel device, refer to the "Programming Intel Devices" chapter.
- [Arria 10 Hybrid Memory Cube Controller Design Example User Guide](#)



HMC Controller IP Core User Guide Archives



2016.08.08

UG-20191



Subscribe



Send Feedback

If an IP core version is not listed, the user guide for the previous IP core version applies.

IP Core Version	User Guide
16.0	Hybrid Memory Cube Controller IP Core User Guide
15.0	Hybrid Memory Cube Controller IP Core User Guide

Intel Corporation. All rights reserved. Intel, the Intel logo, Altera, Arria, Cyclone, Enpirion, MAX, Nios, Quartus and Stratix words and logos are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Intel warrants performance of its FPGA and semiconductor products to current specifications in accordance with Intel's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Intel assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Intel. Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.

ISO
9001:2015
Registered



2016.08.08

UG-01152



Subscribe



Send Feedback

HMC Controller IP Core User Guide Revision History

Document Version	Quartus Prime Version	Changes
2018.07.10	Quartus Prime Pro – Stratix 10 Edition Beta	Renamed UG-01152 2016.08.08 to UG-20191 2016.08.08 and updated title.

Table B-1: Document Revision History

Summarizes the new features and changes in the user guide for the HMC Controller IP core.

Date	ACDS Version	Changes
2016.08.08	Quartus Prime Pro – Stratix 10 Edition Beta	<p>Updated for the Quartus Prime Pro – Stratix 10 Edition Beta software release:</p> <ul style="list-style-type: none"> Added support for Stratix 10 devices. Removed mention of Arria 10 variations of the IP core. This release supports only Stratix 10 devices. Removed mention of half-width variations. Half-width variations are not supported in the Stratix 10 device family. Noted some differences in supported simulators and the design example in this release. Refer to HMC Controller IP Core Stratix 10 Design Example on page 6-1. Changed register names. Refer to HMC Controller IP Core Register Map on page 5-1. <ul style="list-style-type: none"> Changed name of <code>LIMIT_OUTSTANDING_PACKET</code> register to <code>LIMIT_OUTSTANDING_PACKETS</code>. Refer to LIMIT_OUTSTANDING_PACKETS Register on page 5-6. Changed name of <code>RESPONSE_BUFFER_ECC_COUNT</code> register to <code>RESPONSE_QUEUE_ECC_COUNT</code>. Refer to Error and Retry Statistics Registers on page 5-10.

Intel Corporation. All rights reserved. Intel, the Intel logo, Altera, Arria, Cyclone, Enpirion, MAX, Nios, Quartus and Stratix words and logos are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Intel warrants performance of its FPGA and semiconductor products to current specifications in accordance with Intel's standard warranty, but reserves the right to make changes to any products and services at any time without notice. Intel assumes no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Intel. Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.

ISO
9001:2015
Registered

ALTERA
now part of Intel

Date	ACDS Version	Changes
		<ul style="list-style-type: none"> Clarified that the Lanes and Enable ADME and Optional Reconfiguration Logic IP core parameters, although still visible in the IP core parameter editor, are not supported in this release. Refer to HMC Controller IP Core Parameters on page 2-5. Clarified that the transceiver reconfiguration interface is not functional in this release. However, you must drive the <code>reconfig_clk</code> input at an appropriate clock frequency. Refer to Transceiver Reconfiguration Interface on page 3-4, Transceiver Reconfiguration Signals on page 4-15, and High Level Block Diagram on page 3-1. Clarified that the <code>rst_n</code> and <code>reconfig_reset</code> input signals are asynchronous and must be asserted long enough for the IP core to capture the reset request. Refer to Clock and Reset Signals on page 4-14. Updated the descriptions of the M20K ECC functionality from triple-adjacent-error detect (for Arria 10 devices) to triple-adjacent-error correct (for Stratix 10 devices). Refer to HMC Controller IP Core Parameters on page 2-5 and M20K ECC Support on page 3-9. Clarified that each HMC Controller IP core connects to a single HMC device link. To connect to multiple links of your HMC device, you must instantiate multiple instances of the HMC Controller IP core. Refer to HMC Controller IP Core Supported Features on page 1-2. Removed erroneous indication that certain payload sizes are available only in half-width variations. Refer to Application Response Interface on page 4-5. Changed title of "Clocking and Reset Structure" section to "Clocking Structure". This section does not contain reset information. Refer to Clocking Structure on page 3-4. Fixed assorted typos and minor errors.

Date	ACDS Version	Changes
2016.05.02	16.0	<ul style="list-style-type: none"> Updated for Quartus Prime software v16.0 release. Added support for multiple (2, 3, or 4) data interfaces in full-width variations. <ul style="list-style-type: none"> Added new Ports parameter to specify the number of ports (1, 2, 3, or 4). Refer to HMC Controller IP Core Parameters on page 2-5. Added new signals. for the additional interfaces. Signal names on data path interfaces, in the case of more than one port, are <code>dp<n>_req_*</code> and <code>dp<n>_rsp_*</code> where <code><n></code> is the port number (0, 1, 2, 3). Refer to Application Request Interface on page 4-2 and Application Response Interface on page 4-5. Added new Response re-ordering parameter for full-width variations, to specify that the IP core should return responses on each data response interface in the order it received the original requests on the corresponding data request interface. When you turn on this new option, the IP core implements tag management internally, and the tags are not visible on the data interfaces. Refer to HMC Controller IP Core Supported Features on page 1-2 and HMC Controller IP Core Parameters on page 2-5. Expanded list of supported transactions by adding non-power of two payload sizes for READ, WRITE, and Posted WRITE transactions in full-width variations. Full-width variations now support all transaction types that half-width variations support. Refer to HMC Controller IP Core Supported HMC Transaction Types on page 1-3. Changed name of Enable Altera Debug Master Endpoint (ADME) parameter to Enable ADME and Optional Reconfiguration Logic. Added list of PHY debugging features the parameter sets. Refer to HMC Controller IP Core Parameters on page 2-5. Restricted list of allowed values for the CDR reference clock parameter to frequencies that support TX PLL xN bonding mode. Added new data path response interface signal <code>dp<n>_rsp_errstat[6:0]</code>. This signal holds the value of the <code>ERRSTAT</code> field of the response packet from the external HMC. Refer to Application Response Interface on page 4-5. Removed <code>pll_powerdown</code> output signal. Refer to Adding the External PLL on page 2-14 and Signals on the Interface to the External PLL on page 4-16. Updated description of <code>dp<n>_rsp_error</code> signal to indicate that the IP core now maintains the value of <code>dp<n>_rsp_error</code> for the duration of a multi-cycle transaction. Previously this behavior was not guaranteed. Refer to Application Response Interface on page 4-5. Corrected description of <code>dp<n>_rsp_cmd</code> signal to clarify that it can hold only the non-error response codes from Table 25 in the HMC specification. Refer to Application Response Interface on page 4-5.

Date	ACDS Version	Changes
		<ul style="list-style-type: none"> Added new Limit Outstanding FLITs feature for full-width variations to mitigate read response congestion. Added new <code>LIMIT_OUTSTANDING_PACKET</code> register to control the feature. Refer to Flow Control on page 3-9 and LIMIT_OUTSTANDING_PACKETS Register on page 5-6. Added software control for reset, link reinitialization, fatal error recovery, and power management. Added the following fields to the <code>CONTROL</code> register: <ul style="list-style-type: none"> <code>P_RST_N</code> in bit [17]: software controlled reset of the HMC. <code>TXPS</code> in bit [16]: Power management field. <code>SoftReset</code> in bit [2]: software-controlled reset of the IP core. <code>Retrain</code> in bit [0]: Restart IP core link initialization sequence. Refer to Initialization and Reset on page 3-5 and CONTROL Register on page 5-2. Corrected references to signal direction in description of <code>hmc_ltxps</code> signal in HMC Interface Signals on page 4-10.
2015.05.04	15.0	Initial release.