



**Part Number :** [936010422](#)

**Product Description :** Heavy-Duty Turned Crimp Contact for 40A Inserts and Modules, Male, Silver (Ag) Plated Copper Alloy, 6.00mm<sup>2</sup> (10 AWG), 100 per Bag

**Series Number :** 93601

**Status :** Active

**Product Category :** Heavy-Duty Contacts

**Engineering Part Number :** 7600.5713.0



---

## Documents and Resources

### Drawings

[936010422\\_sd.pdf](#)


### Specifications

[936010406-S00.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Reviewed per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2025)6375-DC (05 Nov 2025) SCIP:7c48a2ce-39a8-49f3-9dfa-bcd85bc2897c
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

CE - Declaration of Conformity

UKCA - Declaration of Conformity

## Part Details

### General

Status	Active
Category	Contacts
Series	93601
Description	Heavy-Duty Turned Crimp Contact for 40A Inserts and Modules, Male, Silver (Ag) Plated Copper Alloy, 6.00mm <sup>2</sup> (10 AWG), 100 per Bag
Contact Type	Turned Crimp
Product Name	Heavy-Duty Connectors
UPC	887191889306

### Agency

CSA	256883
UL	E249674

### Electrical

Current - Maximum per Contact	40.0A
-------------------------------	-------

### Physical

Gender	Male
Material - Contact	Copper Alloy
Material - Plating	Silver

Net Weight	3.400/g
Number of Grooves	0
Packaging Type	Bag
Stripping Length	9.60mm
Wire Size (AWG)	10
Wire Size mm <sup>2</sup>	6.00

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
GWconnect Heavy-Duty Connectors and Accessories	<u>93601</u>

### Use with Part(s)

Description	Part Number
Use With	S-K, S-Q, S-QD, and S-M Inserts

---

This document was generated on Dec 26, 2025