

Test adapter - PAI-ST 35/1000MM

3029994

<https://www.phoenixcontact.com/us/products/3029994>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Test adapter, color: red

Product Description

Test adapter, with molded cable, 1 meter long

Test adapter - PAI-ST 35/1000MM

3029994

<https://www.phoenixcontact.com/us/products/3029994>



Commercial Data

Item number	3029994
Packing unit	1 pc
Minimum order quantity	20 pc
Sales Key	B02
Product Key	BE2Z3X
Catalog Page	Page 134 (C-1-2019)
GTIN	4046356662239
Weight per Piece (including packing)	37.075 g
Weight per Piece (excluding packing)	37.075 g
Customs tariff number	85444290
Country of origin	PL

Test adapter - PAI-ST 35/1000MM



3029994

<https://www.phoenixcontact.com/us/products/3029994>

Technical Data

Product properties

Product type	Test socket
Number of positions	1

Electrical properties

Nominal current I_N	24 A
-----------------------	------

Dimensions

Width	6.9 mm
Height	56.9 mm
Length	10.8 mm

Material specifications

Color	red
Material	PA
Insulating material	PA

Test adapter - PAI-ST 35/1000MM

3029994

<https://www.phoenixcontact.com/us/products/3029994>



Approvals

EN EAC

Test adapter - PAI-ST 35/1000MM



3029994

<https://www.phoenixcontact.com/us/products/3029994>

Classifications

ECLASS

ECLASS-9.0	27440313
ECLASS-10.0.1	27440313
ECLASS-11.0	27141148

ETIM

ETIM 8.0	EC002555
----------	----------

UNSPSC

UNSPSC 21.0	20122000
-------------	----------

Test adapter - PAI-ST 35/1000MM



3029994

<https://www.phoenixcontact.com/us/products/3029994>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com