

**Part Number :** [351550300](#)

**Product Description :** 2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 3 Circuits

**Series Number :** 35155

**Status :** Not Recommended For New Design

**Product Category :** Connector Housings

---

## Documents and Resources

### Drawings

[351550300\\_sd.pdf](#)

[351550300\\_stp.zip](#)

### Specifications

[351550200-100.pdf](#)

[PK-35155-001-001.pdf](#)

[PS-35155-001-001.pdf](#)

[PS-35155-002-001.pdf](#)


[PS-35184-001-001.pdf](#)

[PS-68143-001-001.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Compliant per EU 2015/863

### Compliance Statements

- EU RoHS

- REACH SVHC
- Low-Halogen

#### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### Substances of Interest

- PFAS

#### EU RoHS Certificate of Compliance

#### Additional Product Compliance Information

## Part Details

### General

Status	Not Recommended For New Design
Category	Connector Housings
Series	35155
Description	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 3 Circuits
Application	Signal, Wire-to-Wire
Product Name	N/A
UPC	800753683914

### Agency

CSA	LR19980
UL	E29179

### Physical

Circuits (maximum)	3
Color - Resin	Natural
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	No

Lock to Mating Part	Yes
Material - Resin	Polyester
Net Weight	0.386/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.50mm
Pitch - Termination Interface	2.50mm
Temperature Range - Operating	-40° to +105°C

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
2.50mm Pitch Wire-to-Wire Plug Housings	<u>35184</u>
2.50mm Pitch Vertical Headers	<u>35312</u>

### Use with Part(s)

Description	Part Number
SPOX Female Crimp Terminals	<u>5103</u>

---

This document was generated on May 06, 2026