




**Part Number :** [150110650](#)

**Product Description :** 0.35mm Pitch Premo-Flex SlimStack FFC/FPC Jumper, Same Side Contacts (Type A), 152.00mm Cable Length, Gold (Au) Plating, 50 Circuits

**Series Number :** 15011

**Status :** Active

**Product Category :** Flat-Flexible Cable (FFC)



---

## Documents and Resources

### Drawings

[150110650 sd.pdf](#)


### Specifications

[150110001-000.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Compliant per EU 2015/863

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

## Part Details

### General

Status	Active
Category	Flat-Flexible Cable (FFC)
Series	15011
Description	0.35mm Pitch Premo-Flex SlimStack FFC/FPC Jumper, Same Side Contacts (Type A), 152.00mm Cable Length, Gold (Au) Plating, 50 Circuits
Product Name	Premo-Flex SlimStack FFC/FPC Jumper
UPC	198282796022

### Electrical

Current - Maximum per Contact	0.3A
Voltage - Maximum	60V AC/DC

### Physical

Cable Length	152.00mm
Circuits (Loaded)	50
Contact Layout Type	A (same side)
Design Feature	Flexible Printed Circuit
Material - Plating Mating	Gold
Packaging Type	Bag
Pitch - Mating Interface	0.35mm
Temperature Range - Operating	-40° to +85°C
Termination Style	Soldered SlimStack Connector
Wire/Cable Type	Flexible Printed Circuitry
Wire Size (AWG)	N/A

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
SlimStack Board-to-Board Plug, 0.35mm Pitch, ACB6+ Series, 0.60mm Mated Height, 1.90mm Mated Width, 50 Circuits, 8 Reels/ Carton	<u>2167010509</u>

---

This document was generated on Apr 23, 2026