

APC NetShelter SX, Server Rack Enclosure, 48U, without Doors, Black, 2258H x 600W x 1070D mm

AR3107X610

Overview

Presentation	Tall enclosure with 48U spaces for additional equipment. Compact width to optimize data center space. For low to medium density server and networking applications.
Lead time	Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	48U
Provided equipment	Baying hardware
	Key(s)
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels

Physical

Height	225.8 cm	
Width	60 cm	
Depth	107 cm	
Product weight	116.64 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	91.49 cm	
minimum mounting depth	19.1 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 0 gauge front door 16 gauge post 0 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1360.8 kg static	

Conformance

Standards	UL 2416
	UL 60950-1
	EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	238.5 cm
Package 1 Width	121.9 cm
Package 1 Length	89.9 cm
Package 1 Weight	136.09 kg

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
REACh Regulation	REACh Declaration	

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes