



[Home](#) > [Products](#) > [Access](#) > [Cable Broadband](#) > [Cable Front Ends](#) > [FSC® & Narrowband Tuners/DEMOS](#) > [MxL278](#)

MxL278

Order Now

DOCSIS® 3.1 Full-Spectrum Capture™ (FSC™) Cable Tuner with MoCA Transceiver

ACTIVE

Overview

Documentation & Design Tools

Parts & Purchasing

Overview

Parameters

Description

Features

Applications

Press Releases

Information	
Min Temp (°C)	0
Max Temp (°C)	70
Package	QFN88 10x10

[Show more](#)

Documentation & Design Tools

All Types

Type	Title	Version	Date	File Size
------	-------	---------	------	-----------

[Register](#) for a myMxL account or [Login](#) to myMxL to view all Technical Documentation & Design Tools.

Parts & Purchasing

Part Number	Min Temp	Max Temp	Status
MXL278-AL-R	0	70	Active
MXL278-AL-T	0	70	Active

Part Status Legend

Active - the part is released for sale, standard product.
EOL (End of Life) - the part is no longer being manufactured, there may or may not be inventory still in stock.
CF (Contact Factory) - the part is still active but customers should check with the factory for availability. Longer lead-times may apply.
PRE (Pre-introduction) - the part has not been introduced or the part number is an early version available for sample only.
OBS (Obsolete) - the part is no longer being manufactured and may not be ordered.
NRND (Not Recommended for New Designs) - the part is not recommended for new designs.



COMPANY

About MaxLinear
Quality
Social
Responsibilities

INFORMATION

Product News
Privacy Policy
Terms of Use
Terms and Condition
of Sale
Do Not Sell or Share
My Personal
Information

CONTACT US

Contact Us
Sales & Distributions

CAREERS

Maximize Your Potential
Join the MaxLinear team and
help shape the future of
networking and communications
technology.

MaxLinear Careers →
Search US Jobs →
Search International Jobs →