#### **RAYCHEM**

TE Internal #: 159454-000

600 V, Silver-Coated High Strength Copper Alloy, 22 AWG, -65 –

200 °C [-85 – 392 °F], Hook Up Wire

View on TE.com >



Wire & Cable > Hook Up Wire > SAE AS22759: 34/35/41/42/43 - Dual-Wall, Normal Weight Wire



Cable Type: MIL-DTL-22759 Operating Voltage: 600 V

Wire & Cable Insulation Material: Modified Radiation Cross-linked ETFE Polymer

Conductor Material: Silver-Coated High Strength Copper Alloy

Wire Size: 22 AWG

All SAE AS22759: 34/35/41/42/43 - Dual-Wall, Normal Weight Wire (235)

## **Features**

| Product Type Features                      |                                                   |
|--------------------------------------------|---------------------------------------------------|
| Cable Style                                | Primary                                           |
| Configuration Features                     |                                                   |
| Number of Strands                          | 19                                                |
| Number of Conductors                       | 1                                                 |
| Electrical Characteristics                 |                                                   |
| Operating Voltage                          | 600 V                                             |
| Body Features                              |                                                   |
| Wire & Cable Insulation Material           | Modified Radiation Cross-linked ETFE<br>Polymer   |
|                                            |                                                   |
| Conductor Material                         | Silver-Coated High Strength Copper Alloy          |
| Conductor Material Wire Color (Base)       | Silver-Coated High Strength Copper Alloy<br>White |
|                                            |                                                   |
| Wire Color (Base)                          |                                                   |
| Wire Color (Base)  Dimensions              | White                                             |
| Wire Color (Base)  Dimensions  Strand Size | White  34 AWG                                     |



| Wire Size                   | 22 AWG                     |
|-----------------------------|----------------------------|
| Usage Conditions            |                            |
| Cable Type                  | MIL-DTL-22759              |
| Operating Temperature Range | -65 – 200 °C[-85 – 392 °F] |
| Other                       |                            |
| Product Source              | US                         |

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                           |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                           |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                             |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JAN 2025<br>(247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Out of Scope - excluded from Halogen requirements                                                                                   |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                        |

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





# Customers Also Bought



















## **Documents**

Product Drawings 22759/35-22-9

English

Datasheets & Catalog Pages

Raychem Wire and Cable Quick Reference Guide

English

06/19/2025 11:27PM | Page 3