

NOTES:


- CAP TPA: 15% GF PBT
COLOR: BLACK

- Downloaded from
- Arrow.com
- .

P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-








- 5 FLANGE CLEARANCE REGION ON SEALED SIDE OF ENCLOSURE, NECESSARY FOR PROPER ASSEMBLY AND SEALING.
- 6 SEALING SURFACE WITHIN CLEARANCE REGION, NO BURRS, SCRATCHES OR TOOL MARKS ALLOWED.
- 7 SURFACE ROUGHNESS APPLIES WITHIN CLEARANCE REGION.
- 8 X_BASIC AND Y_BASIC TO BE DEFINED BY CUSTOMER.
- 9 REMOVE SHARP EDGES. R0.3MM MAX




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DEEPAK A R 21AUG2020		 TE Connectivity	
		CHK A. SIVARAMAN 21AUG2020			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		NAME CAP PIN ASSY, 4P, FLANGE, SEALED COAX ASI6 COAXIAL -	
					
MATERIAL SEE NOTE 1		108-94799 APPLICATION SPEC 114-94667		SIZE A2	
-		WEIGHT 22.77 g		CAGE CODE 00779	
-		CUSTOMER DRAWING		DRAWING NO G=2339729	
				RESTRICTED TO -	
				SCALE 5:1	
				SHEET 2 OF 3	
				REV B	

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

KEYED PANEL CUTOUT FOR KEY CODE A (2339729-1)



KEYWAY CLEARANCE DETAIL
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DEEPAK A R 21AUG2020	 TE Connectivity			
DIMENSIONS: mm		CHK A. SIVARAMAN 24AUG2020				
		APVD J. BARTH 16NOV2021	NAME CAP PIN ASSY, 4P, FLANGE, SEALED COAX ASI6 COAXIAL			
		PRODUCT SPEC 108-94799	SIZE -			
MATERIAL SEE NOTE 1		APPLICATION SPEC 114-94667	CAGE CODE A200779		DRAWING NO C-2339729	RESTRICTED TO -
-		WEIGHT 22.77 g	CUSTOMER DRAWING		SCALE 1:1	SHEET 3 OF 3
					REV B	