

APC KVM 2G, Server Module, Serial

KVM-SERIAL

- ! Discontinued on: Dec 21, 2023
- ! To be end-of-service on: Dec 31, 2027

(!) Discontinued - Service only

Overview

Lead time Usually in Stock

Physical

_		
Height	1.4 cm	
Width	12.5 cm	
Depth	12.5 cm	
Product weight	0.1 kg	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	

Conformance

Product certifications	C-Tick CE TAA compliance VCCI class A
Standards	FCC part 15 class A ICES-003

Environmental

Ambient air temperature for operation	050 °C	
Operating altitude	010000 ft	
Relative humidity	595 %	
Ambient air temperature for storage	-1060 °C	
Storage altitude	0.000000000015240.0000000000 m	
Storage Relative Humidity	595 %	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.2 cm
Package 1 Width	12.9 cm
Package 1 Length	12.5 cm

Package 1 Weight	0.14 kg	
SCC14	10731304286674	

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

⊗ Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture		
Take-back	No	
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	

Jun 16, 2025

Product data sheet

KVM-SERIAL

Image of product / Alternate images

Alternative

