

Part Number : [936000349](#)

Product Description : Heavy-Duty Plastic Gable Gland with Gasket, M20x1.5 Thread, Grey RAL 7001

Series Number : 93600

Status : Active

Product Category : Heavy-Duty Cable Glands


Engineering Part Number : 7000.7823.0



Documents and Resources

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS |  per SJ/T 11365-2006 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2025)7771-DC (04 Feb 2026) |
| EU RoHS | Compliant per EU 2015/863 |

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

CE - Declaration of Conformity

UKCA - Declaration of Conformity

Part Details

General

| | |
|------------------|---|
| Status | Active |
| Category | Cable Glands |
| Series | 93600 |
| Description | Heavy-Duty Plastic Gable Gland with Gasket, M20x1.5 Thread, Grey RAL 7001 |
| Cable Gland Type | IP68 with Gasket |
| IP Rating | IP68 |
| Product Name | Heavy-Duty Connectors |
| Standard | DIN EN 50262, EN 60529 |
| UPC | 887191852218 |

Physical

| | |
|-------------------------------|----------------|
| Cable Diameter | 6.00-12.00mm |
| Gland Color | Grey RAL 7001 |
| Material - Cable Gland | Polyamide |
| Material - Gasket | NBR |
| Material - Nut | Polyamide |
| Packaging Type | Bag |
| Panel Cutout Diameter | 20.50mm |
| Panel Mount | Yes |
| Temperature Range - Operating | -40° to +100°C |
| Thread Size | M20x1.5 |
| Thread Type | (M) Metric |
| Waterproof / Dustproof | Yes |
| Waterproof / Dustproof Type | IP68 |

Mates With / Use With

Use with Part(s)

| Description | Part Number |
|-------------|-------------|
|-------------|-------------|

| | |
|----------|-----------------------------|
| Use With | Sealed Enclosures and Boxes |
|----------|-----------------------------|

This document was generated on Apr 29, 2026