


2057693-5 Product Details

Share Print Email



Obsolete  
View 3D PDF

Impact High Density Backplane Connectors

IMP,R3PR8C,UNG0.37None,SnPb

2057693-5  
TE Internal Number: 2057693-5

- Product Highlights View All
- Connector Style = Receptacle
  - 48/Signal, 24/Ground
  - 72 Positions
  - Board-to-Board Configuration = Right Angle
  - Number of Differential Pairs Per Column = 3

Pricing & Availability

Request Sample

Add to My Part List

Buy Product through Distributor

Feedback

Documents Features Compliance

Please Note:  
Use the Product Drawing for all design activity

Product Type Features	
PCB Mount Retention Type	Action/Compliant Tail
PCB Mount Alignment Type	None

Electrical Characteristics	
Impedance (Ω)	100
Operating Voltage Reference	AC/DC
Operating Voltage (VAC)	120
Operating Voltage (VDC)	120

Dimensions	
Tail Length (mm [in])	1.2 [0.047]
Length (X-Axis) (mm [in])	15.20 [0.598]
Width (Z-Axis) (mm [in])	24.20 [0.953]
Profile Height (Y-Axis) (mm [in])	13.30 [0.524]
PCB Hole Diameter (mm [in])	0.39 [0.015]

Contact Features	
Contact Type	Socket
Contact Plating, Termination Area, Material	Tin-Lead
Contact Plating, Termination Area, Thickness (µm [µin])	1.27 [50]
Contact Base Material	Copper-Nickel-Silicon
Underplate Material	Nickel
Underplate Material Thickness (µm [µin])	1.27 [50.000]

Housing Features	
Connector Style	Receptacle
Housing Color	Black
Housing Material	LCP (Liquid Crystal Polymer)

Configuration Features	
Connector Contact Configuration (No. of Pos./Type)	48/Signal, 24/Ground
Number of Positions	72
Number of Differential Pairs Per Column	3
Number of Columns	8
Number of Rows	9
Guide Location	Unguided
Tail Orientation	In-line

Industry Standards	
RoHS/ELV Compliance	Not ELV/RoHS compliant
Lead Free Solder Processes	Not relevant for lead free process
UL Rating	Recognized
UL File Number	E28476
UL Flammability Rating	UL 94V-0
CSA Certified	Yes

Environmental	
Operating Temperature (°C [°F])	-55 – +85 [-67 – +185]

Conditions for Usage	
Board-to-Board Configuration	Right Angle

Operation/Application	
Industry Application	Networking (Communications)

Packaging Features	
Packaging Method	Tube/Box

Other	
Brand	TE Connectivity

Related Products

Not quite the product you're looking for?  
Find Similar Products

View Part in Product Feature Selector

Check for Tooling

Corporate Information

About TE

Investors

News Room

Supplier Portal

Careers

Terms & Conditions

Privacy Policy

Global Accessibility Statement

Quick Links

Distributor Inventory

Product Cross Reference

Documents & Drawings

Product Compliance Support Center

Site Map

Customer Support

Email or Chat With Us

Find a Phone Number

Knowledge Base

Manage Your Account

Keep Me Informed

Twitter Facebook Google+ LinkedIn YouTube RSS

Image of a smartphone.