

Part Number: 1200888083

**Product Description :** Nano-Change (M8) Single-Ended Cordset, 3 Poles, Female (Straight) with Snap Coupling to Pigtail, 24 AWG, PVC/PUR Cable, 1.0m (3.28') Length, PUR Cable Preferred Version in Europe

Series Number: 120088

**Status:** Active

**Product Category:** Circular Industrial Cordsets

**Engineering Number:** 503000P02M020



#### **Documents & Resources**

### **Drawings**

1200888083\_sd.pdf

# **Product Environment Compliance**

### **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	© per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Triphenyl-phosphate per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

### **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

• chemSHERPA (xml)

## **Substances of Interest**

PFAS

**EU RoHS Certificate of Compliance** 

Additional Product Compliance Information

**UKCA - Declaration of Conformity** 

**CE - Declaration of Conformity** 

### **Part Details**

### General

Status	Active
Category	Circular Industrial Cordsets
Series	120088
Description	Nano-Change (M8) Single-Ended Cordset, 3 Poles, Female (Straight) with Snap Coupling to Pigtail, 24 AWG, PVC/PUR Cable, 1.0m (3.28') Length, PUR Cable Preferred Version in Europe
IP Rating	IP67
Product Name	Nano-Change (M8)
Protocol	N/A
Туре	Single Ended
UPC	78172532456

### **Electrical**

Current - Maximum per Contact	3.0A
Voltage - Maximum	60V AC / 75V DC

## **Physical**

Cable Diameter	N/A
Cable Length	2.0m (6.56')
Color - Cable Jacket	Black
Connector End A	Nano-Change (M8)
Connector End B	Pigtail
Coupling Style	Snap

Gender	Female-Pigtail
Keyway	None
LED Indicator	None
Material - Cable Jacket	PUR/PVC
Material - Connector Body	TPE
Material - Contact	Copper Alloy
Material - Coupling Nut	N/A
Material - Plating Mating	Gold
Orientation	Straight to Pigtail
Poles	3
Temperature Range - Operating	-20° to +80°C
Wire/Cable Type	N/A
Wire Size (AWG)	24

This document was generated on Sep 11, 2025