





Amphenol
FCI

© 2016 APCI

F

spec ref	dr	Ji-Lu Lu	2020/11/26	projection	MM	size	A2	scale	1:1
tolerance std	eng	-	2021/01/11	chr	-	ecn no	-	rel level	Preliminary
ISO 406	chr	-	-	appr	-	product family	-	cat. no.	-
ISO 1101	appr	-	-	Amphenol FCI	DDR5 SODIMM R/A 262PIN	dwg no	10155967	sheet 2 of 4	rev
surface	linear	0.X	±0.30	0.XX	±0.20	0.XXX	±0.10	angular	0°
ISO 1302	angular	0°	±2°	cat. no.	-	Product-Customer Drw	-	sheet 2 of 4	rev



spec ref	dr	Ji-Lu Lu	2020/11/26	projection	MM	size	A2	scale	1:1
tolerance std	eng	-	2021/01/11	chr	-	ecn no	-	rel level	Preliminary
ISO 406	chr	-	-	app	-	product family	-	rel level	Preliminary
ISO 1101	app	-	-	product family	-	rel level	-	rel level	Preliminary
surface	linear	0.X	± 0.30	Amphenol FCI	title	DDR5 SODIMM R/A 262PIN	dwg no	10155967	rev
ISO 1302	angular	0°	$\pm 2^\circ$	cat. no.	-	Product-Customer Drw	sheet 3 of 4	rev	1

NOTES:

1. MATERIAL:
 - 1.1 HOUSING:HIGH TEMPERATURE MATERIAL ,COLOR:BLACK.
 - 1.2 CONTACT:COPPER ALLOY.
 - 1.3 SOLDER TAIL AND HOLD DOWN:STAINLESS STEEL.
2. FINISH:
 - 2.1 CONTACT: GOLD FLASH PLATING ON SOLDER TAIL.
GOLD PLATING (THICKNESS SEE PART NUMBER DESCRIPTION)
ON CONTACT AREA.
 - 2.2 SOLDER TAIL:
MATTE TIN PLATING ALL OVER,NICKEL UNDERPLATED ALL OVER.
3. DATE CODE : SSYYWWD
 - S: MANUFACTURING SITE
VALLEY GREEN =V
DONGGUAN= DG
MALAYSIA= M
 - YY:YEAR
 - WW:WEEK
 - D: DAY (MONDAY=1)

. PRODUCT SPECIFICATION:GS-12-XXXX

. PACKAGE SPECIFICATION:GS-14-XXXX

. PRODUCT MARKING,(PART NUMBER&LOT CODE),ON THIS SURFACE

. LEAD FREE PRODCUT MEETS THE EUROPEAN UNION DRECTIVES&OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004

. THE CONNECTOR WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 10-30 SECONDS IN CONVECTION,INFAR-RED ,OR VAPOR PHASE
REFLOW OVEN

PART NUMBER DESCRIPTION:

10155967-0 0 X R H L F

- HALOGEN FREE & LEAD FREE
- R:TAPE&REEL PACKING
- PLATING CODE:
 - 1:GF
 - 4:Au 15u"
 - 5:Au 30u"

Amphenol FCI

© 2016 AFCI

F

spec ref		dr		3i-Lu Lu		2020/11/26		projection		MM		size		A2		scale		1:1	
tolerance std		eng		-		2021/09/11						ecn no		-		rel level		Preliminary	
ISO 406		chr		-		-		product family		-		-		-		-		-	
ISO 1101		appr		-		-		-		-		-		-		-		-	
surface		linear		0.X		±0.30		Amphenol		DDR5 SODIMM R/A 262PIN		dwg no		10155967		rev		1	
				0.XX		±0.20		FCI		CONNECTOR 0.50mm PITCH									
				0.XXX		±0.10		Title											
ISO 1302		angular		0°		±0°		cat. no.		-		Product-Customer Drw		sheet 4 of 4					